

Commercial Lighting Program

Eligible Product List



*Manitoba Hydro is a licensee of the Trademark and Official Mark.

COMPACT FLUORESCENT SYSTEMS - HARD-WIRED BALLASTS

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
ACE	CSD-332P	SH	347V	64	2x32W	-18	90%	P	R	Free	2006	5 yrs
ACE	CSD-B42PS	SH	277V	38	1x32W	-30	96%	P	P	NT	2008	5 yrs
ACE	CSD-B42PS	SH	277V	48	1x42W	-30	96%	P	P	NT	2008	5 yrs
ACE	CSD-B42PS	SH	347V	49	1x42W	-30	92%	P	P	NT	2008	5 yrs
ACE	CSD-B42PS	LH	277V	59	2x26W	-30	100%	P	P	NT	2008	5 yrs
ACE	CSD-B42PS	SH	347V	60	2x26W	-30	101%	P	P	NT	2008	5 yrs
ACE	CSD-UV18PS	LH	120V	16	1x13W	-30	100%	P	P	NT	2008	5 yrs
ACE	CSD-UV18PS	LH	120V	19	1x18W	-30	95%	P	P	NT	2008	5 yrs
ACE	CSD-UV18PS	LH	120V	38	2x18W	-30	95%	P	P	NT	2008	5 yrs
ACE	CSD-UV32PSX	SH	120V	28	1x26W	-30	95%	P	P	NT	2006	5 yrs
ACE	CSD-UV32PSX	LH	120V	32	1x32W	-30	93%	P	P	NT	2006	5 yrs
ACE	CSD-UV32PSX	LH	120V	52	2x26W	-30	95%	P	P	NT	2006	5 yrs
ACE	CSD-UV32PSX	LH	120V	63	2x32W	-30	90%	P	P	NT	2006	5 yrs
ACE	CSD-UV42PS	LH	120V	56	2x26W	-30	100%	P	P	NT	2008	5 yrs
ACE	CSD-UV42PS	LH	120V	64	2x32W	-30	95%	P	P	NT	2008	5 yrs
ACE	CSD-UV42PS	LH	120V	84	2x42W	-30	90%	P	P	NT	2008	5 yrs
ACE	CSD-UV70PS	LH	120V	119	2x57W	-30	93%	P	R	NT	2009	3 yrs
ACE	CSD-UV70PS	LH	277V	118	2x57W	-30	93%	P	R	NT	2009	3 yrs

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
ACE	CSD-UV70PS	LH	120V	74	1x70W	-30	99%	P	P	NT	2008	5 yrs
ACE	CSD-UV70PS	SH	277V	74	1x70W	-30	99%	P	P	NT	2008	5 yrs
ACE	CSD-UV70PS	LH	120V	147	2x70W	-30	92%	P	P	NT	2008	5 yrs
ACE	CSD-UV70PS	LH	277V	143	2x70W	-30	92%	P	P	NT	2008	5 yrs
ACE	CSS-UV42PS	LH	120V	25	1x26W	-30	93%	P	P	NT	2008	5 yrs
ACE	CSS-UV42PS	SH	277V	28	1x26W	-30	93%	P	P	NT	2008	5 yrs
ACE	CSS-UV42PS	LH	120V	34	1x32W	-30	85%	P	P	NT	2008	5 yrs
ACE	CSS-UV42PS	LH	277V	32	1x32W	-30	90%	P	P	NT	2008	5 yrs
ACE	CSS-UV42PS	LH	120V	44	1x42W	-30	85%	P	P	NT	2008	5 yrs
ACE	CSS-UV42PS	LH	277V	43	1x42W	-30	85%	P	P	NT	2008	5 yrs
ACE	CSS-UV42PS	LH	120V	50	2x26W	-30	92%	P	P	NT	2008	5 yrs
ACE	CSS-UV42PS	LH	277V	51	2x26W	-30	95%	P	P	NT	2008	5 yrs
ACE	EST-A40PS	LH	120V	80	3x26W	-10	82%	P	P	NT	2008	3 yrs
ACE	EST-A40PS	LH	120V	120	3x42W	-10	85%	P	P	NT	2008	3 yrs
ACE	EST-A40PS	LH	277V	120	3x42W	-10	85%	P	P	NT	2008	3 yrs
Advance	ICF-2S13-H1-LD	LH	120V	16	1x13W	-18	100%	NP	P	NT	2009	5 yrs
Advance	ICF-2S13-H1-LD	LH	277V	16	1x13W	-18	100%	NP	P	NT	2009	5 yrs
Advance	ICF-2S13-H1-LD	LH	120V	29	2x13W	-18	100%	NP	P	NT	2009	5 yrs
Advance	ICF-2S13-H1-LD	LH	277V	29	2x13W	-18	100%	P	P	NT	2009	5 yrs
Advance	ICF-2S18-H1-LD	LH	120V	20	1x18W	-18	100%	NP	P	NT	2009	5 yrs
Advance	ICF-2S18-H1-LD	LH	120V	39	2x18W	-18	100%	NP	P	NT	2009	5 yrs
Advance	ICF-2S18-H1-LD	LH	277V	39	2x18W	-18	100%	NP	P	NT	2009	5 yrs
Advance	ICF-2S18-M1-BS	LH	120V	35	2x18W	-18	95%	NP	P	NT	2005	5 yrs
Advance	ICF-2S26-H1-LD	LH	120V	29	1x26W	-18	110%	NP	P	NT	2009	5 yrs
Advance	ICF-2S26-H1-LD	LH	120V	54	2x26W	-18	100%	NP	P	NT	2009	5 yrs
Advance	ICF-2S26-H1-LD	LH	277V	54	2x26W	-18	100%	NP	P	NT	2009	5 yrs

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
Advance	ICF-2S42-M2-LD	LH	120V	55	2x26W	-18	100%	NP	P	NT	2009	5 yrs
Advance	ICF-2S42-M2-LD	LH	120V	68	2x32W	-18	98%	NP	P	NT	2009	5 yrs
Advance	ICF-2S42-M2-LD	LH	120V	93	2x42W	-18	97%	NP	P	NT	2009	5 yrs
Advance	ICF-2S42-M2-LD	LH	277V	93	2x42W	-18	97%	NP	P	NT	2009	5 yrs
Advance	ICF-2S42-M2-LD	LH	277V	68	2x32W	-18	98%	NP	P	NT	2009	5 yrs
Advance	IDL-2S26-M5-LD	LH	120V	32	2x13W	10	100%	NP	P	NT	2007	6 yrs
Advance	RCN-2TTP40-SC	LH	120V	72	2x40W	-18	88%	P	I	Free	2006	5 yrs
Advance	REL-2TTS39	SH	120V	70	2x36W	10	85%	P	R	NT	2007	5 yrs
Advance	REL-2TTS50	SH	120V	106	2x50W	10	98%	P	R	NT	2007	5 yrs
Antron	CSD-142-P/L	SH	120V	88	2x42W	-20	92%	P	P	NT	2008	3 yrs
Antron	CSD-142-P/L	SH	120V	45	1x42W	-20	99%	P	P	NT	2008	3 yrs
Antron	CSD-142-P/L	SH	120V	56	2x26W	-20	107%	P	P	NT	2008	3 yrs
Antron	CSD-UV24PBX	SH	120V	28	1x24W	-20	93%	P	P	NT	2008	3 yrs
Antron	CSS-UV42PS	LH	120V	39	1x42W	-30	80%	P	P	NT	2009	3 yrs
Antron	CSS-UV42PS	LH	120V	30	1x32W	-30	80%	P	P	NT	2009	3 yrs
Antron	CSS-UV42PS	LH	120V	53	2x26W	-30	86%	P	P	NT	2009	3 yrs
Antron	CSS-UV42PS	LH	120V	27	1x26W	-30	88%	P	P	NT	2009	3 yrs
Antron	CSS-UV42PS	LH	277V	30	1x32W	-30	80%	P	P	NT	2009	3 yrs
Etlin-Daniels	EB-213-UV-TP-PIC-LS	SH	120V	24	1x18W	-18	100%	P	R	Free	2006	5 yrs
Etlin-Daniels	EB-213-UV-TP-PIC-LS	LH	120V	32	2x13W	-18	100%	P	R	Free	2006	5 yrs
Etlin-Daniels	EB-226-UV-TP-PIC-LS	LH	120V	59	2x26W	-18	100%	P	R	NT	2006	5 yrs
Fulham/Race Horse	RH1-UNV-213-BLS	LH	120V	32.55	2x13W	-18	103%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH1-UNV-213-C	LH	120V	32.55	2x13W	-18	103%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH1-UNV-213-K	LH	120V	32.55	2x13W	-18	103%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH2-UNV-218-BLS	LH	120V	23.34	1x18W	-18	112%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH2-UNV-218-BLS	LH	120V	43.54	2x18W	-18	108%	NP	P	NT	2007	3 yrs

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
Fulham/Race Horse	RH2-UNV-218-C	LH	120V	32.55	1x18W	-18	103%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH2-UNV-218-C	LH	120V	43.54	2x18W	-18	108%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH2-UNV-218-K	LH	120V	32.55	1x18W	-18	103%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH2-UNV-218-K	LH	120V	43.54	2x18W	-18	108%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH3-UNV-226-BLS	LH	120V	30.09	1x26W	-18	100%	NP	P	NT	2007	5 yrs
Fulham/Race Horse	RH3-UNV-226-BLS	LH	120V	34.17	1x32W	-18	86%	NP	P	NT	2007	5 yrs
Fulham/Race Horse	RH3-UNV-226-BLS	LH	120V	50.72	1x42W	-18	97%	NP	P	NT	2007	5 yrs
Fulham/Race Horse	RH3-UNV-226-BLS	LH	120V	57.86	2x26W	-18	97%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH3-UNV-226-C	LH	120V	30.09	1x26W	-18	100%	NP	P	NT	2007	5 yrs
Fulham/Race Horse	RH3-UNV-226-C	LH	120V	34.17	1x32W	-18	86%	NP	P	NT	2007	5 yrs
Fulham/Race Horse	RH3-UNV-226-C	LH	120V	50.72	1x42W	-18	97%	NP	P	NT	2007	5 yrs
Fulham/Race Horse	RH3-UNV-226-C	LH	120V	57.86	2x26W	-18	97%	NP	P	NT	2007	3 yrs
Fulham/Race Horse	RH3-UNV-226-K	LH	120V	30.09	1x26W	-18	100%	NP	P	NT	2007	5 yrs
Fulham/Race Horse	RH3-UNV-226-K	LH	120V	34.17	1x32W	-18	86%	NP	P	NT	2007	5 yrs
Fulham/Race Horse	RH3-UNV-226-K	LH	120V	50.72	1x42W	-18	97%	NP	P	NT	2007	5 yrs
Fulham/Race Horse	RH3-UNV-226-K	LH	120V	57.86	2x26W	-18	97%	NP	P	NT	2007	3 yrs
GE Multivolt Proline	GEC213-MVPS-3W	LH	120	29	2x13W	-29	100%	P	P	NT	2009	5 yrs
GE Multivolt Proline	GEC213-MVPS-3W	LH	277	29	2x13W	-29	100%	P	P	NT	2009	5 yrs
GE Multivolt Proline	GEC218-MVPS-3W	LH	120	35	2x18W	-29	100%	P	P	NT	2009	5 yrs
GE Multivolt Proline	GEC218-MVPS-3W	LH	277	35	2x18W	-29	100%	P	P	NT	2009	5 yrs
GE Multivolt Proline	GEC226-MVPS-3W	LH	120	51	2x26W	-29	100%	P	P	NT	2009	5 yrs
GE Multivolt Proline	GEC226-MVPS-3W	LH	277	51	2x26W	-29	100%	P	P	NT	2009	5 yrs
Osram Sylvania	QT 3x40/120 DL	SH	120V	110	3x40W	-18	96%	P	I	Free	2006	5 yrs
Osram Sylvania	QTP1x26WCF277TS	LH	277V	28	1x26W	-20	100%	P	P	Free	2006	5 yrs
Osram Sylvania	QTP1x40TT5/120 PSN F	LH	120V	38	1x40W	-18	88%	NP	P	Free	2005	5 yrs
Osram Sylvania	QTP2x26/32/42CF UNV TM	LH	120V	94	2x42W	-20	95%	NP	P	NT	2006	5 yrs

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
Osram Sylvania	QTP2x26/32/42CF/UNV BM	LH	120V	77	2x42W	-20	100%	P	P	Free	2006	5 yrs
Osram Sylvania	QTP2x26/32/42CF/UNV PM	LH	120V	54	2x26W	-20	102%	NP	P	Free	2006	5 yrs
Osram Sylvania	QTP2x26/32/42CF/UNV PM	LH	120V	69	2x32W	-20	96%	NP	P	Free	2006	5 yrs
Osram Sylvania	QTP2x26/32/42CF/UNV PM	LH	120V	94	2x42W	-20	95%	NP	P	Free	2006	5 yrs
Osram Sylvania	QTP2x26CF/UNV BS	LH	120V	28	1x26W	-20	100%	NP	P	Free	2006	5 yrs
Osram Sylvania	QTP2x26CF/UNV BS	LH	120V	45	1x32W	-20	98%	NP	P	Free	2006	5 yrs
Osram Sylvania	QTP2x26CF/UNV BS	LH	120V	45	1x42W	-20	100%	NP	P	NT	2006	5 yrs
Osram Sylvania	QTP2x26CF/UNV BS	LH	120V	54	2x26W	-20	100%	NP	P	Free	2006	5 yrs
Robertson	PSM218CQ347W	LH	347V	41	2x18W	-30	100%	NP	P	Free	2007	5 yrs
Robertson	PSM226CQ347W	SH	347V	31	1x26W	-20	102%	NP	P	NT	2006	5 yrs
Robertson	PSM226CQ347W	SH	347V	36	1x32W	-20	99%	NP	P	NT	2006	5 yrs
Robertson	PSM226CQ347W	LH	347V	50	1x42W	-20	100%	NP	P	NT	2006	5 yrs
Robertson	PSM226CQ347W	LH	347V	58	2x26W	-20	99%	NP	P	NT	2006	5 yrs
Sage Lighting	NAC218	LH	347V	21	1x18W	-30	96%	P	P	NT	2008	5 yrs
Sage Lighting	NAC218	LH	347V	40	2x18W	-30	92%	P	P	NT	2008	5 yrs
Sage Lighting	NAC218B-ROHS	LH	347V	39	2x18W	-30	88%	P	P	NT	2010	5 yrs
Sage Lighting	NAC232	LH	347V	34	1x32W	-30	90%	P	P	O	2010	5 yrs
Sage Lighting	NAC232	LH	347V	69	2x32W	-30	80%	P	P	O	2010	5 yrs
Sage Lighting	NAU218	LH	120V	21	1x18W	-30	96%	P	P	NT	2008	5 yrs
Sage Lighting	NAU218	LH	120V	40	2x18W	-30	92%	P	P	NT	2008	5 yrs
Sage Lighting	NAU232	LH	120V	43	1x40W	-30	100%	P	P	NT	2006	5 yrs
Sage Lighting	NAU232	LH	120V	56	2x26W	-30	95%	P	P	NT	2006	5 yrs
Sage Lighting	NAU232	LH	120V	34	1x32W	-30	90%	P	P	Free	2010	5 yrs
Sage Lighting	NAU232	LH	120V	69	2x32W	-30	90%	P	P	NT	2010	5 yrs
Sage Lighting	NAU342RS	LH	120V	73	3x26W	-10	85%	P	P	NT	2008	5 yrs
Sage Lighting	NC255T5-ROHS	LH	347V	117	2x50W	-30	100%	P	P	NT	2008	3-5 yrs

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
Sage Lighting	NCU232B	LH	120V	33	1x32W	-30	90%	P	P	Free	2010	5 yrs
Sage Lighting	NCU232B	LH	120V	64	2x32W	-30	90%	P	P	Free	2010	5 yrs
Sage Lighting	NCU242	LH	120V	34	1x32W	-30	90%	P	P	NT	2006	3-5 yrs
Sage Lighting	NCU242	LH	120V	46	1x42W	-30	90%	P	P	Free	2010	5 yrs
Sage Lighting	NCU242	LH	120V	67	2x32W	-30	90%	P	P	NT	2006	3-5 yrs
Sage Lighting	NCU242	LH	120V	87	2x42W	-30	90%	P	P	Free	2010	5 yrs
Sage Lighting	NU255T5	LH	120V	63	1x50W	-30	105%	P	P	NT	2008	3-5 yrs
Sage Lighting	NU255T5	LH	120V	117	2x50W	-30	100%	P	P	NT	2008	3-5 yrs
Sage Lighting	NXU240RS-ROHS	LH	120V	35	1x32W	-30	90%	P	P	Free	2010	5 yrs
Sage Lighting	NXU240RS-ROHS	LH	120V	67	2x32W	-30	88%	P	P	Free	2010	5 yrs
Sage Lighting	NXU240RS-ROHS	LH	120V	46	1x40W	-30	93%	P	P	NT	2010	5 yrs
Sage Lighting	NXU240RS-ROHS	LH	120V	87	2x40W	-30	88%	P	P	NT	2010	5 yrs
Standard	BALFC242A-JP	LH	120V	88	2x42W	-20	85%	P	P	NT	2008	5 yrs
Standard	BALFC242A-JP	LH	120V	66	2x32W	-20	89%	P	P	NT	2008	5 yrs
Standard	BALFC242A-JP	LH	120V	56	2x26W	-20	99%	P	P	NT	2008	5 yrs
Standard	BALFC242A-JP	SH	120V	45	1x42W	-20	92%	P	P	NT	2008	5 yrs
Standard	BALFC242A-JP	SH	120V	35	1x32W	-20	92%	P	P	NT	2008	5 yrs
Standard	E21338-347-TDE FLX	SH	277V	19	1x13W	-20	110%	P	P	NT	2009	5 yrs
Standard	E21338-347-TDE FLX	SH	277V	25	1x26W	-20	84%	P	P	NT	2009	5 yrs
Standard	E21338-347-TDE FLX	SH	347V	25	1x26W	-20	84%	P	P	NT	2009	5 yrs
Standard	E21338-347-TDE FLX	LH	277V	37	2x13W	-20	108%	P	P	NT	2009	5 yrs
Standard	E21338-347-TDE FLX	LH	347V	37	2x13W	-20	111%	P	P	NT	2009	5 yrs
Standard	E21338-UV-TDE FLX	LH	120V	18	1x13W	-20	106%	P	P	NT	2009	5 yrs
Standard	E21338-UV-TDE FLX	SH	277V	18	1x13W	-20	106%	P	P	NT	2009	5 yrs
Standard	E21338-UV-TDE FLX	LH	120V	23	1x26W	-20	75%	P	P	NT	2009	5 yrs
Standard	E21338-UV-TDE FLX	SH	277V	23	1x26W	-20	76%	P	P	NT	2009	5 yrs

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
Standard	E21338-UV-TDE FLX	LH	120V	34	2x13W	-20	98%	P	P	NT	2009	5 yrs
Standard	E21338-UV-TDE FLX	SH	277V	34	2x13W	-20	98%	P	P	NT	2005	5 yrs
Standard	E22142-277-347-TDE FLX	SH	277V	30	1x26W	-30	92%	P	P	NT	2009	5 yrs
Standard	E22142-277-347-TDE FLX	LH	277V	43	1x42W	-30	81%	P	P	NT	2009	5 yrs
Standard	E22142-277-347-TDE FLX	LH	347V	43	1x42W	-30	81%	P	P	NT	2009	5 yrs
Standard	E22142-277-347-TDE FLX	SH	277V	54	2x26W	-30	90%	P	P	NT	2009	5 yrs
Standard	E22142-277-347-TDE FLX	SH	347V	54	2x26W	-30	90%	P	P	NT	2009	5 yrs
Standard	E22142-UV-TDE FLX	LH	120V	29	1x26W	-30	90%	P	P	NT	2009	5 yrs
Standard	E22142-UV-TDE FLX	SH	277V	30	1x26W	-30	92%	P	P	NT	2009	5 yrs
Standard	E22142-UV-TDE FLX	LH	120V	42	1x42W	-30	78%	P	P	NT	2009	5 yrs
Standard	E22142-UV-TDE FLX	LH	277V	43	1x42W	-30	81%	P	P	NT	2009	5 yrs
Standard	E22142-UV-TDE FLX	LH	120V	54	2x26W	-30	87%	P	P	NT	2009	5 yrs
Standard	E22142-UV-TDE FLX	SH	277V	54	2x26W	-30	90%	P	P	NT	2009	5 yrs
Universal	C213/347BE	LH	347V	18	1x13W	-18	100%	NP	P	NT	2006	5 yrs
Universal	C213/347BE	LH	347V	33	2x13W	-18	98%	NP	P	NT	2006	5 yrs
Universal	C213/347BES	LH	347V	18	1x13W	-18	100%	NP	P	NT	2006	5 yrs
Universal	C213/347BES	LH	347V	33	2x13W	-18	98%	NP	P	NT	2006	5 yrs
Universal	C213/347SE	LH	347V	18	1x13W	-18	100%	NP	P	NT	2006	5 yrs
Universal	C213/347SE	LH	347V	33	2x13W	-18	98%	NP	P	NT	2006	5 yrs
Universal	C213UNVBES	LH	120V	18	1x13W	-18	98%	NP	R	NT	2006	5 yrs
Universal	C213UNVBES	LH	120V	30	2x13W	-18	98%	NP	R	NT	2006	5 yrs
Universal	C213UNVME	LH	120V	30	2x13W	-18	100%	P	P	NT	2010	5 yrs
Universal	C218/347BE	LH	347V	21	1x18W	-18	100%	NP	P	NT	2006	5 yrs
Universal	C218/347BE	LH	347V	38	2x18W	-18	98%	NP	P	NT	2006	5 yrs
Universal	C218/347BES	LH	347V	21	1x18W	-18	100%	NP	P	NT	2006	5 yrs
Universal	C218/347BES	LH	347V	38	2x18W	-18	98%	NP	P	NT	2006	5 yrs

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
Universal	C218/347SE	LH	347V	21	1x18W	-18	100%	NP	P	NT	2006	5 yrs
Universal	C218/347SE	LH	347V	38	2x18W	-18	98%	NP	P	NT	2006	5 yrs
Universal	C218UNVBES	LH	120V	19	1x18W	-18	100%	NP	R	NT	2006	3 yrs
Universal	C218UNVBES	LH	120V	35	2x18W	-18	95%	NP	R	NT	2006	3 yrs
Universal	C218UNVME	LH	120V	56	2x18W	-18	98%	P	P	NT	2010	5 yrs
Universal	C240SI120RH	SH	120V	67	2x40W	10	88%	P	I	NT	2009	5 yrs
Universal	C242 347BES	LH	347V	62	2x32W	-18	100%	P	P	NT	2010	5 yrs
Universal	C242 347BES	LH	347V	80	2x42W	-18	98%	P	P	NT	2010	5 yrs
Universal	C242 347BES	LH	347V	44	2x26W	-18	102%	P	P	NT	2010	5 yrs
Universal	C242 347BES	LH	347V	42	1x42W	-18	100%	P	P	NT	2010	5 yrs
Universal	C242UNVSE	LH	277V	90	2x42W	-18	98%	NP	P	Free	2003	5 yrs
Universal	C242UNVSE	LH	120V	73	1x70W	-18	100%	P	P	NT	2008	5 yrs
Universal	C242UNVSE	LH	277V	72	1x70W	-18	100%	P	P	NT	2008	5 yrs
Universal	C2642 347BES	LH	347V	57	2x26W	-18	98%	P	P	NT	2010	5 yrs
Universal	C2642 347BES	LH	347V	50	1x42W	-18	100%	P	P	NT	2010	5 yrs
Universal	C2642 347BES	LH	347V	36	1x32W	-18	98%	P	P	NT	2010	5 yrs
Universal	C2642 347BES	LH	347V	31	1x26W	-18	98%	P	P	NT	2010	5 yrs
Universal	C2642/347SE	LH	347V	36	1x32W	-18	98%	P	R	Free	2006	5 yrs
Universal	C2642/347SE	LH	347V	50	1x42W	-18	100%	P	P	NT	2006	5 yrs
Universal	C2642/347SE	LH	347V	57	2x26W	-18	98%	P	P	Free	2006	5 yrs
Universal	C2642UNVBES	LH	120V	36	1x32W	-18	100%	NP	R	NT	2006	5 yrs
Universal	C2642UNVME	LH	120V	56	2x26W	-18	98%	P	P	NT	2010	5 yrs
Universal	C2642UNVSE	LH	120V	56	1x42W	-18	98%	P	P	Free	2006	5 yrs
Universal	C2642UNVSE	LH	120V	48	2x26W	-10	98%	P	P	Free	2006	5 yrs
Universal	C340SI120RH	SH	120V	98	3x40W	10	88%	P	I	NT	2009	5 yrs
Universal	C340SI120RH	SH	120V	75	2x40W	10	99%	P	I	NT	2009	5 yrs

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
Ultrasave	UR242120M-SL	LH	120	84	2X42W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR242120M-SL	LH	277	64	2X32W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR242120M-SL	LH	120	64	2X32W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR242120M-SL	SH	277	45	1X42W	-20	102%	P	P	NT	2009	3 yrs
Ultrasave	UR242120M-SL	SH	120	45	1X42W	-20	102%	P	P	NT	2009	3 yrs
Ultrasave	UR242120M-SL	LH	277	84	2X42W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR242347M-SL	LH	277	84	2X42W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR242347M-SL	LH	277	64	2X32W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR242347M-SL	SH	347	45	1X42W	-20	102%	P	P	NT	2009	3 yrs
Ultrasave	UR242347M-SL	SH	277	45	1X42W	-20	102%	P	P	NT	2009	3 yrs
Ultrasave	UR242347M-SL	LH	347	84	2X42W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR226120M-SL	LH	120	54	2X26W	-20	98%	P	P	NT	2009	3 yrs
Ultrasave	UR226120M-SL	LH	277	54	2X26W	-20	98%	P	P	NT	2009	3 yrs
Ultrasave	UR226120M-SL	LH	277	34	1X32W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR226120M-SL	LH	277	44	1X42W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR226120M-SL	LH	120	44	1X42W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR226120M-SL	LH	120	34	1X32W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR226120M-SL	LH	120	28	1X26W	-20	102%	P	P	NT	2009	3 yrs
Ultrasave	UR226120MHT-SL	LH	120	54	2X26W	-20	NT	P	P	NT	2010	5 yrs
Ultrasave	UR226120MHT-SL	LH	120	28	1X26W	-20	NT	P	P	NT	2010	5 yrs
Ultrasave	UR226347M-SL	LH	347	28	1X26W	-20	102%	P	P	NT	2009	3 yrs
Ultrasave	UR226347M-SL	LH	347	34	1X32W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR226347M-SL	LH	347	44	1X42W	-20	100%	P	P	NT	2009	3 yrs
Ultrasave	UR226347M-SL	LH	347	54	2X26W	-20	98%	P	P	NT	2009	3 yrs
Ultrasave	UR218120M-SL	LH	120	29	2X13W	-20	120%	P	P	NT	2009	3 yrs
Ultrasave	UR218120M-SL	LH	277	39	2X18W	-20	98%	P	P	NT	2009	3 yrs

Manufacturer	Model Number	Category	Voltage	Input Power	Lamp	Min Temp (°C)	Light Output	Case	Type	IR	Test Year	Warranty
Ultrasave	UR218120M-SL	LH	277	29	2X13W	-20	120%	P	P	NT	2009	3 yrs
Ultrasave	UR218120M-SL	LH	120	19	1X18W	-20	102%	P	P	NT	2009	3 yrs
Ultrasave	UR218120M-SL	LH	120	17	1X13W	-20	110%	P	P	NT	2009	3 yrs
Ultrasave	UR218120M-SL	LH	120	39	2X18W	-20	98%	P	P	NT	2009	3 yrs
Ultrasave	UR218347M-SL	LH	347	29	2X13W	-20	120%	P	P	NT	2009	3 yrs
Ultrasave	UR218347M-SL	LH	347	39	2X18W	-20	98%	P	P	NT	2009	3 yrs

Category: LH= Low Harmonics, SH = Standard Harmonics

Multi voltage ballasts are tested ONLY at 120V or 347V (as applicable).