

BIPOLE III
Prairie Skink Surveys

Prepared for:

Manitoba Hydro

Prepared By:

Katarzyna Dyszy

December, 2016



North/South Consultants Inc.
Aquatic Environment Specialists

83 Scurfield Blvd. Tel.: (204) 284-3366
Winnipeg, Manitoba, R3Y 1G4 Fax: (204) 477-4173
Website: www.nscons.ca E-mail: nscons@nscons.ca

EXECUTIVE SUMMARY

As part of the construction phase of the Bipole III (BPIII) Transmission Project, the installation of permanent towers along the right-of-way (RoW) was identified as a factor that may have detrimental effects on the northern prairie skink (*Plestiodon septentrionalis*) through impacts to prairie skink habitat and to individuals.

Suitability habitat models and ATK were used to identify possible skink habitat along the RoW. ATK sites for potential skink habitat were identified as environmentally sensitive sites (ESS) within the Project study area, while habitat modelling identifying additional areas with potential suitable habitat, as identified in the EIS. Where tower placement overlapped these sites (polygons), field surveys were recommended prior to permanent tower construction.

In total, 48 tower sites were identified as having potential skink habitat. In 2015, pre-construction skink monitoring surveys were conducted at all Segment S1 towers where land access permission was granted, totaling 29 sites. An additional three sites identified in Segments C1 and C2 were considered too far from the known distribution range to be considered for further field investigations.

In 2016, land access permission was granted for the remaining 16 sites, and all sites were examined for suitable skink habitat potential. One additional site was added as a result of RoW rerouting (Tower 6194). At survey sites, tracks were taken of the field survey paths, and habitat types were photographed and their locations recorded. Based on presence of grassland complex and sandy soils, two sites were identified as having, or being immediately adjacent to, suitable skink habitat; Towers 6244 and 6245. At these sites, cover boards were placed down and checked once a week throughout the spring and late summer.

The northern prairie skink was not detected at tower sites during the course of field investigations and cover board surveys. The absence of skinks within the surveyed polygons is not unexpected; although the Project RoW overlaps the eastern-most edge of the known distribution range for the northern prairie skink, suitable habitat polygons that were identified did not fall within the current distribution range.

In consideration of the absence of northern prairie skinks at surveyed habitat polygons, it is concluded that skinks are not present at or in the immediate vicinity of the surveyed tower locations. No further mitigation for northern prairie skink is required at these locations.

ACKNOWLEDGEMENTS

Manitoba Hydro is thanked for the opportunity to conduct this project, and for support with land access permissions, GIS analysis, and map production.

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	STUDY AREA.....	2
3.0	METHODS	2
4.0	RESULTS.....	3
5.0	REFERENCES	14

LIST OF TABLES

Table 1. Summary of habitat type at sites within the RoW where potential suitable skink habitat was identified within 100m of Bipole III Transmission tower sites.	4
Table 2. Summary of prairie skink surveys, 2016. Surveys were conducted within the RoW where potential suitable habitat was within 100m of Bipole III Transmission tower sites.....	5

LIST OF MAPS

Map 1. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.....	6
Map 2. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.....	7
Map 3. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.....	8
Map 4. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.....	9
Map 5. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.....	10
Map 6. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.....	11
Map 7. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.....	12
Map 8. Locations of coverboard surveys within northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.	13

LIST OF APPENDICES

- Appendix 1. Incidental observations of plants and animals within the RoW.
- Appendix 2. Results of northern prairie skink habitat surveys, conducted within the RoW where potential suitable habitat was within 100m of Bipole III Transmission tower sites, May-September, 2015.
- Appendix 3. Survey Site Photographs.

1.0 INTRODUCTION

As part of the construction phase of the Bipole III (BPIII) Transmission Project, the installation of permanent towers along the right-of-way (RoW) was identified as a factor that may have detrimental effects on the northern prairie skink (*Plestiodon septentrionalis*) through impacts to prairie skink habitat and to individuals (Manitoba Hydro 2011). The Recovery Strategy for the Prairie Skink lists utility and service lines as Low impact to the prairie skink, but states that effects of such threats upon habitat quality is currently unknown (Environment and Climate Change Canada 2016).

The northern prairie skink is listed as endangered under the federal *Species at Risk Act* and *The Endangered Species and Ecosystems Act* (Manitoba). In Manitoba, the skink is found in the Upper Assiniboine Delta, with a range extending north to Neepawa and Gladstone, south to Glenboro, east towards Portage la Prairie, and west towards Brandon (Prairie Skink Recovery Team 2009, Environment and Climate Change Canada 2016). Due to a recent range extension, the eastern-most known distribution range overlaps the Project footprint. A smaller population also occurs in the Lauder Sandhills southwest of the main range in Manitoba (Prairie Skink Recovery Team 2009, Environment and Climate Change Canada 2016). Skinks are found in sandy soils with grassland complex and low growing plants such as creeping juniper (Prairie Skink Recovery Team 2009). Emergence from hibernation occurs in late April to early May depending on weather conditions (Breckenridge 1943, Nelson 1963, Bredin 1989). Adult skinks are most active during the breeding season (May through June) (Breckenridge 1943, Bredin 1989). Juveniles are most active in August (Bredin 1989).

Potential skink habitat was identified as Environmentally Sensitive Sites (ESS's) within the Project study area through ATK. Additional areas that may have potentially suitable habitat were identified in the EIS, but were not included as ESS's. These sites were identified through the results of a northern prairie skink habitat suitability model (North/South Consultants 2011). Where tower placement overlapped potential skink habitat sites (i.e. habitat polygons), field surveys were recommended prior to permanent tower construction (Manitoba Hydro 2011).

The installation of towers causes permanent habitat alterations and/or loss at a tower footprint. Where a tower site overlaps suitable skink habitat, possible changes in habitat composition and subsequently in the distribution, movement and overall abundance of skinks may occur. Re-growth of vegetation following habitat disturbance may increase encroachment of invasive plant species such as leafy

spurge, a plant known for invading ridges of suitable skink habitat and displacing individuals (COSEWIC 2004).

In total, 48 tower sites were identified as having potential skink habitat. In 2015, pre-construction skink monitoring surveys were conducted at all Segment S1 towers where land access permission was granted, totaling 29 sites. An additional three sites identified in Segments C1 and C2 were considered too far from the known distribution range to be considered for further field investigations.

In 2016, land access permission was granted for the remaining 16 sites within Segment S1, and all sites were examined for suitable skink habitat potential. One additional site was added as a result of RoW rerouting, for a total of 17 sites. At sites where suitable skink habitat was identified, skink monitoring surveys were conducted throughout the summer. This report presents the findings from the 2016 field surveys.

2.0 STUDY AREA

The study area is restricted to the area where northern prairie skink habitat polygons overlap with tower placements within Segment S1 of the Project. Three polygons identified in Segments C1 and C2 were considered too far from the known distribution range to be considered for further field investigations.

3.0 METHODS

Tower sites were selected for field study when they were within 100m of modelled skink habitat or ATK sites. Survey methodology was based on the monitoring and survey protocol put forward by the Prairie Skink Recovery Team (2009). At each selected tower site, 200m of the RoW was walked by two North/South Consultants Inc. (NSC) biologists, centred on the tower location, to verify the presence of suitable northern prairie skink habitat. Suitable habitat was determined based on the presence of grassland complex, sandy soil and creeping juniper. Where suitable skink habitat at or adjacent to the tower site was identified, the sites were then surveyed for skink individuals by placing 30x60cm plywood cover boards within suitable patches of habitat. Skinks are most often found under cover such as debris or dead branches; cover boards provide suitable artificial cover that can be checked regularly for individuals. The cover boards were examined weekly during peak breeding activity in the spring and during juvenile movement and summering peak activity in August.

Surveys were conducted weekly May 4 to June 28, 2016 and from August 3 to 26, 2016. Surveys were conducted in the mornings, in ideal survey conditions, including

warm, non-rain days with temperature ranging from 15°C to 27°C. At times, the day of the week chosen for cover board surveys had to be altered if non-ideal weather conditions were predicted. At tower sites, GPS tracks were taken of the field survey paths, and photographs and GPS locations were recorded of habitat types and all cover board locations. Photographs were taken using a Nikon Coolpix AW120 GPS-linked camera. The pedestrian survey lines were recorded as GPS tracks using a handheld Garmin GPSMAP 78. Any incidental animal observations during the course of field investigations were recorded (Appendix 1).

4.0 RESULTS

A total of 17 tower sites identified as being within 100m of modelled suitable skink habitat or ATK skink sites were investigated using pedestrian surveys, including 16 sites that did not have land access permission the previous year, and one additional site that was added as a result of RoW rerouting (Appendix 2 and 3, Maps 1-8). Of the 17 sites where field investigations occurred, 14 were those identified from ATK, and 3 were those identified through habitat modelling.

Based on the presence of grassland and sandy soils, two sites were identified as having, or being immediately adjacent to, suitable skink habitat; Towers 6244 and 6245 (Table 1). Both towers are located immediately south of the PTH 2, west of PR 305. Suitable skink habitat adjacent to these towers consists of rolling hills, active sand dunes and grassland habitat, surrounded by deciduous forest (Table 1, Appendix 3). A total of 19 cover boards were placed within the Tower 6244 habitat polygon (Table 2, Map 8). Six cover boards were placed within the Tower 6245 habitat polygon (Table 2, Map 8). Suitable skink habitat was not present at or adjacent to the remaining 15 tower sites and were not investigated further.

The northern prairie skink was not detected at tower sites during the course of field investigations and cover board surveys. The absence of skinks within the surveyed polygons is not unexpected; although the Project RoW overlaps the eastern-most edge of the known distribution range for the northern prairie skink, habitat polygons along the Project RoW identified as having suitable skink habitat did not fall within the known distribution range.

In consideration of the absence of northern prairie skinks at surveyed habitat polygons, it is concluded that skinks are not present at or in the immediate vicinity of the surveyed tower locations. No further mitigation for the northern prairie skink is required at these locations.

Table 1. Summary of habitat type at sites within the RoW where potential suitable skink habitat was identified within 100m of Bipole III Transmission tower sites.

TOWER ID	HABITAT	SUITABLE SKINK HABITAT*
6187	cleared deciduous	NO
6188	crop	NO
6189	cleared deciduous	NO
6190	grassland	NO
6191	crop/cleared deciduous	NO
6192	crop	NO
6193A	crop/cleared deciduous	NO
6194	cleared deciduous	NO
6195	cleared deciduous	NO
6196	cleared deciduous	NO
6197	cleared deciduous	NO
6198	cleared deciduous	NO
6199	cleared deciduous	NO
6202A/6203	cleared deciduous	NO
6236	grassland	NO
6244	deciduous/grassland/sand dune	YES
6245	deciduous/grassland/sand dune	YES

* identified by the presence of grassland complex and sandy soils

Table 2. Summary of prairie skink surveys, 2016. Surveys were conducted within the RoW where potential suitable habitat was within 100m of Bipole III Transmission tower sites. Values indicate number of cover boards placed where habitat was deemed suitable. "X" denotes unsuitable skink habitat.


Tower ID	DATE													
	4-May	11-May	17-May	25-May	2-Jun	8-Jun	15-Jun	21-Jun	28-Jun	3-Aug	10-Aug	17-Aug	26-Aug	
6244	19	19	19	19	19	19	19	19	19	19	19	19	19	19
6245	6	6	6	6	6	6	6	6	6	6	6	6	6	6
6203	X													
6187	X													
6188	X													
6189	X													
6190									X					
6191		X												
6192		X												
6193A		X												
6194		X												
6195		X												
6196		X												
6197		X												
6198		X												
6199		X												
6236					X									



Map 1. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.




Map 2. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.




Map 3. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.



Map 4. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.




Map 5. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.



Map 6. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.



Map 7. Locations of northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.



Map 8. Locations of coverboard surveys within northern prairie skink habitat surveyed along the Right-of-Way near Bipole III tower sites.

5.0 REFERENCES

- BRECKENRIDGE, W.J. 1943. The life history of the black-banded skink *Eumeces septentrionalis septentrionalis* (Baird). American Midland Naturalist 29:591-606.
- BREDIN, E.J. 1989. Status report on the northern prairie skink, *Eumeces septentrionalis*, in Canada. Committee on the Status of Endangered Wildlife in Canada.
- COSEWIC 2004. COSEWIC assessment and update status report on the prairie skink *Eumeces septentrionalis* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vi + 22 pp. (www.sararegistry.gc.ca/status/status_e.cfm).
- ENVIRONMENT AND CLIMATE CHANGE CANADA. 2016. Recovery strategy for the Prairie Skink (*Plestiodon septentrionalis*) in Canada [Proposed]. Species at Risk Act Recovery Strategy Series. Environment and Climate Change Canada. Ottawa. v + 38 pp.
- MANITOBA HYDRO. 2011. Bipole III Transmission Project, Environmental Impact Statement. URL: http://www.hydro.mb.ca/projects/bipoleIII/regulatory_filings.shtml
- NELSON, W.F. 1963. Natural history of the northern prairie skink, *Eumeces septentrionalis septentrionalis* (Baird). Ph.D. thesis, University of Minnesota, Minnesota, USA.
- NORTH/SOUTH CONSULTANTS 2011. Bipole III Transmission Project Environmental Assessment Technical Report: Terrestrial Invertebrates, Amphibians and Reptiles. Prepared for Manitoba Hydro and MMM Group by North/South Consultants. 498 pp.
- PRAIRIE SKINK RECOVERY TEAM. 2009. Prairie Skink Recovery Team Monitoring and Survey Protocol. C/O Dr. Pamela Rutherford. Department of Biology, Brandon University. 12 pp.

Appendix 1. Incidental observations of animals within the RoW.

DATE	TOWER ID	OBSERVATION	ZONE	EASTING	NORTHING	PHOTO_ID
4-May-16	6245	2-3 boreal chorus frogs calling	14U	539833	5498456	
4-May-16	6245	2 pairs of mallards	14U	539833	5498456	
4-May-16	6245	duck nest with 7-8 eggs	14U	539838	5498562	1880-1881
4-May-16	6245	burrow	14U	539834	5498811	1882
25-May-16	6245	wood frog seen	14U	539826	5498291	
25-May-16	6244	nesting mouse under CB	14U	539865	5498747	1908-1912
2-Jun-16	6244	wood frog seen	14U	539110	5501789	
2-Jun-16	6244	mouse nest under CB	14U	539865	5498747	1908-1912
8-Jun-16	6244	mouse under CB	14U	539865	5498747	1908-1912
21-Jun-16	6244	nesting mouse under CB	14U	539810	5498782	1827-1831
21-Jun-16	6244	nesting mouse under CB	14U	539849	5498786	1893-1897
21-Jun-16	6244	garter snake seen	14U	539856	5498800	
3-Aug-16	6244	Canadian toad yoy under CB	14U	539822	5498950	
3-Aug-16	6244	mouse under CB	14U	539849	5498786	1893-1897
3-Aug-16	6244	Viceroy Butterfly	14U	539840	5498385	
10-Aug-16	6244	rodent remains under CB	14U	539849	5498786	1893-1897
17-Aug-16	6245	mouse under CB	14U	539822	5498354	
17-Aug-16	6244	mouse under CB	14U	539810	5498782	1827-1831

Appendix 2. Results of northern prairie skink habitat surveys, conducted within the RoW where potential suitable habitat was within 100m of Bipole III Transmission tower sites, May-August, 2016.

DATE	SEGMENT	TOWER	TIME	CB_ID	SOURCE	STATUS	HABITAT ID	SANDY(i.e. . Skink Habitat)	ZONE 14U				FIELD_ACT_ID	TRACK_ID	VISIT	COMMENTS	FIELD_CREW		
									SKINK	OTHER SPPS	WPT	EASTING	NORTHING	PHOTO_ID					
4-May-16	S1	6245	9:43	6245-1	MODEL	CB	grassland	YES	0		001	539804	5498431	1785-1789	BPIII_CON_FA244	2016-05-04 6244&6245	1	clearing N & W of site	KD & RG
4-May-16	S1	6245	9:51	6245-2	MODEL	CB	grassland	YES	0		002	539812	5498342	1790-1794	BPIII_CON_FA244	2016-05-04 6244&6245	1		KD & RG
4-May-16	S1	6245	9:54	6245-3	MODEL	CB	grassland	YES	0		003	539809	5498347	1795-1799	BPIII_CON_FA244	2016-05-04 6244&6245	1		KD & RG
4-May-16	S1	6245	9:57	6245-4	MODEL	CB	cleared deciduous	YES	0		004	539821	5498358	1800-1804	BPIII_CON_FA244	2016-05-04 6244&6245	1		KD & RG
4-May-16	S1	6245	9:59	6245-5	MODEL	CB	grassland	YES	0		005	539822	5498354	1805-1809, 1	BPIII_CON_FA244	2016-05-04 6244&6245	1	edge of aspen, oak & pastureland on sandy patches on pastureland among grass	KD & RG
4-May-16	S1	6245			MODEL	Animal	wetland	N/A	N/A	BCFR	006	539833	5498456	N/A	BPIII_CON_FA244	N/A	1	BCFR calling (2-3 inds) in wetland here	KD & RG
4-May-16	S1	6245			MODEL	Animal	wetland	N/A	N/A	mallards	006	539833	5498456	N/A	BPIII_CON_FA244	N/A	1	2 pairs of mallards in wetland here	KD & RG
4-May-16	S1	6244	10:09	6244-1	MODEL	CB	sand dune	YES	0		007	539820	5498713	1812-1816	BPIII_CON_FA244	2016-05-04 6244&6245	1	south facing, south end of active dune habitat bw 2 aspen & oak forest stands	KD & RG
4-May-16	S1	6244	10:14	6244-2	MODEL	CB	grassland	YES	0		008	539798	5498745	1817-1821	BPIII_CON_FA244	2016-05-04 6244&6245	1	by oak tree, grass & sand habitat	KD & RG
4-May-16	S1	6244	10:17	6244-3	MODEL	CB	sand dune	YES	0		009	539816	5498780	1822-1826	BPIII_CON_FA244	2016-05-04 6244&6245	1		KD & RG
4-May-16	S1	6244	10:18	6244-4	MODEL	CB	grassland	YES	0		010	539810	5498782	1827-1831	BPIII_CON_FA244	2016-05-04 6244&6245	1		KD & RG
4-May-16	S1	6244	10:21	6244-5	MODEL	CB	sand dune	YES	0		011	539806	5498802	1832-1836	BPIII_CON_FA244	2016-05-04 6244&6245	1	active dune	KD & RG
4-May-16	S1	6244	10:24	6244-6	MODEL	CB	grassland	YES	0		012	539822	5498890	1837-1841	BPIII_CON_FA244	2016-05-04 6244&6245	1	patches of sand among grasses with yarrow and anenome	KD & RG
4-May-16	S1	6244	10:26	6244-7	MODEL	CB	grassland	YES	0		013	539817	5498897	1842-1846	BPIII_CON_FA244	2016-05-04 6244&6245	1	patches of sand among grasses with yarrow and anenome	KD & RG
4-May-16	S1	6244	10:28	6244-8	MODEL	CB	grassland	YES	0		014	539822	5498950	1847-1851, 1	BPIII_CON_FA244	2016-05-04 6244&6245	1	patch of sand on grassland by aspen forest stand; north edge of north sand dune	KD & RG
4-May-16	S1	6244	10:32	6244-9	MODEL	CB	sand dune	YES	0		015	539829	5498988	1854-1858	BPIII_CON_FA244	2016-05-04 6244&6245	1	sand dune area; slope facing east	KD & RG

Appendix 2. Cont'd.

DATE	SEGMENT	TOWER	TIME	CB_ID	SOURCE	STATUS	HABITAT ID	SANDY(i.e. Skink Habitat)	ZONE 14U				FIELD_ACT_ID	TRACK_ID	VISIT	COMMENTS	FIELD_CREW		
									SKINK	OTHER sppS	WPT	EASTING	NORTHING	PHOTO_ID					
4-May-16	S1	6244	10:34	6244-10	MODEL	CB	sand dune	YES	0		016	539842	5498977	1859-1863	BPIII_CON_FA244	2016-05-04 6244&6245	1	west facing slope; sand dune	KD & RG
4-May-16	S1	6244		6244-11	MODEL	CB	grassland	YES	0		017	539848	5498952	1864-1868	BPIII_CON_FA244	2016-05-04 6244&6245	1	sandy patch, down slope beside oak forest	KD & RG
4-May-16	S1	6244	10:42	6244-12	MODEL	CB	grassland	YES	0		019	539828	5498807	1870-1874	BPIII_CON_FA244	2016-05-04 6244&6245	1	RoW, sandy patch on shrub/grassland	KD & RG
4-May-16	S1	6245	11:03	6245-6	MODEL	CB	grassland	YES	0		020	539826	5498335	1875-1879	BPIII_CON_FA244	2016-05-04 6244&6245	1	sandy spot in pasture	KD & RG
4-May-16	S1	6245			MODEL	Animal	RoW mulch	N/A	N/A	duck nest with	021	539838	5498562	1880-1881	BPIII_CON_FA244	N/A	1	duck nest, likely mallard, with 7-8 eggs (we flushed adult off nest when we approached)	KD & RG
4-May-16	S1	6245			MODEL	Animal	RoW mulch	N/A	N/A	burrow	022	539834	5498811	1882	BPIII_CON_FA244	N/A	1	unidentified burrow-mammal?	KD & RG
4-May-16	S1	6244	11:18	6244-13	MODEL	CB	cleared deciduous	YES	0		023	539843	5498810	1883-1887	BPIII_CON_FA244	2016-05-04 6244&6245	1	sandy patch bw pastureland/grassland, beside aspen oak forest stand	KD & RG
4-May-16	S1	6244	11:21	6244-14	MODEL	CB	sand dune	YES	0		024	539828	5498795	1888-1892	BPIII_CON_FA244	2016-05-04 6244&6245	1	N edge of large active sand dune	KD & RG
4-May-16	S1	6244	11:23	6244-15	MODEL	CB	cleared deciduous	YES	0		025	539849	5498786	1893-1897	BPIII_CON_FA244	2016-05-04 6244&6245	1	edge of oak habitat	KD & RG
4-May-16	S1	6244	11:24	6244-16	MODEL	CB	sand dune	YES	0		026	539827	5498784	1898-1902	BPIII_CON_FA244	2016-05-04 6244&6245	1	edge of dune; sandy path	KD & RG
4-May-16	S1	6244	11:26	6244-17	MODEL	CB	sand dune	YES	0		027	539822	5498746	1903-1907	BPIII_CON_FA244	2016-05-04 6244&6245	1	within a sand dune patch	KD & RG
4-May-16	S1	6244	11:29	6244-18	MODEL	CB	sand dune	YES	0		028	539865	5498747	1908-1912	BPIII_CON_FA244	2016-05-04 6244&6245	1	sand dune/grass by a patch of oak	KD & RG
4-May-16	S1	6244	11:31	6244-19	MODEL	CB	sand dune	YES	0		029	539847	5498722	1913-1917	BPIII_CON_FA244	2016-05-04 6244&6245	1	edge of shrub dune habitat	KD & RG
4-May-16	S1	6203	12:30		ATK	NoHab	cleared deciduous	NO	0		030	533360	5511412	1918-1923	BPIII_CON_FA244	2016-05-04 6203	1	cleared aspen/oak forest; now mulch (wood chips) ground cover on RoW	KD & RG
4-May-16	S1	6187	13:31		ATK	NoHab	cleared deciduous	NO	0		031	529866	5516395	1924-1927	BPIII_CON_FA244	2016-05-04 6187-6189	1	grassland patch among forest (aspen); now mulch ground cover	KD & RG
4-May-16	S1	6188	13:50		ATK	NoHab	crop	NO	0		033	529868	5515895	1928-1931; 1'	BPIII_CON_FA244	2016-05-04 6187-6189	1	middle of crop field	KD & RG

Appendix 2. Cont'd.

DATE	SEGMENT	TOWER	TIME	CB_ID	SOURCE	STATUS	HABITAT ID	ZONE 14U		FIELD_ACT_ID	TRACK_ID	VISIT	COMMENTS	FIELD_CREW					
								SANDY(i.e . Skink Habitat)	SKINK	OTHER SPPS	WPT	EASTING	NORTHING	PHOTO_ID					
11-May-16	S1	6244	8:53	6244-16	MODEL	CB	sand dune	YES	0		026	539827	5498784	1898-1902	BPIII_CON_FA245	2016-05-04 6244&6245	2	edge of sand dune, sandy pasture among shrub	KD & RG
11-May-16	S1	6244	8:51	6244-17	MODEL	CB	sand dune	YES	0		027	539822	5498746	1903-1907	BPIII_CON_FA245	2016-05-04 6244&6245	2	edge of sand dune next to deciduous	KD & RG
11-May-16	S1	6244	8:52	6244-18	MODEL	CB	sand dune	YES	0		028	539865	5498747	1908-1912	BPIII_CON_FA245	2016-05-04 6244&6245	2	edge of sand dune, next to shrub in grass	KD & RG
11-May-16	S1	6244	8:51	6244-19	MODEL	CB	sand dune	YES	0		029	539847	5498722	1913-1917	BPIII_CON_FA245	2016-05-04 6244&6245	2	edge of dune in sandy deciduous	KD & RG
11-May-16	S1	6191	10:43		ATK	NoHab	crop/cleared	NO	0		034	529886	5514485	1936-1939	BPIII_CON_FA245	2016-05-11 6191-6199	2	between edge of cropfield and cleared	KD & RG
11-May-16	S1	6192	10:55		ATK	NoHab	crop	NO	0		035	530296	5514115	1940-1943	BPIII_CON_FA245	2016-05-11 6191-6199	2	in cropland	KD & RG
11-May-16	S1	6193A	11:05		ATK	NoHab	crop/cleared	NO	0		036	530631	5513767	1944-1947	BPIII_CON_FA245	2016-05-11 6191-6199	2	between edge of cropfield and cleared	KD & RG
11-May-16	S1	6194	11:14		ATK	NoHab	cleared	NO	0		037	530962	5513673	1949-1952; 101'	BPIII_CON_FA245	2016-05-11 6191-6199	2	cleared deciduous	KD & RG
11-May-16	S1	6195	11:21		ATK	NoHab	cleared	NO	0		038	531236	5513594	1955-1958; 101'	BPIII_CON_FA245	2016-05-11 6191-6199	2	cleared deciduous	KD & RG
11-May-16	S1	6196	11:30		ATK	NoHab	cleared	NO	0		039	531569	5513220	1961-1964; 101'	BPIII_CON_FA245	2016-05-11 6191-6199	2	cleared deciduous	KD & RG
11-May-16	S1	6197	11:38		ATK	NoHab	cleared	NO	0		040	531728	5513011	1967-1970; 101'	BPIII_CON_FA245	2016-05-11 6191-6199	2	cleared deciduous	KD & RG
11-May-16	S1	6198	11:47		ATK	NoHab	cleared	NO	0		041	531942	5512656	1973-1976	BPIII_CON_FA245	2016-05-11 6191-6199	2	cleared deciduous	KD & RG
11-May-16	S1	6199	11:55		ATK	NoHab	cleared	NO	0		042	532104	5512489	1977-1980	BPIII_CON_FA245	2016-05-11 6191-6199	2	cleared deciduous	KD & RG
11-May-16	S1						Assiniboine River banks at RoW	N/A	N/A					1981 east shor	BPIII_CON_FA245	N/A	2		KD & RG
17-May-16	S1	6245	8:42	6245-1	MODEL	CB	grassland	YES	0		001	539804	5498431	1785-1789	BPIII_CON_FA246	2016-05-04 6244&6245	3	sandy pasture	KD & RG
17-May-16	S1	6245	8:42	6245-2	MODEL	CB	grassland	YES	0		002	539812	5498342	1790-1794	BPIII_CON_FA246	2016-05-04 6244&6245	3	sandy pasture	KD & RG
17-May-16	S1	6245	8:42	6245-3	MODEL	CB	grassland	YES	0		003	539809	5498347	1795-1799	BPIII_CON_FA246	2016-05-04 6244&6245	3	sandy pasture	KD & RG

Appendix 2. Cont'd.

DATE	SEGMENT	TOWER	TIME	CB_ID	SOURCE	STATUS	HABITAT ID	SANDY(i.e. Skink Habitat)	ZONE 14U					FIELD_ CREW					
									SKINK	OTHER SPPS	WPT	EASTING	NORTHING	PHOTO_ID	FIELD_ACT_ID	TRACK_ID	VISIT	COMMENTS	
8-Jun-16	S1	6244	10:10	6244-5	MODEL	CB	sand dune	YES	0		011	539806	5498802	1832-1836	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:08	6244-6	MODEL	CB	grassland	YES	0		012	539822	5498890	1837-1841	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:08	6244-7	MODEL	CB	grassland	YES	0		013	539817	5498897	1842-1846	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:07	6244-8	MODEL	CB	grassland	YES	0		014	539822	5498950	1847-1851, 1	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:06	6244-9	MODEL	CB	sand dune	YES	0		015	539829	5498988	1854-1858	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:07	6244-10	MODEL	CB	sand dune	YES	0		016	539842	5498977	1859-1863	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:07	6244-11	MODEL	CB	grassland	YES	0		017	539848	5498952	1864-1868	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:17	6244-12	MODEL	CB	grassland	YES	0		019	539828	5498807	1870-1874	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:10	6244-13	MODEL	CB	cleared deciduous	YES	0		023	539843	5498810	1883-1887	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:10	6244-14	MODEL	CB	sand dune	YES	0		024	539828	5498795	1888-1892	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:16	6244-15	MODEL	CB	cleared deciduous	YES	0		025	539849	5498786	1893-1897	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:11	6244-16	MODEL	CB	sand dune	YES	0		026	539827	5498784	1898-1902	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:15	6244-17	MODEL	CB	sand dune	YES	0		027	539822	5498746	1903-1907	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG Hwy 2	
8-Jun-16	S1	6244	10:13	6244-18	MODEL	CB	sand dune	YES	0	MOUSE	028	539865	5498747	1908-1912	BPIII_CON_FA249	2016-05-04 6244&6245	5	mouse under cb; accessed sites from north, Hwy 2	KD & RG
8-Jun-16	S1	6244	10:13	6244-19	MODEL	CB	sand dune	YES	0		029	539847	5498722	1913-1917	BPIII_CON_FA249	2016-05-04 6244&6245	5	accessed sites from north, KD & RG	
15-Jun-16	S1	6245	11:46	6245-1	MODEL	CB	grassland	YES	0		001	539804	5498431	1785-1789	BPIII_CON_FA250	2016-05-04 6244&6245	5	cows in area	KD & RG
15-Jun-16	S1	6245	11:46	6245-2	MODEL	CB	grassland	YES	0		002	539812	5498342	1790-1794	BPIII_CON_FA250	2016-05-04 6244&6245	5	cows in area	KD & RG

Appendix 2. Cont'd.

DATE	SEGMENT	TOWER	TIME	CB_ID	SOURCE	STATUS	HABITAT ID	SANDY(i.e. . Skink Habitat)	ZONE 14U					FIELD_ACT_ID	TRACK_ID	VISIT	COMMENTS	FIELD_CREW	
									SKINK	OTHER SPPS	WPT	EASTING	NORTHING	PHOTO_ID					
15-Jun-16	S1	6245	11:46	6245-3	MODEL	CB	grassland	YES	0		003	539809	5498347	1795-1799	BPIII_CON_FA250	2016-05-04 6244&6245	5	cows in area	KD & RG
15-Jun-16	S1	6245	11:47	6245-4	MODEL	CB	cleared deciduous	YES	0		004	539821	5498358	1800-1804	BPIII_CON_FA250	2016-05-04 6244&6245	5	cows in area	KD & RG
15-Jun-16	S1	6245	11:47	6245-5	MODEL	CB	grassland	YES	0		005	539822	5498354	1805-1809, 1	BPIII_CON_FA250	2016-05-04 6244&6245	5	cows in area	KD & RG
15-Jun-16	S1	6245	11:47	6245-6	MODEL	CB	grassland	YES	0		020	539826	5498335	1875-1879	BPIII_CON_FA250	2016-05-04 6244&6245	5	cows in area	KD & RG
15-Jun-16	S1	6244	11:23	6244-1	MODEL	CB	sand dune	YES	0		007	539820	5498713	1812-1816	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:21	6244-2	MODEL	CB	grassland	YES	0		008	539798	5498745	1817-1821	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:22	6244-3	MODEL	CB	sand dune	YES	0		009	539816	5498780	1822-1826	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:20	6244-4	MODEL	CB	grassland	YES	0		010	539810	5498782	1827-1831	BPIII_CON_FA250	2016-05-04 6244&6245	5	was lifted/moved; accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:19	6244-5	MODEL	CB	sand dune	YES	0		011	539806	5498802	1832-1836	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:17	6244-6	MODEL	CB	grassland	YES	0		012	539822	5498890	1837-1841	BPIII_CON_FA250	2016-05-04 6244&6245	5	was flipped; accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:17	6244-7	MODEL	CB	grassland	YES	0		013	539817	5498897	1842-1846	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:16	6244-8	MODEL	CB	grassland	YES	0		014	539822	5498950	1847-1851, 1	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:15	6244-9	MODEL	CB	sand dune	YES	0		015	539829	5498988	1854-1858	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:15	6244-10	MODEL	CB	sand dune	YES	0		016	539842	5498977	1859-1863	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:16	6244-11	MODEL	CB	grassland	YES	0		017	539848	5498952	1864-1868	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:17	6244-12	MODEL	CB	grassland	YES	0		019	539828	5498807	1870-1874	BPIII_CON_FA250	2016-05-04 6244&6245	5	moved; accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:25	6244-13	MODEL	CB	cleared deciduous	YES	0		023	539843	5498810	1883-1887	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG

Appendix 2. Cont'd.

DATE	SEGMENT	TOWER	TIME	CB_ID	SOURCE	STATUS	HABITAT ID	SANDY(i.e. . Skink Habitat)	ZONE 14U						FIELD_ CREW				
									SKINK	OTHER SPPS	WPT	EASTING	NORTHING	PHOTO_ID	FIELD_ACT_ID	TRACK_ID			
15-Jun-16	S1	6244	11:19	6244-14	MODEL	CB	sand dune	YES	0		024	539828	5498795	1888-1892	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:20	6244-15	MODEL	CB	cleared deciduous	YES	0		025	539849	5498786	1893-1897	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:21	6244-16	MODEL	CB	sand dune	YES	0		026	539827	5498784	1898-1902	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:22	6244-17	MODEL	CB	sand dune	YES	0		027	539822	5498746	1903-1907	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:22	6244-18	MODEL	CB	sand dune	YES	0		028	539865	5498747	1908-1912	BPIII_CON_FA250	2016-05-04 6244&6245	5	no mouse; accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244	11:22	6244-19	MODEL	CB	sand dune	YES	0		029	539847	5498722	1913-1917	BPIII_CON_FA250	2016-05-04 6244&6245	5	accessed from east road (Rd 305) bc of cows	KD & RG
15-Jun-16	S1	6244				Animal		N/A	N/A	WHITE TAIL DEER				N/A	BPIII_CON_FA250	N/A	white tailed deer and 2 hawks	KD & RG	
15-Jun-16	S1	6244				Animal		N/A	N/A	HAWKS				N/A	BPIII_CON_FA250	N/A	white tailed deer and 2 hawks	KD & RG	
21-Jun-16	S1	6244	9:32	6244-1	MODEL	CB	sand dune	YES	0		007	539820	5498713	1812-1816	BPIII_CON_FA251	2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows	KD & RG
21-Jun-16	S1	6244	9:31	6244-2	MODEL	CB	grassland	YES	0		008	539798	5498745	1817-1821	BPIII_CON_FA251	2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows	KD & RG
21-Jun-16	S1	6244	9:30	6244-3	MODEL	CB	sand dune	YES	0		009	539816	5498780	1822-1826	BPIII_CON_FA251	2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows	KD & RG
21-Jun-16	S1	6244	9:29	6244-4	MODEL	CB	grassland	YES	0	NESTING MOU	010	539810	5498782	1827-1831	BPIII_CON_FA251	2016-05-04 6244&6245	6	nesting mouse under CB; accessed from east road (Rd 305) bc of cows	KD & RG
21-Jun-16	S1	6244	9:29	6244-5	MODEL	CB	sand dune	YES	0		011	539806	5498802	1832-1836	BPIII_CON_FA251	2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows	KD & RG
21-Jun-16	S1	6244	9:27	6244-6	MODEL	CB	grassland	YES	0		012	539822	5498890	1837-1841	BPIII_CON_FA251	2016-05-04 6244&6245	6	was moved- by cows?; accessed from east road (Rd 305) bc of cows	KD & RG
21-Jun-16	S1	6244	9:27	6244-7	MODEL	CB	grassland	YES	0		013	539817	5498897	1842-1846	BPIII_CON_FA251	2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows	KD & RG

Appendix 2. Cont'd.

DATE	SEGMENT	TOWER	TIME	CB_ID	SOURCE	STATUS	HABITAT ID	ZONE 14U					FIELD_CREW			
								SANDY(i.e. Skink Habitat)	SKINK	OTHER SPPS	WPT	EASTING	NORTHING			
21-Jun-16	S1	6244	9:26	6244-8	MODEL	CB	grassland	YES	0		014	539822	5498950	1847-1851, 1:BP III CON FA251 2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:25	6244-9	MODEL	CB	sand dune	YES	0		015	539829	5498988	1854-1858 BP III CON FA251 2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:25	6244-10	MODEL	CB	sand dune	YES	0		016	539842	5498977	1859-1863 BP III CON FA251 2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:25	6244-11	MODEL	CB	grassland	YES	0		017	539848	5498952	1864-1868 BP III CON FA251 2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:37	6244-12	MODEL	CB	grassland	YES	0		019	539828	5498807	1870-1874 BP III CON FA251 2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:29	6244-13	MODEL	CB	cleared deciduous	YES	0		023	539843	5498810	1883-1887 BP III CON FA251 2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:30	6244-14	MODEL	CB	sand dune	YES	0		024	539828	5498795	1888-1892 BP III CON FA251 2016-05-04 6244&6245	6	CB was found flipped; accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:38	6244-15	MODEL	CB	cleared deciduous	YES	0	NESTING MOU	025	539849	5498786	1893-1897 BP III CON FA251 2016-05-04 6244&6245	6	nesting mouse; accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:35	6244-16	MODEL	CB	sand dune	YES	0		026	539827	5498784	1898-1902 BP III CON FA251 2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:30	6244-17	MODEL	CB	sand dune	YES	0		027	539822	5498746	1903-1907 BP III CON FA251 2016-05-04 6244&6245	6	CB was flipped; accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:35	6244-18	MODEL	CB	sand dune	YES	0		028	539865	5498747	1908-1912 BP III CON FA251 2016-05-04 6244&6245	6	mouse nest was gone (no longer there); accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244	9:33	6244-19	MODEL	CB	sand dune	YES	0		029	539847	5498722	1913-1917 BP III CON FA251 2016-05-04 6244&6245	6	accessed from east road (Rd 305) bc of cows KD & RG
21-Jun-16	S1	6244				Animal		N/A	N/A	GASN	046	539856	5498800	N/A BP III CON FA251 N/A	6	garter snake KD & RG
21-Jun-16	S1	6245	10:05	6245-1	MODEL	CB	grassland	YES	0		001	539804	5498431	1785-1789 BP III CON FA251 2016-05-04 6244&6245	6	cows in area, KD distracted them while RG checked boards KD & RG

Appendix 2. Cont'd.

DATE	SEGMENT	TOWER	TIME	CB_ID	SOURCE	STATUS	HABITAT ID	ZONE 14U								FIELD_CREW			
								SANDY(i.e. Skink Habitat)	SKINK	OTHER SPPS	WPT	EASTING	NORTHING	PHOTO_ID	FIELD_ACT_ID	TRACK_ID	VISIT	COMMENTS	
21-Jun-16	S1	6245	10:05	6245-2	MODEL	CB	grassland	YES	0		002	539812	5498342	1790-1794	BPIII_CON_FA251	2016-05-04 6244&6245	6	cows in area, KD distracted them while RG checked boards	KD & RG
21-Jun-16	S1	6245	10:05	6245-3	MODEL	CB	grassland	YES	0		003	539809	5498347	1795-1799	BPIII_CON_FA251	2016-05-04 6244&6245	6	cows in area, KD distracted them while RG checked boards	KD & RG
21-Jun-16	S1	6245	10:05	6245-4	MODEL	CB	cleared deciduous	YES	0		004	539821	5498358	1800-1804	BPIII_CON_FA251	2016-05-04 6244&6245	6	cows in area, KD distracted them while RG checked boards	KD & RG
21-Jun-16	S1	6245	10:05	6245-5	MODEL	CB	grassland	YES	0		005	539822	5498354	1805-1809, 1	BPIII_CON_FA251	2016-05-04 6244&6245	6	cows in area, KD distracted them while RG checked boards	KD & RG
21-Jun-16	S1	6245	10:05	6245-6	MODEL	CB	grassland	YES	0		020	539826	5498335	1875-1879	BPIII_CON_FA251	2016-05-04 6244&6245	6	cows in area, KD distracted them while RG checked boards	KD & RG
21-Jun-16	S1	6190	11:03		ATK	NoHab	grassland	NO	0		047	529878	5514921	1996-1999	BPIII_CON_FA251	2016-06-21 6190	1	pastureland, hilly, grass & herbaceous	KD & RG
28-Jun-16	S1	6244	9:18	6244-1	MODEL	CB	sand dune	YES	0		007	539820	5498713	1812-1816	BPIII_CON_FA273	2016-05-04 6244&6245	7		KD & RG
28-Jun-16	S1	6244	9:19	6244-2	MODEL	CB	grassland	YES	0		008	539798	5498745	1817-1821	BPIII_CON_FA273	2016-05-04 6244&6245	7		KD & RG
28-Jun-16	S1	6244	9:20	6244-3	MODEL	CB	sand dune	YES	0		009	539816	5498780	1822-1826	BPIII_CON_FA273	2016-05-04 6244&6245	7	CB moved but we moved it back- cows???	KD & RG
28-Jun-16	S1	6244	9:24	6244-4	MODEL	CB	grassland	YES	0		010	539810	5498782	1827-1831	BPIII_CON_FA273	2016-05-04 6244&6245	7		KD & RG
28-Jun-16	S1	6244	9:25	6244-5	MODEL	CB	sand dune	YES	0		011	539806	5498802	1832-1836	BPIII_CON_FA273	2016-05-04 6244&6245	7		KD & RG
28-Jun-16	S1	6244	9:27	6244-6	MODEL	CB	grassland	YES	0		012	539822	5498890	1837-1841	BPIII_CON_FA273	2016-05-04 6244&6245	7	CB moved	KD & RG
28-Jun-16	S1	6244	9:28	6244-7	MODEL	CB	grassland	YES	0		013	539817	5498897	1842-1846	BPIII_CON_FA273	2016-05-04 6244&6245	7	CB moved	KD & RG
28-Jun-16	S1	6244	9:29	6244-8	MODEL	CB	grassland	YES	0		014	539822	5498950	1847-1851, 1	BPIII_CON_FA273	2016-05-04 6244&6245	7		KD & RG
28-Jun-16	S1	6244	9:30	6244-9	MODEL	CB	sand dune	YES	0		015	539829	5498988	1854-1858	BPIII_CON_FA273	2016-05-04 6244&6245	7		KD & RG
28-Jun-16	S1	6244	9:30	6244-10	MODEL	CB	sand dune	YES	0		016	539842	5498977	1859-1863	BPIII_CON_FA273	2016-05-04 6244&6245	7		KD & RG
28-Jun-16	S1	6244	9:29	6244-11	MODEL	CB	grassland	YES	0		017	539848	5498952	1864-1868	BPIII_CON_FA273	2016-05-04 6244&6245	7	CB moved, we moved it back to sandy spot	KD & RG
28-Jun-16	S1	6244	9:25	6244-12	MODEL	CB	grassland	YES	0		019	539828	5498807	1870-1874	BPIII_CON_FA273	2016-05-04 6244&6245	7		KD & RG

Appendix 3. Survey Site Photographs.



Tower Site 6187. May 4, 2016.



Tower Site 6188. May 4, 2016.



Tower Site 6189. May 4, 2016.



Tower Site 6190. June 21, 2016.



Tower Site 6191. May 11, 2016.



Tower Site 6192. May 11, 2016.



Tower Site 6193A. May 16, 2016.



Tower Site 6194. May 11, 2016.



Tower Site 6195. May 11, 2016.



Tower Site 6196. May 11, 2016.



Tower Site 6197. May 11, 2016.



Tower Site 6198. May 11, 2016.



Tower Site 6199. May 11, 2016.



Tower Site 6203. May 4, 2016.



Tower Site 6236. May 25, 2016.



Tower Site 6244. Cover board CB-6244-01.



Tower Site 6244. Cover board CB-6244-02.



Tower Site 6244. Cover board CB-6244-03.



Tower Site 6244. Cover board CB-6244-04.



Tower Site 6244. Cover board CB-6244-05.



Tower Site 6244. Cover board CB-6244-06.



Tower Site 6244. Cover board CB-6244-07.



Tower Site 6244. Cover board CB-6244-08.



Tower Site 6244. Cover board CB-6244-09.



Tower Site 6244. Cover board CB-6244-10.



Tower Site 6244. Cover board CB-6244-11.



Tower Site 6244. Cover board CB-6244-12.



Tower Site 6244. Cover board CB-6244-13.



Tower Site 6244. Cover board CB-6244-14.



Tower Site 6244. Cover board CB-6244-15.



Tower Site 6244. Cover board CB-6244-16.



Tower Site 6244. Cover board CB-6244-17.



Tower Site 6244. Cover board CB-6244-18.



Tower Site 6244. Cover board CB-6244-19.



Tower Site 6245. Cover board CB-6245-01.



Tower Site 6245. Cover board CB-6245-02.



Tower Site 6245. Cover board CB-6245-03.



Tower Site 6245. Cover board CB-6245-04.




Tower Site 6245. Cover board CB-6245-05.



Tower Site 6245. Cover board CB-6245-06.



Tower Site 6245. Duck nest with eggs on RoW.



Tower Site 6245. Burrow found on RoW.

Available in accessible formats upon request