

Manitoba-Minnesota Transmission Project

Environmental Monitoring Plan

Prepared by Manitoba Hydro

Transmission Planning & Design Division

Licensing & Environmental Assessment

April 2019

This page was left intentionally blank.

Document Owner
 Licensing and Environmental Assessment Department
 Transmission Planning and Design Division
 Transmission Business Unit
 Manitoba Hydro

Version – Final 1.0

List of Revisions

Number	Nature of revision	Section(s)	Revised by	Date
DRAFT	Updated description of other recent monitoring programs.	3.0	MH	4/12/2017
DRAFT	Added eastern tiger salamanders to amphibian monitoring	4.2.1	MH	4/12/2017
DRAFT	Added golden-winged warbler habitat to wildlife and wildlife habitat monitoring	4.2.1	MH	4/12/2017
DRAFT	Added monitoring for peregrine falcon conservation centre	4.2.1	MH	4/12/2017
DRAFT	Adjusted construction timelines in table and added “Approach to Adaptive Management” for each valued component.	4.2.2	MH	3/25/2019
DRAFT	Adjusted the number of water crossing that require monitoring and construction timelines	4.3.1	MH	3/25/2019
DRAFT	Adjusted construction timelines	4.4.1	MH	3/25/2019
DRAFT	Updated plant species of concern including species and locations and construction timelines.	4.4.2	MH	3/25/2019
DRAFT	Updated survey dates and adjusted construction timelines	4.4.3	MH	3/25/2019
DRAFT	Updated information on traditional use plant species and information supplied by communities and construction timelines.	4.4.4	MH	3/25/2019
DRAFT	Added eastern tiger salamanders to amphibian monitoring	4.5.1	MH	4/12/2017
DRAFT	Adjusted sharp-tailed grouse lekking site monitoring parameters	4.5.4	MH	4/12/2017
DRAFT	Added golden-winged warbler habitat monitoring	4.5.6	MH	4/12/2017
DRAFT	Added information on elk monitoring partnership and PhD project on wolf movements.	4.5.8	MH	4/12/2017

List of Revisions

Number	Nature of revision	Section(s)	Revised by	Date
DRAFT	Added monitoring for peregrine falcon conservation centre	4.6.3.2	MH	4/12/2017
DRAFT	Added information on reporting.	6.0	MH	4/12/2017
DRAFT	Update to data sampling protocol and analysis for wetlands	7.2.1	MH	4/12/2017
DRAFT	Update to data sampling protocol and analysis for plant species of conservation concern	7.2.2	MH	4/12/2017
DRAFT	Update to data sampling protocol and analysis for invasive plant species	7.2.3	MH	4/12/2017
DRAFT	Update to data sampling protocol and analysis for traditional use plant species	7.2.4	MH	4/12/2017
DRAFT	Added eastern tiger salamander sampling protocol and analysis	7.3.1.1	MH	4/12/2017
DRAFT	Update to data sampling protocol and analysis for bird-wire collision surveys	7.3.2.1	MH	4/12/2017
DRAFT	Update to data sampling protocol and analysis for sharp-tailed grouse surveys	7.3.2.2	MH	4/12/2017
DRAFT	Update to data sampling and protocols for bird species of conservation concern	7.3.2.3	MH	4/12/2017
DRAFT	Update to data sampling and protocols for golden-winged warbler habitat	7.3.2.4	MH	4/12/2017
DRAFT	Updates to data sampling and protocols for ungulates and predators	7.3.3	MH	4/12/2017
DRAFT	Data sampling and protocols for Peregrine Falcon Conservation Centre	7.6.2	MH	4/12/2017
DRAFT	Updated project schedule	1.1	MH	11/28/2018
DRAFT	Updated Environmental Protection Plan schematic	1.2	MH	11/28/2018
DRAFT	Updated mailing address	2.5	MH	11/28/2018
DRAFT	Updated First Nation and Metis Engagement Process to describe the MMTP monitoring committee	2.6.2	MH	11/28/2018
DRAFT	Updated status of Manitoba Hydro's monitoring programs for other Projects.	3.0	MH	11/28/2018
DRAFT	Added Agriculture and Access to monitoring table	4.2.1	MH	11/28/2018
DRAFT	Updated the monitoring table and schedule and	4.2.2	MH	11/28/2018

List of Revisions

Number	Nature of revision	Section(s)	Revised by	Date
	including extension for golden winged warbler surveys			
DRAFT	Added reference to New Jersey Tea and Mottled Duskywing Butterfly to surveys for Plant Species of Conservation Concern.	4.4.2	MH	11/28/2018
DRAFT	Added a wording to report least bittern observations while conducting amphibian surveys	4.5.1	MH	11/28/2018
DRAFT	Garter snake hibernatula not found in surveys	4.5.2	MH	3/25/2019
DRAFT	Added a wording to report short-eared owl observations while conducting amphibian surveys	4.5.4	MH	11/28/2018
DRAFT	Added a wording to report short-eared owl and least bittern observations while conducting bird species of conservation concern sureys	4.5.5	MH	11/28/2018
DRAFT	Extended monitoring of golden-winged warbler habitat to 10 years post construction	4.5.6	MH	11/28/2018
DRAFT	Added Decision Trigger/Threshold for Action to consider information learned through PhD project.	4.5.8	MH	11/28/2018
DRAFT	Added a section for monitoring agriculture	4.7	MH	11/28/2018
DRAFT	Added a section for monitoring access	4.8	MH	11/28/2018
DRAFT	Included information on MMTP monitoring committee	5.0	MH	11/28/2018
DRAFT	Added reference to New Jersey Tea and Mottled Duskywing Butterfly to surveys for Plant Species of Conservation Concern.	7.2.2	MH	11/28/2018
DRAFT	Added reference to monitoring for invasive plants due to erosion, sedimentation, and other disturbance.	7.2.3	MH	11/28/2018
DRAFT	Added reference to monitoring for least bittern	7.3.1.1	MH	11/28/2018
DRAFT	Added reference to monitoring for short-eared owl	7.3.2.2	MH	11/28/2018
DRAFT	Added reference to monitoring for least bittern and short-eared owl	7.3.2.3	MH	11/28/2018
DRAFT	Added Appendix A	APPENDIX A	MH	25/04/2019

This page was left intentionally blank.

TABLE OF CONTENTS

1.0	Introduction.....	1
1.1	Project overview.....	1
1.1.1	Regulatory requirement.....	1
1.2	Environmental protection program.....	3
2.0	Environmental monitoring	4
2.1	Purpose.....	4
2.2	Objectives	5
2.3	Scope of work.....	5
2.4	Management and coordination.....	5
2.5	Public communications and engagement.....	6
2.6	First Nation and Metis engagement & Traditional Knowledge	7
2.6.1	Traditional Knowledge	7
2.6.2	Ongoing First Nations and Metis engagement process.....	7
3.0	Past, present and future monitoring programs	9
4.0	Monitoring program	10
4.1	Requirements.....	10
4.2	Valued components	11
4.2.1	Valued component selection	11
4.2.2	Valued component monitoring tables and schedule.....	14
4.3	Fish and fish habitat	18
4.3.1	Water course crossings.....	18
4.4	Vegetation and wetlands	20
4.4.1	Wetlands.....	20
4.4.2	Plant species of conservation concern.....	23
4.4.3	Invasive plant species	26
4.4.4	Traditional use plant species.....	29
4.5	Wildlife and wildlife habitat	32

4.5.1	Amphibians.....	32
4.5.2	Common garter snakes.....	35
4.5.3	Bird – wire collision.....	37
4.5.4	Sharp-tailed grouse lekking sites	39
4.5.5	Bird species of conservation concern	42
4.5.6	Golden-winged warbler habitat.....	45
4.5.7	Birds of prey	48
4.5.8	Ungulates and predators.....	50
4.5.9	Black bear	54
4.6	Socio-economics and resource use.....	57
4.6.1	Employment and economy.....	57
4.6.2	Infrastructure and services	59
4.6.3	Outfitting and falconry.....	61
4.7	Agriculture	64
4.7.1	Agricultural Land.....	64
4.8	Access.....	67
4.8.1	Access management	67
5.0	Adaptive management	68
6.0	Reporting	70
7.0	Monitoring methods.....	71
7.1	Fish and fish habitat	71
7.1.1	Stream crossing assessments.....	71
7.2	Vegetation and wetlands	71
7.2.1	Wetlands.....	72
7.2.2	Plant species of conservation concern.....	73
7.2.3	Invasive plant species	74
7.2.4	Traditional use plant species.....	75
7.3	Wildlife and wildlife habitat	76
7.3.1	Herptiles.....	76
7.3.2	Birds.....	78

7.3.3	Ungulates and predators.....	89
7.4	Employment and economy	97
7.4.1	Project employment.....	97
7.4.2	Business opportunities	97
7.4.3	Labour income and tax revenue.....	98
7.5	Infrastructure and services.....	98
7.5.1	Transportation.....	98
7.6	Outfitting and falconry	99
7.6.1	Outfitter resource use.....	99
7.6.2	Peregrine falcon conservation center	99
7.7	Agriculture.....	100
7.7.1	Agricultural Land.....	100
7.8	Access.....	103
7.8.1	Access Management.....	103
8.0	References.....	104

LIST OF MAPS

Map 1-1 Project components map.....	2
-------------------------------------	---

LIST OF TABLES

Table 4-1 Valued Components and Environmental Indicators	12
Table 4-2 Proposed Monitoring Activities Schedule	16
Table 4-3 Fish and Fish Habitat.....	18
Table 4-4 Wetlands	20
Table 4-5 Plant Species of Conservation Concern	23
Table 4-6 Invasive Plant Species.....	26
Table 4-7 Traditional Use Plant Species	29
Table 4-8 Amphibians.....	32
Table 4-9 Common Garter Snakes.....	35
Table 4-10 Bird – Wire Collision	37
Table 4-11 Sharp-tailed Grouse Lekking Sites.....	39
Table 4-12 Bird Species of Conservation Concern	43
Table 4-13 Golden-winged warbler habitat	45
Table 4-14 Birds of prey.....	48
Table 4-15 Ungulates and predators.....	51
Table 4-16 Black bear	54
Table 4-17 Employment and economy.....	57
Table 4-18 Transportation	59
Table 4-19 Outfitter resource use	61
Table 4-20 Peregrine Falcon Conservation Centre	63
Table 4-21 Agricultural Land.....	64
Table 4-22 Access Management	67

LIST OF FIGURES

Figure 1-1 Transmission Environmental Protection Program	3
--	---

LIST OF APPENDICES

Appendix A: Summary of consultation.....	111
--	-----

ACRONYMS

AC	Alternating Current
ATK	Aboriginal Traditional Knowledge
EMP	Environmental Monitoring Plan
CEC	Clean Environment Commission
CEAA	Canadian Environmental Assessment Agency
CEAA 2012	Canadian Environmental Assessment Act 2012
CEnvPP	Construction Environmental Protection Plan
CHRPP	Cultural and Heritage Resources Protection Plan
DFO	Department of Fisheries and Oceans
EA	Environmental Assessment
EIS	Environmental Impact Statement
EnvPP	Environmental Protection Plan
EPIMS	Environmental Protection Information Management System
EPP	Environmental Protection Program
ESS	Environmentally Sensitive Site
FNMEP	First Nation and Metis Engagement Process
FRI	Forest Resource Inventory
GPS	Global Positioning System Unit
km	Kilometre
kV	Kilovolt
LAA	Local Assessment Area
MBCA	Migratory Birds Convention Act
MBCDC	Manitoba Conservation Data Centre
SD	Manitoba Sustainable Development
MESEA	Manitoba Endangered Species and Ecosystems Act

MMF	Manitoba Metis Federation
MMTP	Manitoba-Minnesota Transmission Project
NEB	National Energy Board
PDA	Project Development Area
PEP	Public Engagement Process
RoW	Right-of-way
SARA	Species at Risk Act
SOCC	Species of Conservation Concern
TSS	Total Suspended Solids
VC	Valued Component
VES	Visual Encounter Surveys

This page was left intentionally blank.

1.0 Introduction

1.1 Project overview

Manitoba Hydro is proposing to construct and operate a 500 kilovolt (kV) alternating current (AC) international transmission line in southeastern Manitoba that includes additions and upgrades to three associated transmission stations at Dorsey, Riel and Glenboro South. (Map 1-1) The proposed project is called the Manitoba-Minnesota Transmission Project (the Project) and consists of approximately 213 km of single circuit, 500 kV AC transmission line (D604I) that will start at the existing Dorsey Converter Station northwest of Winnipeg, in the RM of Rosser, and will connect at the Manitoba-Minnesota border to a new transmission line proposed by Minnesota Power, called the Great Northern Transmission Line. The proposed project is required for the following reasons:

- Export power to the United States based on current sales agreements
- Improve reliability and import capacity in emergency and drought situation; and
- Increase access to markets in the United States


Clearing and construction of the Project is expected to take approximately 1 year to complete with activities starting in the Q2 of 2019 and ending in Q2 2020. Subject to regulatory approvals, the in-service date of the project is 2020.

1.1.1 Regulatory requirement

The project is defined as a Class 3 Development (under the Classes of Development Regulation) that will be reviewed by Manitoba Sustainable Development (SD) and require an Environment Act License under *The Environment Act* (Manitoba).

Authorization for the construction and operation of the transmission line is also required under the *National Energy Board Act* and the project is subject to an environmental assessment by the National Energy Board (NEB) under the *Canadian Environmental Assessment Act, 2012* (CEAA 2012).

This page was left intentionally blank.



Map 1-1 Project components map

This page was left intentionally blank

1.2 Environmental protection program

Part of Manitoba Hydro's commitment to environmental protection includes the development of a comprehensive Environmental Protection Program (EPP), this is further described in chapter 22 of the EIS, found here at NEB Ex. [A81182-38](#). The purpose of the EPP is to provide the framework for implementing, managing, monitoring and evaluating environmental protection measures that are consistent with regulatory requirements and environmental guidelines. This EMP is a component of the EPP as illustrated in Figure 1-1.



Figure 1-1 Transmission Environmental Protection Program

This page was left intentionally blank.

2.0 Environmental monitoring

This document describes the Environmental Monitoring Plan, which outlines the various monitoring activities that will occur to address follow-up requirements identified for the valued components included in the environmental assessment. Monitoring activities will be considered during all phases of Project development (i.e. pre-construction, construction and post construction). Follow-up requirements include actions implemented to assess the effectiveness of the environmental assessment and to confirm compliance with regulatory requirements.

This EMP is intended to describe how and provide assurance to regulators the MMTP Monitoring Committee, First Nations, the MMF and Indigenous organizations, landowners, interested parties, environmental organizations, and the general public that potential environmental effects caused by the Project will be monitored, evaluated and reported on in a responsible and accountable manner.

An internal Environmental Protection Information Management System (EPIMS) was developed that will manage, store and facilitate the transfer of Environmental Protection Program data and information amongst the Project team. EPIMS will facilitate the transferring of knowledge and experiences encountered on a daily basis during construction activities from Environmental Inspectors to the Specialists that are responsible for monitoring project effects. EPIMS is an essential tool that manages vast amounts of data and information that will be generated through the implementation of this plan, allowing for Manitoba Hydro to employ an adaptive management approach during this project and apply that experience and knowledge to future developments.

2.1 Purpose

The purpose of this EMP is to outline the potential effects identified in the EIS and the key activities that will be conducted as part of the monitoring and follow-up component of the EPP. The intended goal of this plan is to provide details on monitoring activities and how monitoring results will be used within an adaptive management cycle to make decisions and trigger actions to further minimize the effects of the Project on the environment.

2.2 Objectives

The objectives of this monitoring plan are to:

- Confirm the nature and magnitude of predicted environmental effects as stated in the EIS;
- Assess effectiveness of mitigation measures implemented;
- Establish decision-triggers for action;
- Identify unexpected environmental effects of the project, if they occur;
- Identify additional mitigation measures to address unanticipated environmental effects, if required;
- Confirm compliance with regulatory requirements including approval terms and conditions; and
- Provide additional baseline information to evaluate long-term changes or trends.

2.3 Scope of work

The scope of this EMP will include the biological and socio economic components of the environment. A Cultural and Heritage Resources Protection Plan (CHRPP) has also been developed that outlines Manitoba Hydro's commitment to safeguard cultural and heritage resources and provide information on how to appropriately handle human remains or cultural and heritage resources discovered or disturbed during construction of the Project.

2.4 Management and coordination

As part of the EPP, Manitoba Hydro will have staff comprised of senior Manitoba Hydro management, as well as implementation teams committed to the implementation of the EMP for the Project. The Environmental Protection Management Team will be responsible for the management of the environmental protection plans including compliance with regulatory and other requirements and quality assurance and control. Manitoba Hydro will coordinate discussions with regulators and integrate monitoring outcomes related to the MMTP Monitoring Committee, First Nation and Metis Engagement Process (FNMEP) and Public Engagement Process (PEP) into this plan. The Environmental Protection and Implementation Team, which is comprised of Manitoba Hydro operational and office staff, will be responsible for the day to day implementation

of environmental protection plans developed for the project which include monitoring, inspecting and reporting.

Manitoba Hydro will ensure that resources are allocated to the environmental aspects of project planning, development, implementation and operation for the successful implementation of environmental protection measures and follow-up including monitoring. Manitoba Hydro will commit resources early in the planning cycle to ensure effective environmental assessment, mitigation and monitoring including an environmental staff member from the Licensing and Environmental Assessment Department that will lead the field monitoring program during the construction of the Project and provide field level support to the ongoing FNMEP.

2.5 Public communications and engagement

In addition to extensive public engagement efforts that have occurred to date throughout the development of the Project, Manitoba Hydro welcomes all members of the public to contact the corporation with questions or comments throughout the construction process. Manitoba Hydro's Manitoba-Minnesota Transmission Project website site, www.hydro.mb.ca/mmtp, will be maintained and updated regularly throughout the project with the summary of results of this EMP. As noted on the Project website, additional information is available to the public upon request via a toll-free phone number, dedicated project e-mail address or by mail.

Manitoba Hydro
Manitoba-Minnesota Transmission Project
C/O Licensing and Environmental Assessment
360 Portage Avenue (5)
Winnipeg MB, R3C 0G8
1-877-343-1631 or 204-360-7888
mmtp@hydro.mb.ca

2.6 First Nation and Metis engagement & Traditional Knowledge

2.6.1 Traditional Knowledge

The ATKS Management Team (Black River First Nation, Swan Lake First Nation, Long Plain First Nation), Peguis First Nation, Dakota Plains Wahpeton Oyate, Roseau River Anishinabe First Nation, Sagkeeng First Nation and the Manitoba Metis Federation (MMF) submitted self-directed study reports for the proposed Project. First Nations and the MMF that conducted self-directed studies in the later stages of the engagement process for the Project were informed that their information would be used to inform the Environmental Protection Program.

More detailed information regarding self-directed studies completed can be found in Chapter 4 of the project EIS, found here at NEB Ex. [A81182-8](#).

2.6.2 Ongoing First Nations and Metis engagement process

Manitoba Hydro has developed different approaches to its ongoing post-EIS First Nation and Metis Engagement Process (FNMEP). These approaches for transmission project follow-up and monitoring programs began in 2008-2010 with the Wuskwatim Transmission Project, followed by the Bipole III and Keeyask Transmission Projects in 2013, both projects are planned to continue until 2018/19. Each of these projects had a different approach tailored to the geographic region, scope/scale of project and the number of communities involved. Through these past and current projects, accompanied by the desire to use active adaptive management in its community involvement programs for the construction of transmission projects, Manitoba Hydro has developed a new approach for this Project.

For MMTP, Manitoba Hydro's approach to the ongoing FNMEP is the development of a MMTP monitoring committee. Planning meetings have been held and a draft terms of reference have been developed. Information generated by this committee will be used in an adaptive way to modify and improve the environmental monitoring plan, including surveys on traditional use plants and wildlife. Details on the MMTP Monitoring Committee can be found at <https://www.mmtppmonitoring.com/>

A portion of the draft terms of reference including purpose, goals and invited members is outlined below:

The purpose of the MMTP Monitoring committee is to:

- support Indigenous participants effective and meaningful participation in the monitoring of the project
- create a platform for understanding issues of concern to Indigenous participants and Manitoba Hydro in order to collaboratively provide informed advice on how to address issues of concern
- share information in a cooperative and transparent manner relating to the environmental issues of the Project

The goals of the MMTP Monitoring committee are to:

- Manitoba Hydro does what they say they would do and is compliant with licence and certificate conditions with the assistance of the MMTP Monitoring Committee
- The land and water is respected as we use our knowledge to monitor its health
- Leadership, members and staff at my community or organization feel informed about the status of MMTP and information is accessible to those who just want to check in if interested.
- There is a place to discuss topics of interest to us that are beyond MMTP

Invited Members include:

Animakee Wa Zhing #37
Anishnaabeg of Naongashiing
Birdtail Sioux First Nation
Black River First Nation
Brokenhead Ojibway Nation
Buffalo Point First Nation
Canupawakpa Dakota Nation
Dakota Plains Wahpeton First Nation
Dakota Tipi First Nation
Iskatewizaagegan #39 Independent FN
Long Plain First Nation
Northwest Angle #33 First Nation
Peguis First Nation
Roseau River Anishinabe First Nation

Sagkeeng First Nation
Sandy Bay Ojibway First Nation
Swan Lake First Nation
Shoal Lake 40 First Nation
Sioux Valley Dakota Nation
Waywayseecappo First Nation
Manitoba Metis Federation
Aboriginal Chamber of Commerce
Assembly of Manitoba Chiefs
Dakota Ojibway Tribal Council
Southern Chiefs Organization
Manitoba Hydro
Manitoba Sustainable Development

A summary and evidence of Manitoba Hydro's engagement with potentially affected persons, organizations, Indigenous communities, and federal and provincial authorities regarding this plan, including any concerns that were raised, steps that Manitoba Hydro has taken or will take to address those concerns can be found in Appendix A.

This page was left intentionally blank.

3.0 Past, present and future monitoring programs

Monitoring programs allow us to see how predicted effects from environmental assessments compare to the actual outcome from construction activities.

Good project planning in combination with effective monitoring is a major component for enhancing the effectiveness of development programs and projects. Monitoring and evaluation of projects help in the understanding and learning from past project successes and challenges which in turn helps to inform decision-making so that current and future monitoring programs for projects can be improved.

In order to ensure continual improvement of monitoring programs for future projects, information and results from past monitoring programs were reviewed to better understand the effects of transmission line construction on the biophysical and socio-economic components of the environment. This results in a reduction of project specific residual effects through project-based mitigation, which demonstrates a commitment to continual improvement and sustainable development.

Past and current Manitoba Hydro projects that have implemented extensive monitoring programs include the Wuskwatim Transmission Project (2008 to 2012), the Bipole III Transmission Project, the Keeyask Transmission project and the Lake Winnipeg East System Improvement transmission project.

Appropriate methods accepted by Manitoba Hydro and Sustainable Development were used to monitor environmental components, such as access, aquatics, mammals, birds, and vegetation, identified for the Wuskwatim, Bipole II, Keeyask and Lake Winnipeg East System Transmission projects and are also outlined in the MMTP EMP.

Manitoba Hydro manages all its projects monitoring programs in a coordinated fashion so that knowledge gained from one program is combined with other programs for a more informed understanding of transmission line environmental effects.

This page was left intentionally blank.

4.0 Monitoring program

4.1 Requirements

As defined under the *Canadian Environmental Assessment Act (CEAA) 2012*, monitoring and follow up is required to verify the accuracy of the environmental assessment of a project and determine the effectiveness of measures taken to mitigate potential adverse environmental effects (CEAA, 2012). The National Energy Board (NEB) through their Regulatory Framework also requires “Lifecycle Compliance Monitoring” in which the NEB monitors and enforces compliance with requirements concerning the safety and protection of employees, the public and the environment as they may be affected throughout the life of the project (NEB, 2015). In addition the NEB may monitor and verify compliance with requirements during construction, operation and decommissioning through the use of audits, inspections, compliance meetings, investigations and response to concerns and complaints.

Through monitoring and follow up, EIS outcomes are realized, communicated and managed through refinement and improvement of mitigation strategies.

The EPP includes two main types of monitoring:

- Environmental monitoring – periodic or continuous surveillance or testing, according to a predetermined schedule, of one or more environmental indicators to establish/enhance knowledge of baseline conditions or to verify the accuracy of an environmental assessment and the effectiveness of mitigation measures. Pre and post disturbance and control-impact monitoring are the preferred approaches to monitoring environmental effects.
- Compliance monitoring – observation or testing conducted to verify whether a practice or procedure meets the applicable requirements prescribed by legislation, licence conditions, and/or Environmental Protection Plans.

Environmental monitoring is addressed through this EMP. Compliance monitoring is accomplished through the Environmental Protection Program, which will involve the use of dedicated environmental officers/inspectors to observe and verify the implementation of the environmental protection plans. Information generated from this program will be utilized by an adaptive management approach to improve both mitigation measure

effectiveness and monitoring program design. A summary of compliance monitoring results will be presented in an annual report.

4.2 Valued components

This section identifies the Valued Components that were selected for the environmental assessment that will be monitored including rationale for their selection. Additional information in this section includes key monitoring activities, task descriptions, duration, frequency and timing of activities, Environmental Monitor input, Manitoba Hydro commitments and specialist and SD roles. Manitoba Hydro has developed the plan to address concerns expressed by the MMTP Monitoring Committee, First Nations and Metis, interested parties, local communities, and regulators.

Where applicable, Decision Trigger(s)/Threshold(s) for Action have been identified for each valued component. These decision triggers or thresholds for action are mechanisms to promote adaptive management that cause Manitoba Hydro and its Specialists to stop and further evaluate the monitoring results and, if required, adapt mitigation measures or monitoring activities. Decisions triggers/thresholds cannot be identified for all situations, there are too many parameters and variables and lack of scientific data. It is for this reason why many government agencies, including Manitoba, have not yet published definitive thresholds for action for different wildlife management scenarios. Manitoba Hydro will continue to fund applicable research and contribute monitoring information from projects to the regulators.

4.2.1 Valued component selection

An initial step of the environmental assessment for the proposed project was the identification of Valued Components (VCs) that may be adversely affected by the Project. This is fully discussed in Chapter 7 of the EIS, found here at NEB Ex. [A81182-12](#).

VCs are environmental elements that have the potential to interact with the Project and that met one or more of the following criteria:

- represent a broad environmental, ecological or human environment component that might be affected by the Project;
- are a part of the heritage of First Nations and Metis or a part of their current use of lands for traditional purposes;

- are of scientific, historical, archaeological importance;
- have been identified as important issues or concerns by interested parties or by other effects assessments in the region.

Valued Components that require monitoring and follow-up were identified in each applicable chapter within the EIS. For each VC, one or more environmental indicators were selected to focus monitoring and follow up efforts.

Environmental indicators were selected to represent the valued components in the table below if the component had one or more of the following attributes:

- Scientific/regulatory importance (rare/endangered or protected status);
- Environmental importance;
- Socio-economic importance;
- Cultural importance (important to communities or society as a whole); and
- Vulnerable and sensitive to change.

Table 4-1 below provides a list of valued components and their environmental indicators that will require monitoring as well as the parameters being measured and rationale for their selection.

Table 4-1 Valued Components and Environmental Indicators

Valued Component	Environmental Indicator	Parameter	Rationale ¹
Fish and Fish Habitat	Stream Crossings	Riparian buffers, ground cover, erosion;	Environmental importance; protection of aquatic life; Regulatory importance
Vegetation and Wetlands	Wetlands	Vegetation cover and area of wetland affected by the project	Environmental importance; protection of aquatic life, no net loss
	Plant Species of Conservation Concern	Species occurrence	Regulatory importance – MESEA and SARA
	Invasive Plant Species	Species occurrence	Environmental importance
	Traditional Use Plant Species	Species occurrence	Cultural and environmental importance
Wildlife and	Amphibians	Presence of northern	Regulatory importance –

Table 4-1 Valued Components and Environmental Indicators

Valued Component	Environmental Indicator	Parameter	Rationale ¹
Wildlife Habitat		leopard frogs, eastern tiger salamanders and habitat	SARA <i>The Wildlife Act</i>
	Common Garter Snakes	Presence of garter snake hibernacula	Regulatory importance – <i>The Wildlife Act</i>
	Bird-Wire Collision	Abundance and Mortality	Environmental and cultural importance; Regulatory importance
	Sharp-tailed Grouse Lekking Sites	Lek abundance, number of males, mortality changes	Vulnerable and sensitive to change; Regulatory importance
	Bird Species of Conservation Concern	Presence /Absence habitat suitability	Regulatory importance - MESEA; SARA; MBCA; MB CDC, designated Golden-winged Warbler critical habitat
	Golden-winged Warbler Habitat	Vegetation cover	Regulatory importance – MESEA and SARA
	Birds of Prey	Nest site locations	Environmental and cultural importance; Regulatory importance
	Ungulates and Predators	Occurrence and/or seasonal distribution, vehicle collision related mortality	Environmental and cultural importance; Regulatory importance
	Black Bear	Occurrence, annual prevalence	Environmental and cultural importance; Regulatory importance
Employment and Economy	Project Employment	Total person years of employment, total number of hires, total number of employees. Type (job classifications) of work available.	Socio-economic and cultural importance
	Direct/Indirect	Direct project expenditures	Socio-economic and cultural

Table 4-1 Valued Components and Environmental Indicators

Valued Component	Environmental Indicator	Parameter	Rationale ¹
	Business Effects	Indirect business opportunities	importance
	Direct Labour Income and Taxes	Direct labour income. Project taxes generated (non-labour).	Socio-economic and cultural importance
Infrastructure and Services	Transportation	Traffic volumes and accidents on key roadways.	Socio-economic and cultural importance
Outfitters and Falconry	Outfitter Resource Use	Change in occurrence of black bears frequenting bear bait sites	Socio-economic importance
	Peregrine Falcon Conservation Centre	Location of peregrine perch sites, distance moved and mortality	Socio-economic and environmental importance
Agricultural Land	Soil Productivity	Crop preformance	Socio-economic and environmental importance
	Rutting and Compaction	Return to pre-construction condition	Socio-economic and environmental importance
	Tile Drainage Reclamation	Tile drain performance	Socio-economic and environmental importance
Access	Access Controls	Effectiveness of access controls	Socio-economic and environmental importance

¹ Manitoba Endangered Species and Ecosystems Act (MESEA); Species at Risk Act (SARA); Manitoba Conservation Data Centre (MB CDC); Migratory Bird Convention Act (MBCA)

4.2.2 Valued component monitoring tables and schedule

Figure 4-1 illustrates the proposed schedule of monitoring activities. The following tables 4-2 thru 4-17 summarize the key monitoring activities that will be conducted for each of the Valued Components and Environmental Indicators identified in Section 4.2.1 above.

Detailed methodologies for each key monitoring activity are outlined in Section 7.0 of this report.

Table 4-2 Proposed Monitoring Activities Schedule						
Valued Component	Key Monitoring Activity	Preconstruction Surveys	Clearing and Construction of the Transmission Line and Station Modifications ²	Post Construction		
		Fiscal Year(s) (March –April)				
		2017/18	2019/2020	2020/2021	2021/2022	2022/2023
Fish and Fish Habitat	Stream Crossing Assessment					
Vegetation and Wetlands ¹	Wetland Surveys					
	Rare Plant Surveys					
	Invasive Species Survey					
	Traditional Use Plant Species Survey					
Wildlife and Wildlife Habitat ¹	Wetland Amphibian Survey					
	Snake Hibernacula Survey					
	Bird-Wire Collision Survey					
	Sharp-tailed Grouse Lek Survey					
	Bird Species of Conservation Concern Survey					
	Golden-winged Warbler Habitat Survey					
	Raptor Nest Survey					
	Distribution / Occurrence Mapping Survey					
	Camera Trap Survey					
	Vehicle Collision Statistic Gathering					
	Mineral Lick Survey					
Employment and Economy	Project Employment Reporting					
	Direct/Indirect Business Opportunities Reporting					
	Direct Labor Income and Taxes Reporting					
Infrastructure and Services	Traffic Monitoring Survey					
Outfitting and Falconry ¹	Black Bear Bait Site Camera Trap Survey					
	Peregrine Falcon Conservation Centre Survey					
Agriculture	Soil Productivity					
	Rutting and Compaction					
	Tile Drainage Reclamation					
Access	Access Controls					

1. Preconstruction Surveys reports are completed and filed with the NEB at Ex. [A93043-1](#), [A93043](#) and [A92082-2](#)

2. Estimated Project Start Date is summer/fall 2019, with an etimated in-service date of spring 2020. Construction phase monitoring may be altered due to shortening of the Project construction schedule.

Valued component monitoring table description key

Environmental Indicator

Brief description of the environmental indicator in the context of the Project, and the potential effects of the Project on the environmental indicator.

Objectives

- *List of objectives the monitoring program is designed to fulfill.*

Applicable project component(s): List of Project components that are being monitored due to the potential interactions between the project component and environmental indicators

Monitoring Activities

Table x-x Name of Environmental Indicator

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
<i>Name of key monitoring activities (i.e. Bird Point Count Survey)</i>	<i>The phase of the project the activities will take place (i.e., baseline information, pre-construction construction, post construction)</i>	<i>Description of the task being conducted (i.e. upstream/downstream water quality monitoring).</i>	<i>Identification of the parameters being measured by the task (i.e. species counts)</i>	<i>Locations in which the measurements of the parameters will be conducted (i.e. Assiniboine River)</i>	<i>How many years the activities will take place (i.e. three years)</i>	<i>How many times per year will the activity take place (i.e. annual – once a year)</i>	<i>The time of year the activity will take place (i.e. Spring and fall)</i>	<i>Units by which the parameters are being measured (total number of bird species observed) Or qualitative observations of effects (bird behaviours)</i>

Manitoba Hydro Commitment:

- *This section will describe the activities the Manitoba Hydro is committed to conducting and resources it will provide to execute the monitoring plan.*

Responsibilities of Environmental Monitor include:

- *This section will describe the activities the Environmental Monitor will conduct and resources they will provide to execute the monitoring plan. The Environmental Monitor Role is planned to be filled by an Indigenous Community Member selected through the MMTP Monitoring Committee.*

Specialist will:

- *This section describes the activities the Specialist will conduct and resources it will provide to execute the monitoring plan, the specialist may be Manitoba Hydro staff or external consultants.*

Decision Trigger(s)/Threshold(s) for Action:

- *Describes the scenarios which will trigger the requirement for adaptive management to be implemented. This section does not provide how Manitoba Hydro will respond to a particular action as there are an indefinite amount of possible scenarios and responses, Manitoba Hydro is committed to an adaptive management process as described in Section 5 to fully evaluate the options and develop an appropriate response.*

Approach to Adaptive Management:

- *This is a summary of how adaptive management will be applied for this valued component.*

4.3 Fish and fish habitat

4.3.1 Water course crossings

As outlined in Chapter 8 of the EIS (NEB Ex. [A81182-14](#)), the Project will require overhead line crossings of 75 water courses of which 29 are fish bearing. There are no water courses in close proximity to the station upgrades. The Project crosses two major watersheds, the Assiniboine River Basin and the Red River Basin, and seven sub-watersheds, including the Lower Assiniboine, La Salle River, Red River, Seine River, Cooks Creek/Devils Creek, Rat River and Roseau River.

A potential effect of the Project to fish habitat is the loss of riparian vegetation (vegetation along the water’s edge) during construction. Riparian vegetation functions as fish habitat by providing bank stability, food and nutrient inputs (e.g., leaf litter and insect drop), and shading. The loss of riparian vegetation can result in increased sediment in water due to decreased bank stability, increased water temperature and decreased cover for fish. Increased suspended sediments can decrease light penetration resulting in decreased photosynthesis. Sedimentation of streams can bury or create unsuitable habitats for aquatic invertebrates, infill spawning habitats and reduce the spawning and feeding success of fish. To validate EIS predictions environmental monitoring will verify effectiveness of prescribed mitigation and to allow for adaptive management.

Objectives:

- *To verify the implementation and effectiveness of mitigation prescribed for areas adjacent to watercourses including: riparian buffers, erosion control, and temporary stream crossings.*

Applicable Project Component(s): *D604I Transmission Line*

Monitoring Activities:

Table 4-3 Fish and Fish Habitat

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
<i>Stream Crossing Assessment</i>	<i>Baseline Information</i>	<i>Fish Habitat Assessments</i>	<i>Water course characterization and sensitivity</i>	<i>23 sites in LAA</i>	<i>1 field season</i>	<i>Once</i>	<i>Completed 2014</i>	<i>Fish Habitat (Channel size), Habitat Sensitivity (High, Medium, Low)</i>
	<i>Construction¹</i>	<i>Stream Crossing Survey</i>	<i>Riparian buffers, ground cover and erosion</i>	<i>ESS</i>	<i>During construction</i>	<i>Annual</i>	<i>Spring</i>	<i>Riparian buffer width (m), Vegetative cover (% cover : % bare ground), Bank stability and erosion (%), Re-vegetation where soil was disturbed (% ground cover: % bare ground.)</i>
	<i>Post-construction</i>	<i>Stream Crossing Survey</i>	<i>Riparian buffers, ground cover and erosion</i>	<i>ESS</i>	<i>1 yr.</i>	<i>Annual</i>	<i>Spring</i>	<i>Riparian buffer width (m), Vegetative cover (% cover : % bare ground), Bank stability and erosion (%), Re-vegetation where soil was disturbed (% ground cover: % bare ground.)</i>

^{1.} Construction phase monitoring may be altered due to shortening of the Project construction schedule.

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;*
- *Summarize results of key monitoring activities in an annual monitoring report;*
- *Report immediately to SD any unanticipated project effects on stream crossing and encroachment areas discovered through monitoring activities and consult on any remediation plans; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, Metis and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of mitigation performance at ESS sites within project footprint or access routes.*
- *Record observations with photo and waypoint and store in EPIMS*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Use the digital ortho-rectified imagery and/or georeferenced video/photo products provided by Manitoba Hydro for identification of stream crossing requiring site survey and assessment of ROW effects;*
- *Review Environmental Inspector and Monitor daily reports for the performance and implementation of prescribed mitigation measures at each stream crossing site;*
- *Design and conduct specific survey methods that sample aquatics ESS sites and at sites where documentation by Environmental Inspectors is insufficient or site conditions warrant follow-up to verify accuracy of EIS predictions and effectiveness of mitigation measures implemented;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on stream crossings discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Thresholds for Action/Decision Triggers:

- *Bank stability and erosion not equal to pre-construction stability.*
 - *Action: Implement site specific rehabilitation measures as required.*
- *Insufficient riparian buffer retained.*
 - *Action: Implement site specific rehabilitation measures as required.*

Approach to Adaptive Management:

- *Passive - Implement environmental protection plan measures and apply experience from previous transmission development projects (i.e. implement site-specific buffers and setbacks near watercourses).*

4.4 Vegetation and wetlands

4.4.1 Wetlands

Wetlands perform many important functions which include water storage, flood control, ground water recharge, sediment trapping, shoreline protection, nutrient cycling and carbon sequestration. Wetlands also provide valuable habitat for wildlife and plant species, and may support species of conservation concern. Wetland conservation is a priority under The Federal Policy on Wetland Conservation (Government of Canada 1991).

Wetland function includes three major components: habitat, hydrological and biogeochemical function (Halsey et al. 1997, Hanson et al. 2008). Wetland alteration can result in a loss of wetland function. Threats to wetlands include drainage, erosion and degradation, lowered water tables, increased run-off, and reduced plant productivity of adjacent areas.

Large intact wetlands are present in the Local Assessment Area (LAA) in addition to smaller degraded wetlands in cultivated areas. As described in Chapter 10 of the EIS (NEB Ex. [A81182-18](#)), the Project LAA intersects approximately 1884 ha of wetlands, of which approximately 56 ha are within the Project Development Area (PDA). Wetland classes occurring along the PDA include bog, fen, swamp, marsh, shallow open water and dugout. Main effects to wetlands as a result of the project include site disturbance or loss of plants from construction, maintenance and decommissioning activities. To validate EIS predictions, verify implementation of mitigation measures, and to allow for adaptive management, pre-construction, construction and post-construction monitoring will identify any changes to wetland area affected (ha), and species composition and abundance.

Objectives:

- *Pre-construction wetland surveys to confirm location and collect baseline vegetation information;*
- *Monitoring to document disturbance, and species composition and abundance of wetland vegetation at selected sites; and*
- *Verify the implementation and effectiveness of wetland protection measures.*

Applicable Project Component(s): *New ROW for the D604I Transmission Line*

Monitoring Activities:

Table 4-4 Wetlands

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
Wetland Surveys	Baseline Information	Wetland desktop and field surveys	Wetland classification	74 sites surveyed in PDA, LAA	1 field season	Once	Completed 2014	Wetland class (bog, marsh, swamp, shallow open water)
	Pre-construction ¹	Ground surveys to confirm location and record wetland characteristics	Area of wetland intersected by the project, vegetation cover	PDA	Pre-construction	Once	Completed 2018	Wetland class; species composition and abundance
	Construction ²	Ground surveys to identify wetland changes not discernible from habitat mapping and to monitor wetland protection measures	Area of wetland affected by the project, vegetation cover	PDA	During construction	Annual	Summer	Wetland class; species composition and abundance

Table 4-4 Wetlands

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
	<i>Post-construction</i>	<i>Ground surveys to identify wetland changes not discernible from habitat mapping</i>	<i>Area of wetland affected by the project, vegetation cover</i>	<i>PDA</i>	<i>2 yrs.</i>	<i>Annual</i>	<i>Summer</i>	<i>Area affected (ha); species composition and abundance</i>

1. Preconstruction Surveys reports are completed and filed with the NEB at Ex. [A87858-1](#) and [A87858-5](#).
2. Construction phase monitoring may be altered due to shortening of the Project construction schedule.

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;*
- *Map cleared project footprint;*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, Metis and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of mitigation performance at Environmentally Sensitive Sites (ESS) within project footprint or access routes.*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Use the digital ortho-rectified imagery and/or georeferenced video/photo products provided by Manitoba Hydro for identification of potential wetland sampling sites and assessment of ROW effects;*
- *Conduct pre-clearing surveys in wetlands to classify wetlands;*
- *Review Environmental Inspector and Monitor daily reports for identification of potential wetland sampling sites;*
- *Design and conduct specific survey methods that sample vegetation composition and abundance to verify accuracy of EIS predictions and effectiveness of mitigation measures implemented;*
- *Adhere to Manitoba's Hydro's Biosecurity procedures;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on wetlands discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*

- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Thresholds for Action/Decision Triggers:

- *Partially frozen wetlands are encountered during construction season.*
 - *Action: Report to SD Conservation Officer mitigation options to reduce impacts (i.e. matting, ice roads, snow roads, hand clearing).*
- *Actual disturbance footprint exceeds the expected disturbance footprint.*
 - *Action: Implement site specific rehabilitation measures as required.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*

Approach to Adaptive Management:

- *Passive - Implement environmental protection plan measures and apply experience from previous transmission development projects (i.e. implement restrictions on vehicle use in wetland areas).*

4.4.2 Plant species of conservation concern

Species of conservation concern include species of plants that are protected under *The Endangered Species and Ecosystems Act* (MESEA) in Manitoba, the federal *Species at Risk Act* (SARA), The Committee on the Status of Endangered Wildlife in Canada (COSEWIC), or are listed by the Manitoba Conservation Data Centre (MBCDC) as plants that are very rare to uncommon. These species generally exist in low numbers, play a role in helping to preserve species diversity, and/or have limited distributions. New Jersey Tea (*Ceanothus herbaceus*), the obligate plant species for the Mottled duskywing butterfly (*Erynnis martialis*), is included in surveys of plant species of conservation concern.

As described in Chapter 10 of the EIS (NEB Ex. [A81182-18](#)) , two historical locations for plant species of conservation concern were previously known to occur along the Project Development Area (PDA); seven were known to occur along the LAA and 62 along the Regional Assessment Area (RAA) (MBCDC records). No historical occurrences of protected plants are known to occur within the Project PDA or LAA. Protected species have historical occurrences within the RAA.

Field assessments in 2014 identified three species of conservation concern in the PDA at eight locations. None of these species are listed under MESEA, SARA or COSEWIC. Pre-construction field assessments in 2017 helped identify 37 other locations where species of conservation concern exist and prescribed appropriate mitigation measures. Construction activities can potentially negatively affect plant species of conservation concern through the use of heavy equipment (crushing plants) and from clearing and grubbing (removal of roots) of vegetation. Herbicide use during maintenance activities can also negatively affect desirable species. To validate EIS predictions, verify implementation of mitigation measures, and to allow for adaptive management, pre-construction, construction and post-construction monitoring will identify any impact to vegetation species of conservation concern.

Objectives:

- *Pre-construction surveys to identify species of conservation concern;*
- *Monitoring to document presence/absence of species post construction; and*
- *Verify the implementation and effectiveness of protection measures.*

Applicable Project Component(s): *New ROW for D604I Transmission Line*

Monitoring Activities:

Table 4-5 Plant Species of Conservation Concern

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
Rare Plant Surveys	Baseline Information	Desktop, key person interviews, and field surveys	Species names and locations	95 sites surveyed in PDA, LAA	1 field season	Once	2014	Species presence/absence
	Pre-construction ¹	Ground surveys to record species of concern	Species occurrence	PDA	Pre-construction	Once	Completed 2017	Species presence/ absence
	Construction ²	Ground surveys to monitor species of concern and protection measures	Species occurrence	ESS	During construction	Annual	Summer	Species presence/ absence
	Post-construction	Ground surveys to monitor species of concern	Species occurrence	ESS	1yr	Annual	Summer	Species presence/ absence

1. Preconstruction Surveys reports are completed and filed with the NEB at Ex. [A87858-1](#) and [A87858-5](#).

2. Construction phase monitoring may be altered due to shortening of the Project construction schedule.

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, Metis and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of rare plants and mitigation performance at ESS sites within project footprint or access routes;*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Use the digital ortho-rectified imagery and/or georeferenced video/photo products provided by Manitoba Hydro for identification of potential rare plant habitat sampling sites and assessment of ROW effects;*
- *Conduct pre-clearing rare plant surveys for project areas not previously surveyed;*
- *Review Environmental Inspector and Monitor daily reports for identification of potential rare plant sampling sites;*
- *Design and conduct specific survey methods that sample known rare plant sites for presence/absence to verify accuracy of EIS predictions and effectiveness of mitigation measures implemented;*
- *Record and report any occurrences of New Jersey Tea (*Ceanothus herbaceus*), the obligate plant host for the Mottled duskywing butterfly.*
- *Adhere to Manitoba's Hydro's Biosecurity procedures;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on rare plants discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Manitoba Sustainable Development may be requested to:

- *Provide historical and current data of species of concern to inform ongoing analyses related to biophysical monitoring (e.g. population survey data, observations, reports); and*
- *Provide guidance regarding mitigation strategies should unanticipated effects occur as a result of the project.*

Decision Trigger(s)/Threshold(s) for Action:

- *Species of conservation concern has been disturbed by construction activities.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*
 - *Action: Implement site specific rehabilitation measures as required.*
- *Discovery of new location of species of conservation concern.*
 - *Action: Report locations to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*
 - *Action: Develop and maintain a 30 meter buffer around plant species protected under legislation, and contact Manitoba Conservation Data Centre for further guidance on necessary mitigation.*
- *Discovery of New Jersey Tea (Ceanothus herbaceus).*
 - *Action: Investigate for the presence of Mottled duskywing butterfly (Erynnis martialis) through net sweep surveys,*

Approach to Adaptive Management:

- *Passive - Implement environmental protection plan measures and apply experience from previous transmission development projects (i.e. implement buffers and setback around identified plants or plant groupings) adjust buffer distance when advised by SD.*

4.4.3 Invasive plant species

As outlined in Chapter 10 of the EIS (NEB Ex. [A81182-18](#)), the prevalence of non-native and invasive plant species (including noxious species) may increase as a result of the Project. Non-native species are plants that grow outside of their normal range while invasive species are plants that out-compete native species when introduced outside of their natural setting. Noxious have the ability to spread rapidly and are designated by regulation, *The Noxious Weed Act* (Manitoba).

Construction equipment and vehicles can disturb soils and introduce non-native and invasive plants. During the field assessments in 2014, 10 noxious non-native species were observed at 36 different locations in the PDA. About half of the species were encountered in areas of disturbance (i.e., cleared areas, gravel pits, roads, ATV trail edges) or near agricultural fields (cultivated and pasture). Most common were Canada thistle (*Cirsium arvense*), common dandelion (*Taraxacum officinale*), quackgrass (*Elymus repens*), and field sow-thistle (*Sonchus arvensis*).

Non-native and invasive species are problematic for a number of reasons: these plants are capable of growing under a wide range of climatic and soil conditions; they produce abundant seeds that are easily disseminated and seeds that are long lived or can remain dormant through the winter season; they can continue to persist even after the removal of vegetative portions of the plant, and they often have vigorous growth and produce seeds under conditions adverse for other plants, and can therefore out compete native species. So to validate EIS predictions, verify implementation of mitigation measures, and to allow for adaptive management, pre-construction, construction and post-construction monitoring will identify changes in baseline composition and abundance of invasive species.

Objectives

- *Pre-construction surveys to identify non-native and invasive species;*
- *Monitoring to document the composition and abundance of non-native and invasive plant species at selected sites; and*
- *Recommend appropriate control and eradication measures, if there is a spread of species.*

Applicable Project Component(s): *New RoW for the D604I Transmission Line, borrow sites*

Monitoring Activities:

Table 4-6 Invasive Plant Species								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurable Parameter(s)
Non-native and Invasive Species Survey	Baseline Information	Desktop and field surveys	Species names and locations	Sites surveyed in PDA, LAA	1 field season	Once	Completed 2014	Species composition and abundance
	Pre-construction ¹	Ground surveys to record non-native and invasive species	Species occurrence	PDA	Pre-construction	Once	Completed 2017 and 2018	Species composition and abundance
	Construction ²	Ground surveys to identify and measure occurrence of invasive species on ROW and monitor protection measures	Species occurrence	PDA	During construction	Annual	Summer	Species composition and abundance

Table 4-6 Invasive Plant Species

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurable Parameter(s)
	<i>Post-construction</i>	<i>Ground surveys to identify and measure occurrence of invasive species on ROW</i>	<i>Species occurrence</i>	<i>PDA</i>	<i>1yr</i>	<i>Annual</i>	<i>Summer</i>	<i>Species composition and abundance</i>

1. Preconstruction Surveys reports are completed and filed with the NEB at Ex. [A87858-1](#) and [A87858-5](#).
2. Construction phase monitoring may be altered due to shortening of the Project construction schedule.

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, Metis and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of invasive plants within project footprint or access routes, and equipment cleaning stations;*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Use the digital ortho-rectified imagery and/or georeferenced video/photo products provided by Manitoba Hydro for identification of invasive and non-native species sampling sites and assessment of ROW effects;*
- *Conduct pre-clearing surveys to record invasive and non-native species information;*
- *Review Environmental Inspector and Monitor daily reports for identification of potential invasive and non-native species sampling sites;*
- *Design and conduct specific survey methods that sample invasive and non-native species sites for composition and abundance to verify accuracy of EIS predictions and effectiveness of mitigation and control measures implemented;*
- *Adhere to Manitoba's Hydro's Biosecurity procedures;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on invasive and non-native species discovered through monitoring activities;*

- *Prescribe vegetation management options for invasive species control where required;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Decision Trigger(s)/Threshold(s) for Action:

- *Establishment and spread of invasive species along ROW.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed. Discuss the species, nature of spread and management options.*

Approach to Adaptive Management:

- *Passive - Implement current mitigation measures for existing patches of invasive species and discuss monitoring results with the Regulator and or the local weed supervisor regarding the species, nature of spread and management options.*

4.4.4 Traditional use plant species

As outlined in Chapter 11 of the EIS (NEB Ex. [A81182-20](#)), a change in traditional plant species abundance and distribution is a concern to First Nations and Metis. Plants and plant communities have been identified as being particularly important to First Nations and Metis. These areas are valued for their provision of resources used by First Nations and Metis including gathering of food and medicines and harvesting plants and trees.

The ATKS Management Team (Black River First Nation, Swan Lake First Nation, Long Plain First Nation), Peguis First Nation, Dakota Plains Wahpeton Oyate, Roseau River Anishinabe First Nation, Sagkeeng First Nation and the Manitoba Metis Federation (MMF) submitted self-directed reports for the proposed Project.

To validate EIS predictions, verify implementation of mitigation measures, and to allow for adaptive management, pre-construction, construction and post-construction monitoring will identify changes in baseline composition and abundance of traditional use plant species.

Objective(s):

- Document the composition of vegetation at known traditional use sites;
- Confirm actual Project effects on vegetation at known traditional use sites; and
- Verify the implementation and effectiveness of protection measures at known traditional use sites.

Applicable Project Component(s): New ROW for D604I Transmission Line

Monitoring Activities:

Table 4-7 Traditional Use Plant Species								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurable Parameter(s)
Traditional Use Plant Species Survey	Baseline Information	Desktop, field surveys and ATK reports,	Species names and locations	Sites identified in PDA, LAA	1 field season	Once	Completed 2014	Species composition and abundance
	Pre-construction ¹	Ground surveys to identify traditional use plant species	Species occurrence	PDA	Pre-construction	Once	Completed 2017	Species composition and abundance
	Construction ²	Ground surveys to confirm traditional use plant species presence and monitor protection measures	Species occurrence	ESS	During construction	Annual	Summer	Species composition and abundance
	Post-construction	Ground surveys to confirm traditional use plant species presence	Species occurrence	ESS	2 yrs.	Annual	Summer	Species composition and abundance

1. Preconstruction Surveys reports are completed and filed with the NEB at Ex. [A87858-1](#) and [A87858-5](#).

2. Construction phase monitoring may be altered due to shortening of the Project construction schedule.

Manitoba Hydro will:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;*
- *Summarize results of key monitoring activities in an annual monitoring report;*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, Metis and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of traditional use plant species and mitigation performance at ESS sites within project footprint or access routes;*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Use the digital ortho-rectified imagery and/or georeferenced video/photo products provided by Manitoba Hydro for identification of sampling sites for plant communities important to First Nations and Metis and assessment of ROW effects;*
- *Conduct pre-clearing vegetation surveys to record baseline information within known plant communities important to First Nations and Metis;*
- *Review Environmental Inspector and Monitor daily reports for identification of potential traditional use plant species sampling sites;*
- *Design and conduct specific survey methods that sample known locations of traditional use plant species for composition and to verify accuracy of EIS predictions and effectiveness of mitigation measures implemented;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on traditional use plant species discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

First Nations and the MMF may be invited to:

- *Provide historical and current data of traditional use plant species important to First Nations and Metis people to inform ongoing analyses related to biophysical monitoring; and*
- *Provide guidance regarding mitigation strategies should unanticipated effects occur as a result of the project.*

Decision Trigger(s)/Threshold(s) for Action:

- *Significant decrease in abundance of traditional use plant species (excluding trees) at locations identified by communities in the PDA.*

- *Action: Report results to community that identified the traditional use areas and discuss any potential mitigation measures, such as revised vegetation management options.*

Approach to Adaptive Management:

- *Passive - Report results to communities that identified the traditional use areas and discuss any potential mitigation measures.*

4.5 Wildlife and wildlife habitat

4.5.1 Amphibians

As outlined in Chapter 9 of the EIS (NEB Ex. [A81182-16](#)), herptiles favoring wetland habitat for part or all of their life cycle may be vulnerable to changes in habitat availability as a result of Project activity. The northern leopard frog (*Lithobates pipiens*) is a Species of Conservation Concern (SOCC) found in wetlands within the Project’s Regional Assessment Area (RAA). Eastern tiger salamanders (*Ambystoma tigrinum*) will also be included in amphibian monitoring because their distribution and population status are poorly understood in southeastern Manitoba, and may extend into the RAA.

Wetland monitoring, including water quality data collection and amphibian surveys, help characterize baseline habitat conditions and identify sensitive sites at permanent and semi-permanent ponds. Wetland water-quality information aids in providing baseline conditions or ‘benchmark’ data for comparison of pre-Project water quality to future construction-phase water quality conditions. Amphibian surveys also aid in providing benchmark data, as related to SOCC abundance and richness, as well as breeding and wintering staging activity for pre- and post-construction conditions. Least bitterns (*Ixobrychus exilis*) are a rare waterbird that share similar habitat preferences to northern leopard frogs and eastern tiger salamanders. Any observations of least bittern (*Ixobrychus exilis*) during amphibian surveys will be recorded and reported.

To establish a robust benchmark for wetland condition prior to construction, further amphibian surveys and water quality parameters will be measured at wetlands known to support northern leopard frogs. To validate EIS predictions and verify implementation of mitigation protocols, construction-phase wetland monitoring will take place during the amphibian breeding and developmental periods immediately following construction activity with the goal of detecting any changes in water quality and breeding activity following construction activity. Sites examined will include wetlands and waterbodies previously surveyed (Wildlife and Wildlife Habitat TDR 2015) and found to support northern leopard frogs. Construction phase monitoring would be conducted at wetlands within 500 m of locations where Project activity had occurred. This buffer represents the maximum activity restriction setback for northern leopard frog breeding ponds (Environment Canada 2009).

Objectives:

- To monitor the presence of amphibians (as represented by the northern leopard frog and eastern tiger salamander) and water quality conditions at wetlands located within the PDA; and
- To verify the implementation and effectiveness of prescribed mitigation.

Applicable Project Component(s): New ROW for the D604I Transmission Line

Monitoring Activities:

Table 4-8 Amphibians

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
Wetland Amphibian Survey	Baseline information	Assess water quality & presence of northern leopard frogs and eastern tiger salamanders at wetland sites located on or adjacent to the PDA	Water quality; Presence of northern leopard frogs, eastern tiger salamanders	Suitable wetland habitat on or adjacent to PDA	1 field season	Once	Completed 2014	pH, electrical conductivity, TDS, TSS, water temperature, turbidity; Presence/absence of breeding activity & individual frogs/salamanders
	Pre-construction ¹	Assess water quality & presence of northern leopard frogs and eastern tiger	Water quality; Presence of northern leopard frogs, eastern tiger salamanders	Suitable wetland habitat on or adjacent to the PDA	Pre-construction	Annual	Completed 2017	pH, electrical conductivity, TDS, TSS, water temperature, turbidity; Presence/absence of breeding

Table 4-8 Amphibians

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
		<i>salamanders at wetland sites located on PDA</i>						<i>activity & individual frogs/salamanders</i>
	<i>Post-construction</i>	<i>Revisit wetland sites to monitor presence of northern leopard frogs and eastern tiger salamanders and assess whether wetlands mitigation was successful</i>	<i>Riparian buffer, Water quality; Presence of northern leopard frogs, eastern tiger salamander</i>	<i>Suitable wetland habitat on or adjacent to PDA</i>	<i>2 yrs.</i>	<i>Annual</i>	<i>Spring, Summer and Fall</i>	<i>Riparian buffer width (m); pH, electrical conductivity, TDS, TSS, water temperature, turbidity; Presence/absence of breeding activity & individual frogs/salamanders</i>

1. Preconstruction surveys reports are completed and filed with the NEB at Ex. [A87858-1](#) and [A87858-3](#).

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, the MMF, Indigenous organizations and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of northern leopard frogs and eastern tiger salamanders and mitigation performance at ESS sites within project footprint or access routes;*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Use FRI habitat classifications, digital ortho-rectified imagery, and/or georeferenced video/photo products provided by Manitoba Hydro for identification of wetland habitat;*
- *Conduct pre-construction surveys during peak breeding activity in spring, summer larval stage and during overwintering staging in the fall to identify important wetland sensitive sites and to monitor possible changes to wetland habitat post construction;*
- *Review Environmental Inspector daily reports for identification of additional northern leopard frog or eastern tiger salamander habitat;*
- *Design and conduct specific survey methods to verify effectiveness of mitigation measures implemented;*

- *Record and report any observations of least bittern (*Ixobrychus exilis*).*
- *Report immediately to Manitoba Hydro any unanticipated project effects on northern leopard frog or eastern tiger salamander discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Thresholds for Action/Decision Triggers:

- *Insufficient riparian buffer retained.*
 - *Action: Implement site specific rehabilitation measures as required.*
- *Significant decline of wetland water quality within or adjacent to PDA.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*
- *Decline of breeding activity of northern leopard frog near proposed infrastructure.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*
- *Discovery of an eastern tiger salamander or least bittern.*
 - *Report to SD Conservation Data Centre as incidents are detected.*

Approach to Adaptive Management:

- *Passive - Implement environmental protection plan measures (i.e. implement site-specific rehabilitation measures) and adjust measures when deemed necessary.*

4.5.2 Common garter snakes

As outlined in Chapter 9 the EIS (NEB Ex. [A81182-16](#)), the dependency of common garter snakes on overwintering den sites leaves snake populations vulnerable to disturbance, degradation and local extirpation (Kendell 1998). Common garter snakes overwinter in hibernacula or dens which are located in specific substrates, including limestone bedrock. No hibernacula were identified during desktop review, field studies or Key Person Interviews (Wildlife and Wildlife Habitat TDR). For this project, disturbance to snake hibernacula was identified as a key Project-related potential effect. Transmission line tower installation at or near suitable garter snake habitat could negatively impact local garter snake populations.

Potential garter snake habitat occurs within and adjacent to the PDA. Areas around Lonesand and Sundown, MB have the highest potential to support hibernacula based on surficial limestone mapping and abundance of snakes observed crossing roads and highways. In order to reduce the potential for Project-related disturbance, pre-construction (i.e. prior to RoW clearing) surveys for snake hibernacula at tower sites will occur in areas where the PDA overlaps with Sundown Road (near Lonesand Lake). If snake hibernacula are found, the effectiveness of mitigation applied (i.e. 200 m buffer) will be verified through follow-up monitoring.

Objectives:

- *To identify common garter snake hibernaculum sites located near proposed tower sites; and*
- *To verify the implementation and effectiveness of mitigation measures.*

Applicable project component(s): *New ROW for the D604I Transmission Line.*

Monitoring Activities:

Table 4-9 Common Garter Snakes

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
Snake Hibernacula Survey	Baseline Information	Desktop surveys	Presence of garter snake hibernacula	PDA, LAA, RAA	Pre-construction	Once	Completed 2014	Presence/absence of hibernacula
	Pre-construction ¹	Investigate specific areas of the PDA having high potential to support snake hibernacula	Presence of garter snake hibernacula	Suitable garter snake hibernacula habitat within 200 m of proposed tower sites.	Pre-construction	Once	Completed 2017	Presence/absence of hibernacula
	Post-construction	Revisit any identified snake hibernacula to monitor presence – Update 2019: None identified.	Continued use of hibernacula by garter snakes	ESS	2 years (None identified –Not required)	Biannual	Spring and Fall	Presence/absence of garter snakes in hibernacula

1. Preconstruction survey report is completed and filed with the NEB at Ex [A93043-1](#) and [A93043-6](#).

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*

- *Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, the MMF, Indigenous organizations and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of potential snake hibernacula and mitigation performance at ESS sites within project footprint or access routes;*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Use FRI habitat classifications, digital ortho-rectified imagery, and/or georeferenced video/photo products provided by Manitoba Hydro for identification of garter snake sampling sites and assessment of ROW effects;*
- *Where suitable garter snake habitat occurs, conduct pre-construction surveys for garter snake hibernacula during peak breeding activity in spring and/or possible movements back to hibernacula in the fall;*
- *Based on pre-construction survey results, provide recommendations for tower placement adjustments and/or mitigation measures to limit or avoid disturbance to hibernacula;*
- *Review Environmental Inspector and Monitor daily reports for identification of additional garter snake sampling sites;*
- *If suitable hibernacula habitat is identified, design and conduct specific survey methods that sample garter snake presence/absence to verify effectiveness of mitigation measures implemented;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on common garter snake discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Thresholds for Action/Decision Triggers:

- *Presence of hibernacula within 200 m of tower sitting foundation.*
 - *Action: Report the site to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed. Develop and maintain an appropriate sized construction buffer around the hibernacula site.*
- *Hibernacula located within tower siting foundation.*
 - *Action: Discuss tower design and location with Manitoba Hydro engineers.*

Approach to Adaptive Management:

- *Passive – Re-evaluate tower location if proposed on a hibernacula, apply environmental protection measures (i.e. construction buffer around the hibernacula site), and adjust when deemed necessary.*

4.5.3 Bird – wire collision

As outlined in Chapter 9 of the EIS (NEB Ex. [A81182-16](#)), the presence of transmission lines in proximity to areas of high bird activity may lead to bird – wire collisions which result in the injury and death of birds. In these areas, larger-bodied species such as waterbirds (ducks and geese), cranes and herons, are particularly vulnerable to collisions due to their daily movement patterns, which peak during low light periods around sunrise and sunset. The degree of risk is influenced by several factors relating to transmission line design, location, and mitigation, as well as physical characteristics of the bird (species, size) and flight behavior (flocking, aerial courtship displays). Manitoba Hydro has committed to installing bird diverters along transmission line sections which transect areas of high bird activity that were found during EIS studies. Field surveys have served to verify Environmentally Sensitive Sites (ESS) for birds and gauge the level of bird activity at these sites at biologically important times such as during migration and the rearing of offspring. The monitoring program will involve post-construction phase studies to quantify any mortality to birds caused by the transmission line and will direct adaptive mitigation strategies to reduce or prevent any future mortality events.

Objectives:

- *Monitor avian mortality caused by transmission line infrastructure using a control-impact study design; and*
- *Determine the effectiveness of mitigation measures and, if appropriate, propose revisions to the existing plans or develop new mitigation options should high levels of avian mortality occur as a result of the transmission line.*

Applicable Project Component(s): D604I Transmission Line

Monitoring Activities:

Table 4-10 Bird – Wire Collision								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
<i>Bird- Wire Collision Survey</i>	<i>Baseline information</i>	<i>Desktop and field surveys</i>	<i>Collision rates</i>	<i>RAA</i>	<i>1 field season</i>	<i>Once</i>	<i>Completed 2014</i>	<i>Mortality Presence/Absence</i>
	<i>Post-construction</i>	<i>Bird wire collision survey to evaluate diverter effectiveness</i>	<i>Mortality</i>	<i>Bird ESS sites</i>	<i>2 yrs.</i>	<i>Annually</i>	<i>Spring, Summer and Fall</i>	<i>Mortality Presence/Absence</i>

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows access to daily inspection and monitoring reports from construction period;*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, the MMF, Indigenous organizations and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of high bird activity areas within project footprint;*

- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Review Environmental Inspector and Monitor daily reports for identification of bird-wire collision sampling sites;*
- *Design and conduct specific survey methods that sample bird presence/absence, abundance, mortality and flight paths to verify accuracy of EIS predictions and effectiveness of mitigation measures implemented;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on birds discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Thresholds for Action/Decision Triggers:

- *Bird mortality statistics are above expected based on baseline abundance/flightpath surveys.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed, and if required, adjust mitigation measures.*

Approach to Adaptive Management:

- *Active – Test the hypothesis that bird diverters are sufficient in reducing mortality of birds due to collisions with the transmission line to a level that is negligible in areas determined to have a high risk of collision. Discuss monitoring results with the SD and if required, adjust mitigation measures.*

4.5.4 Sharp-tailed grouse lekking sites

As identified in the EIS, grassland birds have experienced widespread habitat loss through most of the prairies, including Sharp-tailed Grouse (*Tympanuchus phasianellus*). Three active sharp-tailed grouse leks supporting approximately 25 sharp-tailed grouse were identified in the Regional Assessment Area (RAA) during the 2014 surveys. All three leks occur adjacent to the New ROW in areas southwest of Ste. Genevieve, MB and north and south of La Broquerie, MB. Sharp-tailed grouse may be affected by the temporary loss of some habitat at tower sites and the compaction of vegetative concealment cover along the New ROW. Sharp-tailed Grouse are particularly vulnerable to increased rates of predation if birds of prey (raptors) use transmission line towers as perches when hunting or nesting, near lek sites. This monitoring program will validate EIS predictions and work to determine any project-related effects to sharp-tail grouse (pre- versus post-construction). Short-eared owls (*Asio flammeus*) are a rare grassland bird species that share similar habitat preferences to sharp-tailed grouse. Any observations of short-eared owls during sharp-tailed grouse surveys will be recorded and reported.

Objectives:

- *Identify the presence of leks along the transmission line;*
- *Monitor reaction behaviours of sharp-tailed grouse on leks in proximity to the transmission line compared to that at control sites;*
- *Identify an association between raptor and ground predators, sharp-tailed grouse and transmission lines; and*
- *Determine the effectiveness of mitigation measures and, if appropriate, propose revisions to the existing plans or develop new mitigation options should unexpected impacts to sharp-tailed grouse occur as a result of the transmission line.*

Applicable Project Component(s): New ROW for the D604I Transmission Line

Monitoring Activities:

Table 4-11 Sharp-tailed Grouse Lekking Sites								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
Sharp-tailed Grouse Lek Survey	Baseline information	Desktop and field surveys	Lek location, number of grouse	RAA	1 field season	Once	Completed 2014	Presence/Absence, Abundance
	Pre-construction ¹	Lek site identification, flush count and camera trap survey	Lek abundance, number of males and behavioural changes	Where suitable breeding habitat overlaps with Project components (e.g., towers) and at Control sites.	Pre-construction	Once	Completed 2017	Presence/Absence Abundance, Time budget behaviour, Number of raptor nests, Ground predator abundance
	Construction	Flush count and camera trap survey	Lek abundance, number of males and behavioural changes	Leks found within 1500 m of right-of-way (ROW) where construction activities overlap lekking activity and at Control sites.	During construction	Annual	April 1 - May 31	Presence/Absence Abundance, Time budget behaviour, Number of raptor nests, Ground predator abundance
	Post-construction	Flush count and camera	Lek abundance, number of males and	Leks found within 1500 m of ROW where operation activities overlap	Up to 10 yrs.	Annual	April 1 - May 31	Presence/Absence

Table 4-11 Sharp-tailed Grouse Lekking Sites

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
		trap survey	behavioural changes	lekking activity				Abundance, Time budget behaviour, Number of raptor nests, Ground predator abundance

1. Preconstruction surveys reports are completed and filed with the NEB at Ex. [A87858-1](#) and [A87858-2](#).

Manitoba Hydro is committed to:

- Provide digital ortho-rectified imagery or georeferenced digital video/photo products;
- Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows access to daily inspection and monitoring reports from construction period;
- Summarize results of key monitoring activities in an annual monitoring report;
- Share results of key monitoring activities the MMF, Indigenous organizations; and
- Participate as a stakeholder in committees or working groups whose purpose is for the ongoing conservation of wildlife.

Responsibilities of Environmental Monitor include:

- During construction phase daily activities, record observations of lekking sites and mitigation performance at ESS sites within project footprint;
- Record observations with photo and waypoint and store in EPIMS; and
- Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.

Specialist will:

- Use the digital ortho-rectified imagery and/or georeferenced video/photo products provided by Manitoba Hydro for identification of potential lekking sites;
- Conduct pre-construction surveys for lekking sites within 1500m of ROW;
- Review Environmental Inspector and Monitor daily reports for identification of lekking sites;
- Review Manitoba Hydro ungulate aerial survey data for sharp-tailed grouse sightings;
- Design and conduct specific survey methods that sample bird presence/absence, abundance, mortality and behaviour to verify accuracy of EIS predictions and effectiveness of mitigation measures implemented;
- Record and report any observations of short-eared owl.
- Report immediately to Manitoba Hydro any unanticipated project effects on lekking sites discovered through monitoring activities;
- Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and

- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Manitoba Sustainable Development will:

- *Provide guidance regarding mitigation strategies should unanticipated effects occur as a result of the project.*

Thresholds for Action/Decision Triggers:

- *Leks discovered near project footprint.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*
- *Leks are disturbed by construction activities.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed. Develop and maintain an appropriate sized construction buffer around the lek site until the breeding season is over.*
- *Leks near project footprint have significant reduction in male grouse abundance, or alert behavior, compared to pre-construction baseline and control lekking sites away from the project.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed. If required implement site specific vegetation management, and or install raptor perch deterrents.*
- *Raptor nests or perching on transmission towers near leks.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed. If required, implement site specific vegetation management, and or install raptor perch deterrents.*
- *Discovery of a short-eared owl.*
 - *Report to SD Conservation Data Centre as occurrences are detected.*

Approach to Adaptive Management:

- *Active -Test the hypothesis the installation of the transmission line affects the abundance of male sharp-tailed grouse displaying at lekking sites, and 2) that the installation of the transmission line increases the abundance of alert behaviours and decreases time spent on the lek due to predator flushes. Discuss monitoring results with the SD and if required, implement best management practices (i.e. implement site specific vegetation management, install raptor perch deterrents).*

4.5.5 Bird species of conservation concern

Species of conservation concern (SOCC) include species of that are protected under MESEA, SARA or are listed as rare by the MBCDC. These species generally exist in low numbers and are sensitive to changes in habitat. As described under SARA (subsection 79(2)), monitoring of potential adverse project effects on SARA-listed wildlife species is required (SARA 2011). Fourteen bird species of conservation concern were identified in the RAA during the 2014 surveys. Of particular concern for this Project, and the only bird species within the RAA to have defined critical habitat, is the Golden-winged Warbler (*Vermivora chrysoptera*). Critical habitat overlaps with the eastern part of the RAA near Ross, MB, south through Richer, and up to La Broquerie. Eight golden-winged warblers were detected during the 2014 breeding bird surveys at locations south of Richer, east of La Broquerie, west of Marchand and northwest of Lonesand. Information from the recent *Manitoba Breeding Bird Atlas* survey effort was also used to understand the spatial distribution of golden-winged warblers in the LAA and RAA. Manitoba Hydro has been a supporter of the Manitoba Breeding Bird Atlas since its inception and considers its efforts very valuable to the ongoing monitoring of species of conservation concern. Field observations from this project as with all Manitoba Hydro major projects will continue to be shared and incorporated into the atlas, and with the MBCDC.

ROW clearing is the primary project activity that may result in a direct and measurable change in habitat for bird species of conservation concern, particularly for Golden-winged warbler, because it involves clearing in forested and successional areas of the ROW and grubbing at transmission tower sites. Indirect effects on habitat are those that reduce the effectiveness of existing or remaining habitat for wildlife. Indirect effects may occur through sensory disturbances (e.g., noise, light) causing temporary displacement of some wildlife from otherwise suitable habitat. In recognition of this, Manitoba Hydro has developed a “Right-of-Way Habitat Management Plan for Managing Critical Golden-winged Warbler Habitat during Construction and Operation of the Manitoba–Minnesota Transmission Project”. Therefore, the monitoring program will validate EIS predictions, verify implementation of mitigation measures, and concentrate on determining any project-related effects to golden-winged warbler (pre- versus post-disturbance).

Objectives:

- *Identify the location of golden-winged warbler within or in close proximity to the Project footprint with the purpose of establishing a Before-After-Control-Impact monitoring program for known individuals and/or groups;*
- *Monitor golden-winged warbler in close proximity to the transmission line and compare habitat use and density to nearby control sites; and*
- *Determine the effectiveness of mitigation measures and, if appropriate, propose revisions to the existing plans or develop new mitigation options should unexpected impacts to birds occur as a result of construction or operation activities.*
- *Record and report incidental observation of other bird species of conservation concern including short-eared owl and least bittern.*

Applicable Project Component(s): *All Project Components*

Monitoring Activities:

Table 4-12 Bird Species of Conservation Concern

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
<i>Bird Species of Conservation Concern Survey with a focus on golden-winged warbler</i>	<i>Baseline information</i>	<i>Desktop and field surveys</i>	<i>Presence/Abundance, location</i>	<i>RAA</i>	<i>1 field season</i>	<i>Once</i>	<i>Completed 2014</i>	<i>Species richness, density/habitat type</i>
	<i>Pre-construction¹</i>	<i>Call-playback and vegetation surveys</i>	<i>Presence of golden-winged warbler and habitat suitability</i>	<i>Golden-winged warbler Habitat Management Sites (HMS) and PDA</i>	<i>One-time</i>	<i>Once</i>	<i>Completed 2017</i>	<i>Presence/Absence Abundance, Density, Habitat (Ha)</i>
	<i>Construction</i>	<i>Call-playback and vegetation surveys</i>	<i>Presence of golden-winged warbler and habitat suitability</i>	<i>Golden-winged warbler HMS and PDA</i>	<i>During construction</i>	<i>Annual</i>	<i>April 1 - July 31</i>	<i>Presence/Absence Abundance, Density, Habitat (Ha)</i>
	<i>Post-construction</i>	<i>Call-playback and vegetation surveys</i>	<i>Presence of golden-winged warbler and habitat suitability</i>	<i>Golden-winged warbler HMS and PDA</i>	<i>2 yrs.</i>	<i>Annual</i>	<i>April 1 - July 31</i>	<i>Presence/Absence Abundance, Density, Habitat (Ha)</i>

1. Preconstruction surveys reports are completed and filed with the NEB at Ex. [A87858-1](#) and [A87858-4](#).

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows access to daily inspection and monitoring reports from construction period;*
- *Summarize results of key monitoring activities in an annual monitoring report;*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations the MMF, Indigenous organizations; and*
- *Participate as a stakeholder in committees or working groups whose purpose is for the ongoing conservation of wildlife.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of bird species of concern and mitigation performance at ESS sites within project footprint;*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Use the digital ortho-rectified imagery and/or georeferenced video/photo products provided by Manitoba Hydro for identification of potential species of concern habitat;*
- *Review Environmental Inspector and Monitor daily reports for identification of bird species of concern, with a focus on golden-winged warbler;*
- *Design and conduct specific survey methods that sample habitat use and density;*
- *Record and report any occurrences of least bittern and short-eared owl.*
- *Report immediately to Manitoba Hydro any unanticipated project effects on species of concern discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Manitoba Sustainable Development will:

- *Provide updated data of species of concern populations with a focus on golden-winged warbler to inform ongoing analyses related to biophysical monitoring (e.g. population survey data, observations, reports); and*
- *Provide guidance regarding mitigation strategies should unanticipated effects occur as a result of the project.*

Thresholds for Action/Decision Triggers:

- *Species of concern are observed within the project footprint and at control locations.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*
- *Habitat Management Sites (HMS's) within project footprint have significant reduction in density compared to pre-construction baseline and control point counts away from the project.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*
- *Discovery of a short-eared owl or least bittern.*
 - *Report to SD Conservation Data Centre as occurrences are detected.*

Approach to Adaptive Management:

- *Active - Implement site-specific clearing measures and habitat management plans that are outlined in "Right-of-Way Habitat Management Plan for Managing Critical Golden-winged Warbler Habitat during Construction and Operation of the Manitoba–Minnesota Transmission Project, testing the hypothesis that clearing measures can promote the creation of suitable habitat and minimize the adverse affects of transmission line clearing on habitat quality and density of golden-winged warbler. Discussing monitoring results with SD to help determine the success of site specific clearing and vegetation management schedules or prescriptions.*

4.5.6 Golden-winged warbler habitat

The Golden-winged warbler (*Vermivora chrysoptera*) is a species of conservation concern listed as Threatened by *The Endangered Species and Ecosystems Act* (MESEA) in Manitoba, the federal *Species at Risk Act* (SARA), and the Committee on the Status of Endangered Wildlife in Canada (COSEWIC). In Manitoba, the golden-winged warbler is ranked as uncommon throughout its range or in the province, with breeding status (S3B), by the Manitoba Conservation Data Centre (MBCDC). The golden-winged warbler is a ground-nesting songbird that breeds in shrubby habitats adjacent to mature stands of deciduous and mixedwood forest. It uses forest edge habitat and openings containing shrubs and grasses. Habitat is often regenerated by natural and human disturbances, including hydroelectric utility corridors, which can be preferred habitat for this species if corridors are maintained in a manner that retains shrubs and herbs along forest edges.

Golden-winged warblers were identified as a species requiring careful consideration due to their Threatened designation, and the identification of critical habitat along a portion of the Project area. As outlined in the environmental assessment, Manitoba Hydro carried out detailed studies on the breeding locations, habitat preferences, and species biology in preparing the Construction Environmental Protection Plan and Environmental Monitoring Plan. As part of Manitoba Hydro’s Research and Development program, Manitoba Hydro was a major sponsor of Bird Studies Canada - Manitoba Breeding Bird Atlas. This project has helped identify the breeding range of all birds in Manitoba, including the golden-winged warbler.

Clearing of the ROW is the primary project activity that may result in a change in habitat for the golden-winged warbler. In recognition of this, Manitoba Hydro has developed a “Right-of-Way Habitat Management Plan for Managing Critical Golden-winged Warbler Habitat during Construction and Operation of the Manitoba–Minnesota Transmission Project”. To validate EIS predictions, verify implementation of mitigation measures, and to allow for adaptive management, pre-construction, construction and post-construction monitoring will identify changes to golden-winged warbler habitat.

Objectives

- *Analyze pre-construction imagery for golden-winged warbler habitat to confirm location and collect baseline vegetation information;*
- *Monitoring to document the composition and abundance of vegetation in golden-winged warbler habitat at selected sites; and*
- *Verify the implementation of the Golden-winged Warbler Habitat Management Plan, with respect to vegetation.*

Applicable Project Component(s): *New RoW for the D604I Transmission Line*

Monitoring Activities:

Table 4-13 Golden-winged warbler habitat								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurable Parameter(s)
Golden-Winged Warbler Habitat Surveys	Baseline Information	Desktop and field surveys	Habitat location	Identified in PDA, LAA, RAA	1 field season	Once	Completed 2014	Habitat composition; auditory or visual detection
	Pre-construction ¹	Analyse imagery to confirm location and record baseline vegetation information	Vegetation cover	PDA	Pre-construction	Once	Completed 2017	Species composition and abundance
	Construction	Ground surveys to identify vegetation changes not discernible from habitat mapping	Vegetation cover	PDA	During construction	Annual	Summer	Species composition and abundance

	Post-clearing	Ground surveys to identify vegetation changes not discernible from habitat mapping	Vegetation cover	PDA	10yr.	Annually for first 2years, then biennial for 8 years	Summer	Species composition and abundance
--	---------------	--	------------------	-----	-------	--	--------	-----------------------------------

1. Preconstruction surveys reports are completed and filed with the NEB at Ex. [A87858-1](#) and [A87858-5](#).

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;*
- *Map golden-winged warbler habitat on project footprint;*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, the MMF, Indigenous organizations and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of mitigation performance within project footprint;*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Use the digital ortho-rectified imagery and/or georeferenced video/photo products provided by Manitoba Hydro for identification of golden-winged warbler habitat sampling sites;*
- *Analyze imagery to confirm location of habitat and record baseline vegetation information;*
- *Review Environmental Inspector and Monitor daily reports for identification of other potential golden-winged warbler habitat sampling sites;*
- *Design and conduct specific survey methods that sample vegetation for composition and abundance of golden-winged warbler habitat;*
- *Adhere to Manitoba’s Hydro’s Biosecurity procedures;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on golden-winged warbler habitat discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Decision Trigger(s)/Threshold(s) for Action:

- *Golden-winged warbler habitat has been disturbed by construction activities, where prescriptions outlined in the Habitat Management Plan were not implemented.*

- *Action: Implement site specific rehabilitation measures as required.*
- *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*

Approach to Adaptive Management:

- *Active - Implement site-specific clearing measures and habitat management measures that are outlined in “Right-of-Way Habitat Management Plan for Managing Critical Golden-winged Warbler Habitat during Construction and Operation of the Manitoba–Minnesota Transmission Project, testing the hypothesis that clearing measures can promote the creation of suitable habitat and minimize the adverse affects of transmission line clearing on habitat quality and density of golden-winged warbler. Discussing monitoring results with SD to help determine the success of site specific clearing and vegetation management schedules or prescriptions.*

4.5.7 Birds of prey

As described in Chapter 9 of the EIS (NEB Ex. [A81182-16](#)), raptor nests are considered important habitat features as they can be used year after year by different species. While land clearing of the ROW has the potential to destroy raptor nests, the resulting transmission towers have shown to provide suitable nesting habitat where electrical safety concerns are not an issue. Only one raptor nest (unknown species) was identified near, but outside of the ROW during the 2014 and 2017 aerial surveys (northwest of Ste-Genevieve, approximately 140 m west of the FPR); however, the absence of evidence of nests within the ROW does not preclude the possibility that a nest was overlooked or that a new nest has not appeared prior to clearing of the ROW. As such, ongoing ROW surveys for raptor nests are proposed for the purpose of determining removal or relocation once nest has been abandoned.

Objectives:

- *Identify raptor nests in Project footprint that require removal or relocation*

Applicable Project Component(s): *D604I Transmission Line and Glenboro South Station Transmission Line Modifications*

Monitoring Activities:

Table 4-14 Birds of prey								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurable Parameter(s)
Raptor Nest Survey	Baseline information	Aerial Field survey	Location	RAA	1 field season	Once	Completed 2014	Presence/Absence
	Pre-construction ¹	Raptor Nest Search	Nest site locations	PDA	Pre-construction	Once	Completed 2018, 2019	Presence/Absence of nests, Number of nests requiring removal or relocation

1. Preconstruction survey reports are completed and filed with the NEB at Ex. [A93043-1](#) and [A93043-4](#).

Manitoba Hydro is committed to:

- *Supply nest site locations, nest removal or relocation activities and any mortality locations observed to SD; and*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages project monitoring data and allows access to daily inspection and monitoring reports from construction period and a Transmission Line Maintenance System that records raptor nest observations and nest relocations during operation period.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of raptor nests, mortality and mitigation performance at ESS sites within project footprint;*
- *Work with Specialist, and based on pre-clearing survey results, flag buffer zones around bird nests;*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.*

Specialist will:

- *Conduct pre-clearing non-invasive nest surveys;*

- *Supply nest site locations to the Environmental Monitor and support for buffer zone selection;*
- *Review Environmental Inspector and monitor daily reports for identification of raptor nests;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on raptors discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis; and*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Manitoba Sustainable Development may be requested to:

- *Provide guidance regarding mitigation strategies should unanticipated effects occur as a result of the project.*

Thresholds for Action/Decision Triggers:

- *Active nest site identified in pre-construction survey.*
 - *Action: Develop and maintain an appropriate sized construction buffer around the nest site until the nest is no longer active. If nest removal required, consult with SD biologist/manager and consider relocating near ROW.*

Approach to Adaptive Management:

- *Passive - Implement environmental protection plan measures and apply experience from previous transmission development projects (i.e. relocate nest or erect replacement nest tower).*

4.5.8 Ungulates and predators

White-tailed deer are the predominate ungulate in the Project area. Transmission line corridors create habitat edges for white-tailed deer that provide an ecotone with high quality forage resources and accessible hiding cover in adjacent forest (Reimers *et al.* 2000). Disturbed vegetation is favoured by white-tailed deer because of the high diversity of plants in those areas (Stewart *et al.* 2011). Riparian areas, edge habitats, and linear features function as important habitats for travel and forage. Therefore, white-tailed deer are not particularly susceptible to the effects of habitat fragmentation, but may be susceptible to increased mortality associated with moving through higher risk areas created as a result of habitat loss and degradation of matrix quality (Stewart *et al.* 2011). The ROW and project-related access development may enhance predator mobility into areas that were previously secure habitat for prey species, decrease predator search times for prey, and/or make prey escape more difficult. Predators such as wolves and coyotes may benefit from enhanced access, leading to increased predation of ungulates.

Chapter 9 of the EIS (NEB Ex. [A81182-16](#)) identified a potential project effect of increased mortality risk from hunters and predators as a result of enhanced access of white-tailed deer habitat in eastern portions of the project, however the effect is expected to be minimal with no measurable effect on abundance anticipated. In that portion of the project, deer concentrations were noted in areas near Ste. Genevieve, Richer, Sundown and Piney, MB, and in the Watson P. Davidson and Spurwoods WMAs. The deer population in the area is considered to be stable. Habitat loss and sensory disturbance effects from ROW clearing are considered minimal and short-term, ultimately resulting in a positive effect of enhanced deciduous browse forage and increased edge habitat during the operation phase.

As described in Chapter 9 of the EIS, the Vita elk population in Manitoba (fall/winter range) is shared with Minnesota (summer range) and is the only elk population with potential to interact with the Project. Long-term census data in Manitoba for this elk population are limited, with a stable population estimate of 100-150. Annual surveys (2004-2008) conducted in Minnesota estimated the population at 112 – 215 elk (MDNR 2009). The Vita elk range in Manitoba may overlap an eastern portion of the Project RAA in areas near Vita and Caliento, however, EIS field studies did not detect elk occurrence within the ROW or Local Assessment Area (LAA; a 1 km buffer around the project footprint), or Regional Assessment Area (RAA; a 15 km buffer around the project footprint). The closest observations during baseline surveys were 20 km from the final preferred route. The ROW avoids the core areas known to support elk near Vita and Arbakka, with no anticipated significant adverse project effects on the population. Since the filing of the EIS, Manitoba Hydro has joined with the RM of Stuartburn, Manitoba Sustainable Development, and the Nature Conservancy Canada to form the *Vita Cross-Border Elk Monitoring Partnership*. This new partnership is aimed to understand movements and home range size of elk by utilizing GPS collar technology in southeast Manitoba.

Moose were a common ungulate species in southeastern Manitoba prior to the late 1990s but populations in the region have since collapsed (Dettman 2015, pers. comm.; Leavesley 2015, pers. comm.; Rebizant 2015, pers. comm.). Despite the presence of suitable moose habitat (e.g., shrubby wetlands, alder swamps, sub-climax deciduous forest; Banfield 1974), moose are rare in southeastern Manitoba due to a combination of factors such as habitat fragmentation, predation by wolves, parasites, fires suppression, and unregulated harvest (Leavesley 2015, pers. comm.; Rebizant 2015, pers. comm.). The areas south of the Watson P. Davidson Wildlife Management Area heading southeast to the Spur Woods WMA and south of Piney, in the RAA was identified as containing moose habitat, especially near Piney (Black River First Nation, Long Plain First Nation and Swan Lake First Nation 2015). No specific monitoring for moose is being proposed, however moose observations in all aerial survey and camera trap surveys will be documented.

White-tailed deer, elk and moose are highly valued by First Nations, Metis and resource users.. White tailed deer are an important livelihood for local outfitters. There is public concern that the Project may increase white-tailed deer vulnerability to mortality (hunting and predation) resulting from increased access. Change in habitat availability associated with ROW clearing and mortality resulting from increased access is anticipated to be negligible for the Vita elk population because routing of the ROW avoids the core areas known to support them.

Monitoring will focus on validating EIS predictions, verifying the implementation of mitigation measures, and assist in determining if project-related access has altered distribution and occurrence of ungulates and predators, resulting in altered mortality-risk from hunters and predators, relative to baseline state (pre- versus post-disturbance).

Objective(s):

- *Expanding the baseline knowledge of occurrence, distribution and abundance of ungulates and predators interacting with the Project;*
- *Investigating the influence of the Project on white-tailed deer at two scales:*

- a. Local Scale: Spatial dynamics using indicators such as occurrence and distribution patterns relative to Project-related access development before and after construction in relation to predator occurrence and project-related linear disturbance. Mortality risks will be assessed as they pertain to predicted Project effects if sufficient and suitable data can be acquired.
- b. Range Scale: Population occurrence and distribution in relation to project-related changes in habitat availability (fragmentation/increased edge habitat) and access.

Applicable project component(s): *New ROW for the D604I Transmission Line*

Monitoring Activities:

Table 4-15 Ungulates and predators								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements / Observations
<i>Distribution / Occurrence Mapping Surveys and Camera Trap Survey</i>	<i>Baseline Information</i>	<i>Desktop, winter aerial surveys, remote IR camera traps</i>	<i>Occurrence and / or seasonal distribution relative to project infrastructure and wolf distribution</i>	<i>Survey blocks on various portions of RAA</i>	<i>1 field season</i>	<i>Annual (aerial component) Continuous (ground component)</i>	<i>Completed 2014</i>	<i>Range scale change in population occurrence and seasonal distribution</i>
	<i>Pre-construction¹</i>	<i>Winter aerial surveys and remote IR camera traps</i>	<i>Occurrence and / or seasonal distribution relative to project infrastructure and wolf distribution</i>	<i>Survey blocks on eastern portion of RAA</i>	<i>2 field season</i>	<i>Annual (aerial component) Continuous (ground component)</i>	<i>Completed 2015, 2016, 2017, 2018</i>	<i>Range scale change in population occurrence and seasonal distribution</i>
	<i>Construction</i>	<i>Winter aerial surveys and remote IR camera traps</i>	<i>Change in occurrence and / or seasonal distribution relative to project infrastructure and wolf distribution</i>	<i>Survey blocks on eastern portion of RAA</i>	<i>During construction</i>	<i>Annual (aerial component) Continuous (ground component)</i>	<i>Winter (aerial component) Year-round (ground component)</i>	<i>Range scale change in population occurrence and seasonal distribution</i>
	<i>Post-construction</i>	<i>Winter aerial surveys and remote IR camera traps</i>	<i>Change in occurrence and / or seasonal distribution relative to project infrastructure and wolf distribution</i>	<i>Survey blocks on eastern portion of RAA</i>	<i>2 yrs.</i>	<i>Annual (aerial component) Continuous (ground component)</i>	<i>Winter (aerial component) Year-round (ground component)</i>	<i>Range scale change in population occurrence and seasonal distribution</i>
<i>Vehicle Collision Statistic Gathering</i>	<i>Construction</i>	<i>Gather statistics on project-related vehicle collisions</i>	<i>White-tailed Deer/Moose vehicle collisions</i>	<i>RAA</i>	<i>During construction</i>	<i>Continuous</i>	<i>Year-round</i>	<i>Number of project related deer/moose vehicle collisions</i>
<i>Mineral Lick Survey</i>	<i>Baseline Information</i>	<i>Desktop and Aerial field surveys</i>	<i>Location of mineral licks</i>	<i>RAA</i>	<i>1 field season</i>	<i>Annual</i>	<i>Completed 2014</i>	<i>Location of mineral licks</i>
	<i>Pre-construction²</i>	<i>Aerial field survey</i>	<i>Location of mineral licks</i>	<i>LAA</i>	<i>Pre-construction</i>	<i>Annual</i>	<i>Completed 2015, 2016, 2018, 2019</i>	<i>Location of mineral licks</i>

Table 4-15 Ungulates and predators

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements / Observations
<i>Support the “Vita Cross-Border Elk Monitoring Partnership” (RM of Stuartburn, Nature Conservancy Canada, Manitoba Sustainable Development)</i>	<i>Pre-construction, Construction</i>	<i>Work with partners to study regional elk movements and home range.</i>	<i>Change in movement of elk into project study area</i>	<i>Adjacent to the RAA</i>	<i>Pre-construction through construction</i>	<i>Annual</i>	<i>Year-round</i>	<i>Movement of collared elk into the RAA, LAA, and PDA</i>
<i>Support a Memorial University PhD project titled “Testing the Effects of Hydropower Transmission Line Right-of-Ways on Wildlife Movements and Predator-Prey Dynamics”</i>	<i>Pre-construction, Construction</i>	<i>Work with a PhD student to study wolf and prey movements in southeastern Manitoba in relation to linear features.</i>	<i>Rate of wildlife movement on hydropower transmission line right-of-ways</i>	<i>Southeast Manitoba</i>	<i>Pre-construction through 2019</i>	<i>Annual</i>	<i>Year-round</i>	<i>Change in population occurrence and distribution</i>

1. Preconstruction survey reports are completed and filed with the NEB at Ex [A93043-1](#) and [A93043-3](#).
2. Preconstruction survey reports are completed and filed with the NEB at Ex [A93043-1](#) and [A93043-4](#).

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;*
- *Summarize results of key monitoring activities in an annual monitoring report;*
- *Share results of key monitoring activities with the MMTP Monitorign Committee, interested parties , First Nations and Metis; and Manitoba Sustainable Development;*
- *Participate as a stakeholder in relevant committees or working groups whose purpose is for the ongoing conservation of wildlife;*
- *Support the Vita Cross-Border Elk Monitoring Partnership, and the Memorial University PhD student “Testing the Effects of Hydropower Transmission Line Right-of-Ways on Wildlife Movements and Predator-Prey Dynamics”*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of deer/moose and tracks, mineral licks, human access, and mortality sites within project footprint or access routes;*
- *Record observations with photo and waypoint and store in EPIMS; and*
- *Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase;*

Specialist will:

- *Use existing habitat suitability model to predict suitable ungulate habitat and to assess project footprint effects on habitat suitability and occurrence (pre-disturbance vs. post disturbance);*
- *Design and conduct specific survey methods to collect ungulate occurrence and distribution data during the disturbance and post-disturbance project phases, in relation to project linear disturbance and predator occurrence;*
- *Collect and analyze ungulate and predator data to assess if there are project-related effects at the local (LAA) or landscape (RAA) scale on occurrence or seasonal distribution;*
- *Report on monitoring efforts, including identification to Manitoba Hydro of any unanticipated effects on ungulates discovered through monitoring activities; and*
- *Through an adaptive management process, make recommendations for ongoing improvements to the monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analyses.*

Manitoba Sustainable Development may be requested to:

- *Provide guidance regarding mitigation strategies should unexpected impacts occur as a result of the transmission line*

Decision Trigger(s)/Threshold(s) for Action:

- *More than five ungulate project related vehicle collisions per year.*
 - *Action: Provide SD Conservation Officer with GPS location and circumstances as incidents are detected.*
- *Elk observed within the LAA during aerial, camera trap surveys, or as a result of Vita Cross Border Elk Monitoring Partnership.*
 - *Action: Provide SD regional wildlife biologist/manager with GPS location and circumstances as incidents are detected. Consider altering, changing or removing human access points, adjusting vegetation management schedules or prescriptions, adjusting transmission line inspection and maintenance schedules and adjustments to elk monitoring activities.*
- *Identification of mineral lick within LAA.*
 - *Action: Provide SD regional wildlife biologist/manager with GPS location and proposed contingency action.*
- *Significant change in ungulate or predator occurrence or, distribution relative to baseline data.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed. Consider altering, changing or removing human access points, adjusting vegetation management schedules or prescriptions, adjusting transmission line inspection and maintenance schedule.*
- *New mitigation strategies identified by through the Memorial University PhD project.*
 - *Action: Discuss findings with SD regional wildlife biologist/manager.*

Approach to Adaptive Management:

- *Active - Monitor elk movements into project area. Discuss results with SD and consider altering, changing or removing human access points, adjusting vegetation management schedules or prescriptions, adjusting transmission line inspection and maintenance schedules and adjustments to elk monitoring activities.*
- *Active - Test hypotheses related to the project adversely affecting distribution and mortality of white-tailed deer, wolves, or coyotes. Discuss results with SD and consider altering, changing or removing human access points, adjusting vegetation management schedules or prescriptions, adjusting transmission line inspection and maintenance schedules.*

4.5.9 Black bear

Black bears favor high landscape connectivity and are sensitive to significant habitat changes and disturbances that affect access to, and availability of, food resources (Gunson 1993, Kindell & Van Manen 2007, Rogers & Allen 1987). They are widely distributed as a consequence of food resource availability both spatially and seasonally (Costello & Sage 1994, Gunson 1993, Pelton *et al.* 1999, Pelton 2000), but local abundance may be variable depending on annual severity of weather and food availability. Bears may avoid linear development with active human activity with typical avoidance distances of >200m (Forman *et al.* 1997). Denning black bears are particularly sensitive to noise disturbance within 1 km of dens (especially within 200m of dens), and may abandon the den in response to disturbance, especially early in the denning period (Linnell *et al.* 2000).

The EIS indicates the black bear population within the RAA is stable (possibly increasing), with common occurrence and widespread distribution throughout areas supporting forest habitat; particularly at the forest-agricultural habitat interface, primarily east and south of the Watson P. Davidson WMA. Field studies identified bear activity within the vicinity of the proposed D604I ROW, along existing transmission line M602F, and other forested parts of the RAA, occupying forested areas near the communities of Richer, Marchand, Sundown, and Piney.

Black bears are an important species to First Nations and Metis and to the livelihood of local commercial outfitters. The Project footprint will contribute to habitat fragmentation of natural habitat patches that may affect bear habitat availability, occurrence, and distribution. Measurable changes in abundance are not anticipated as a result of Project activities or disturbance because of routing and scheduling of construction activities. Monitoring will focus on validating EIS predictions, verifying the implementation of mitigation measures, and assist in determining if project-related disturbance has significantly impacted habitat availability, or altered occurrence and distribution relative to baseline state,

Objective(s):

- *Expand the baseline knowledge of distribution, abundance, and population characteristics of black bears interacting with the Project*
- *Investigating the influence of the Project on black bear at two scales:*
 - a. *Local Scale: Monitor the influence of the Project on black bear prevalence in areas along the ROW using remote IR cameras to examine spatial dynamics using indicators such as local occurrence and distribution patterns relative to Project-related access development before and after construction, where pre-existing baseline data permits.*

Range Scale: Habitat suitability modeling to assess population occurrence and distribution in relation to project-related changes in habitat availability (fragmentation/increased edge habitat) and access.

Applicable project component(s): *New ROW for the D604I Transmission Line*

Monitoring Activities:

Table 4-16 Black bear								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
Camera Trap Survey	Baseline information	Monitor black bear prevalence using remote IR cameras	Prevalence and occurrence	RAA	1 field season	Continuous	2014	# of black bears observed, Change in prevalence
	Pre-construction ¹	Monitor black bear prevalence using remote IR cameras	Change in prevalence and occurrence in relation to the project footprint	LAA	1 year	Continuous	2015, 2016, 2017, 2018	# of black bears observed, Change in prevalence

Table 4-16 Black bear

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
	Construction	Monitor black bear prevalence using remote IR cameras	Change in prevalence and occurrence in relation to the project footprint	LAA	During construction	Continuous	Year- round	# of black bears observed, Change in prevalence
	Post-construction	Monitor black bear prevalence using remote IR cameras	Change in prevalence and occurrence in relation to the project footprint	LAA	2 yrs.	Continuous	Year- round	# of black bears observed, Change in prevalence

1. Preconstruction survey reports are completed and filed with the NEB at Ex [A93043-1](#) and [A93043-3](#).

Manitoba Hydro is committed to:

- Provide camera trap equipment;
- Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;
- Provide qualified Environmental Inspectors to conduct regular inspections of mitigation measure implementation;
- Summarize results of key monitoring activities in an annual monitoring report;
- Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, the MMF, Indigenous organizations; and

Responsibilities of Environmental Monitor include:

- During construction phase daily activities, record observations of bear, dens and tracks, ungulate mortality sites within project footprint or access routes;
- Record observations with photo and waypoint and store in EPIMS; and
- Work with Specialist during field visits to assess mitigation effectiveness, and provide first hand overview of site conditions during construction phase.

Specialist will:

- Use digital ortho-rectified imagery and geospatial datasets provided by Manitoba Hydro to develop a habitat suitability model to predict suitable black bear habitat, to predict project footprint effects on black bear habitat suitability and occurrence (pre-disturbance vs. post disturbance), and to inform survey design
- Design and conduct camera trap survey to collect black bear occurrence and distribution data
- Collect and analyze black bear data to assess if there are project-related effects at the local or regional scale on occurrence and distribution.
- Report on monitoring efforts, including identification to Manitoba Hydro of any unanticipated effects on black bear discovered through monitoring activities
- Through an adaptive management process, make recommendations for ongoing improvements to the monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analyses

Manitoba Sustainable Development may be requested to:

- *Provide guidance regarding mitigation strategies should unexpected impacts occur as a result of the transmission line*

Decision Trigger(s)/Threshold(s) for Action:

- *Bear den location is detected within LAA by project staff.*
 - *Action: Provide Conservation Officer with GPS location and circumstances as incidents are detected. Develop and maintain an appropriate sized construction buffer around the black bear den site until the den is not longer active.*
- *Significant project-related change in black bear occurrence.*
 - *Action: Report to SD regional wildlife biologist/manager through annual meetings where reports are presented and results are discussed.*

Approach to Adaptive Management:

- *Passive – Implement environmental protection plan measures and apply experience from previous transmission development projects (i.e. apply construction buffer, implement site-specific rehabilitation measures).*

4.6 Socio-economics and resource use

4.6.1 Employment and economy

The economic monitoring activities that will occur during construction include employment, income and business outcomes associated with the project. The estimates of the economic impact of the project are documented in the EIS, and the intent is to compare predictions made in the EIS to actuals.

The EIS estimated the workforce for all project components. Estimates vary by project component and year depending on the activity. The majority of employment opportunities will occur during the construction phase of the project with fewer opportunities during the operations phase of the project. Due to seasonality constraints for some aspects of the work certain project components will have activities concentrated at specific times of the year, while other project construction components will occur throughout the entire year. Monitoring employment results will provide data on actuals incurred on the project and will provide an indication of the overall economic impact of the project.

Construction of the project will result in business opportunities locally, regionally and throughout the province and Canada. Manitoba Hydro has policies in place to promote local businesses on its projects. The goal is to enhance business relationships with the communities and to assist them in building capacity and competitiveness of their businesses through involvement in Manitoba Hydro contracts. Monitoring both direct and indirect business effects will provide data on the success and effectiveness of efforts to enhance local business participation, as well as an indication of the general economic impact of the project in communities in the vicinity of the Project.

Labour income is an important indicator of direct economic impact of a project. Income levels also affect the general standard of living of individuals and families by influencing the acquisition of basic human needs including housing, food and clothing. Consequently, monitoring income levels can provide a general indication of a project’s contribution to the overall standard of living. The estimate of labour income reflects the direct income of wages and salaries associated with direct person-years employment. Regarding taxation, direct taxes paid reflect incremental revenue sources generated for governments as a result of the project. The incremental revenues, in turn, contribute to societal programs and general well-being.

Objective(s)

- The objective of economic monitoring is to gather project information relating to economic parameters and compare to predictions made in the EIS regarding employment and workforce, business opportunities, labour income and tax revenue.

Applicable Project Component(s): All Project Components

Monitoring Activities:

Table 4-17 Employment and economy								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
Project Employment Reporting	Construction	Determine project employment associated with the project	Collect and report using Construction Employment Database.	All project components	During construction	Annual	April	Total person years of employment for each project component, Total number of hire, Total number of employees, Type (job classifications) of work available.
Direct/Indirect Business Opportunities Reporting	Construction	Determine direct/indirect business opportunities	Collect and report using Manitoba	All project components	During construction	Annual	April	To determine the extent of direct/indirect business effects

Table 4-17 Employment and economy

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
			<i>Hydro's existing accounting and tracking system and purchasing reports.</i>					<i>associated with the project.</i>
<i>Direct Labor Income and Taxes Reporting</i>	<i>Construction</i>	<i>Determine direct labor income and taxes generated by the project.</i>	<i>Manitoba Hydro's existing accounting and tracking system and labour reports.</i>	<i>All project components</i>	<i>During construction</i>	<i>Annual</i>	<i>April</i>	<i>To determine direct labor income and contribution of the project to tax revenue.</i>

Manitoba Hydro is committed to:

- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, the MMF, Indigenous organizations and Manitoba Sustainable Development.*

Approach to Adaptive Management:

- *Passive - Report results to parties, First Nations, the MMF, Indigenous organizations, and Manitoba Sustainable Development providing an opportunity for feedback and recommendations for improvement.*

4.6.2 Infrastructure and services

4.6.2.1 Transportation

The construction of each major component will have distinct effects on the existing road network. The road network consists of provincial highways and municipal roads in southeast Manitoba. Each Project component has unique traffic generation, vehicle mix, travel patterns and mode choices, which are variable throughout the life of the Project. Traffic accidents will be obtained through Manitoba Hydro reporting to the extent possible. This data will be used to potentially link project related incidents to certain conditions, whether it be related to the traffic volume, truck load size, time of collision, weather or road conditions.

Objective(s)

- *The objective of traffic monitoring is to track the number of accidents/potential near misses associated with the project and to track traffic volumes at key locations and to compare to baseline volumes*

Applicable project component(s): *All Project Components*

Monitoring Activities:

Table 4-18 Transportation								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
Traffic Monitoring Survey	Baseline Information	Determine traffic volumes	Traffic volumes	RAA	1 year	Annual	Continuous	Number of vehicles
	Construction	Determine the increase in traffic volumes, near misses and accidents on key roadways potentially as a result of the project.	Increase in traffic volumes, near misses and accidents on key roadways.	All project components	During construction	Annual	Continuous	Traffic volumes – compare actual traffic volumes from estimates in the EIS on key roadways. Traffic accidents and near misses in the project area on key roadways through Manitoba Hydro incident reports as available.

Manitoba Hydro is committed to:

- *Implementing recommendations to minimize traffic accidents and near misses;*
- *Summarize results of key monitoring activities in an annual monitoring report;*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, the MMF, Indigenous organizations; and*

Specialist will:

- *Design and conduct traffic monitoring survey to collect traffic volume, near misses and accidents as a result of the Project*

- *Report on monitoring efforts, including identification of any unanticipated effects on traffic volumes and accidents discovered through monitoring activities*
- *Through an adaptive management process, make recommendations for ongoing improvements to the monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analyses.*

Approach to Adaptive Management:

- *Passive - Apply best management practices and experience from previous transmission development projects (i.e. carefully select traffic and turning points to minimize traffic accidents and near misses).*

4.6.3 Outfitting and falconry

4.6.3.1 Outfitter resource use

Manitoba Hydro is planning to continue its work with the local black bear outfitter in the project area to further understand development effects on their operations. In 2014, camera traps were established at bait sites within the Project Development Area and in control areas to understand baseline conditions of bear occurrence and prevalence. As some bait sites are in close proximity to the Final Preferred Route, it is possible that their continued use may be affected by the Project. Manitoba Hydro is proposing to work with the outfitter to establish new bear bait sites prior to construction and include them in a continued camera trap survey along with the baseline locations. Bear occurrence and prevalence is measured by number of trail camera trigger events occurring at minimum 30 minute intervals.

Objective(s)

- *The objective of the Black Bear Bait Site Camera Trap Survey is to analyse bear occurrence and prevalence at bait site locations prior to, during and post construction of the Project*

Applicable Project Component(s): New ROW for the D604I Transmission Line

Monitoring Activities

Table 4-19 Outfitter resource use

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
<i>Black Bear Bait Site Camera Trap Survey</i>	<i>Pre-construction¹</i>	<i>Camera Trap survey to measure use of bear bait sites prior to development</i>	<i>Number of black bears frequenting bait sites</i>	<i>Bear Bait Sites</i>	<i>Pre-construction</i>	<i>Biannual</i>	<i>2014</i>	<i>Occurrence and Prevalence</i>
	<i>Construction</i>	<i>Camera Trap survey to measure use of bear bait sites during to development</i>	<i>Number of black bears frequenting bait sites</i>	<i>Bear Bait Sites</i>	<i>During construction</i>	<i>Biannual</i>		<i>Occurrence and Prevalence</i>
	<i>Post-construction</i>	<i>Camera Trap survey to measure use of bear bait sites post development</i>	<i>Number of black bears frequenting bait sites</i>	<i>Bear Bait Sites</i>	<i>2 yrs</i>	<i>Biannual</i>	<i>Spring and Fall</i>	<i>Occurrence and Prevalence</i>

1. Preconstruction survey reports are completed and filed with the NEB at Ex. [A93043-1](#) and [A93043-2](#).

Manitoba Hydro is committed to:

- *Provide camera trap equipment;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, the MMF, Indigenous organizations and Manitoba Sustainable Development.*

Responsibilities of Environmental Monitor include:

- *During construction phase daily activities, record observations of bear, dens and tracks, ungulate mortality sites near bait sites within project footprint or access routes;*
- *Record observations with photo and waypoint and store in EPIMS.*

Specialist will:

- *Work with local outfitter to conduct camera trap survey to collect black bear occurrence and prevalence data*
- *Collect and analyze black bear data to assess if there are project-related effects on outfitter operations.*
- *Report on monitoring efforts, including identification to Manitoba Hydro of any unanticipated effects on black bear bait sites discovered through monitoring activities*
- *Through an adaptive management process, make recommendations for ongoing improvements to the monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analyses*

Decision Trigger(s)/Threshold(s) for Action:

- *Trail camera trigger events at bait site locations near the PDA decline significantly relative to bait site locations distant from the PDA.*
- *Action: Report results to the local outfitter and discuss findings.*

Approach to Adaptive Management:

- *Active - Test hypotheses related to the project adversely affecting black bear observations at bait sites near project area. Report results to the local outfitter and discuss findings.*

4.6.3.2 Peregrine Falcon Conservation Centre

Manitoba Hydro is planning to continue its work with a local peregrine falcon conservation centre in the project area to further understand potential development effects on their operations. In 2016, Manitoba Hydro provided GPS radio transmitters and supporting equipment to Parkland Mews to help them understand and record movements and flight patterns of peregrine falcons bred at the conservation centre. This flight information is digitally recorded and provides baseline information of peregrine falcon movements in local region, including any potential interactions the proposed project right-of-way that is located approximately 2.5 km north of the conservation centre.

Objective(s)

- *The objective of the peregrine falcon flight recordings is to measure peregrine falcon movements around the conservation center and proposed project right of way prior to, during and post construction of the Project*

Applicable project component(s): South Loop

Monitoring Activities

Table 4-20 Peregrine Falcon Conservation Centre								
Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
Peregrine Falcon Flight Recordings	Pre-construction ¹	Track movements of peregrine falcons	Perch sites and distance flown	Parkland Mews	Pre-construction	At the peregrine falcon handlers discretion.	2016, 2017,2018	# and location of perch sites, total distance flown from mew.
	Construction	Track movements of peregrine falcons	Perch sites and distance flown	Parkland Mews	During construction	At the peregrine falcon handlers discretion.	Spring, Summer, and Fall	# and location of perch sites, total distance flown from mew.
	Post-construction	Track movements of peregrine falcons	Perch sites and distance flown	Parkland Mews	1 year	At the peregrine falcon handlers discretion.	Spring, Summer, and Fall	# and location of perch sites, total distance flown from mew.

1. Preconstruction Survey reports are completed and filed with the NEB at Ex [A93043-1](#) and [A93043-5](#).

Manitoba Hydro is committed to:

- *Provide GPS tracking equipment;*
- *Provide technical support and training in the operations of the technology.*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations, the MMF, Indigenous organizations and Manitoba Sustainable Development.*

Decision Trigger(s)/Threshold(s) for Action:

- *Peregrine falcons are identified to be extensively utilizing the project ROW, and/or incidents of falcon mortality on the project ROW.*
 - *Action: Report results with Parkland Mews and discuss findings including the potential implementation of mitigation measures such as bird diverters or perch deterrents.*

Approach to Adaptive Management:

- *Active – Test the hypotheses that the Project does not affect the traversing or perching of peregrine falcons near the project area. Report results to the conservation centre and discuss findings.*

4.7 Agriculture

4.7.1 Agricultural Land

In Agro-Manitoba, the productivity of soils for arable agriculture is valued by agricultural producers as a primary source of income. Agricultural production is also of general benefit to society. Soil productivity and agricultural capability of soils could be affected primarily due to the use of heavy equipment and vehicles, disturbance of surface materials during grading, excavation of foundations, and removal of vegetation. Construction activities may adversely affect soil capability and productivity through physical, chemical and biological impacts to the soil. These direct effects on soil properties are typically manifested in and can be assessed using vegetation productivity. Therefore, vegetation and agricultural crop performance can often be used as an effective proxy for soil productivity. Therefore, these vegetative indicators can be used as an effective screening tool to assess the effectiveness of prescribed mitigation in the maintenance and rehabilitation of soil productivity following construction activities.

Objective(s)

- *Monitor crop performance as a key indicator of soil productivity for a period of two years following construction in agricultural portions of the project rights-of way identified as having a high risk for soil compaction.*
- *Inspect agricultural fields for rutting and compaction.*
- *Confirm success of tile drainage reclamation, if required.*

Applicable Project Component(s): *All Project Components*

Monitoring Activities:

Table 4-21 Agricultural Land

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
<i>Soil productivity</i>	<i>Pre-construction phase</i>	<i>Map crop productivity along ROW, access roads, and other temporary project footprints , plus a non-disturbed buffer area</i>	<i>Crop performance</i>	<i>Portions of project footprints within areas of agricultural land use identified as having a high risk for soil compaction.</i>	<i>One-time</i>	<i>Semi-annually</i>	<i>Summer 2018 Imagery</i>	<i>Remotely-sensed vegetation performance indicator (normalized-difference vegetation indicator or NDVI) (Tier 1 and Tier 2)</i>
	<i>Post-construction phase</i>	<i>Map crop productivity along ROW, access roads, and other temporary project footprints, plus a non-disturbed buffer area</i>	<i>Crop performance</i>	<i>Portions of project footprints within areas of agricultural land use identified as having a high risk for soil compaction.</i>	<i>Up to 2 years or until suitable knowledge acquired</i>	<i>Semi-annually</i>	<i>Summer</i>	<i>Remotely-sensed vegetation performance indicator (normalized-difference vegetation indicator or NDVI) (Tier 1 and Tier 2)</i> <i>Field assessments by resource specialist, as required (Tier 3)</i>

Table 4-21 Agricultural Land

Key Monitoring Activity	Phase	Task Description	Parameter(s)	Site Location	Duration	Frequency	Timing	Measurements/Observations
<i>Rutting and compaction</i>	<i>Construction phase</i>	<i>Confirm that agricultural fields are left in an acceptable condition and are free of visual evidence of compaction and rutting.</i>	<i>Compaction and rutting</i>	<i>Site by site basis for private landowners</i>	<i>One time</i>	<i>Annually</i>	<i>Spring, summer or fall</i>	<i>Visual inspection by Environmental Monitors and/or Environmental Inspectors, Specialist Assessment if required</i>
<i>Tile drainage reclamation</i>	<i>Post-Construction phase</i>	<i>Confirm the success of any tile drainage reclamation conducted, should fields with tile drainage be encountered during construction</i>	<i>Tile drain performance</i>	<i>Site by site basis for private landowners</i>	<i>One time</i>	<i>Annually</i>	<i>Spring, summer or fall</i>	<i>Specialist assessment, as required and Landowners observations</i>

Manitoba Hydro is committed to:

- *Provide digital ortho-rectified imagery or georeferenced digital video/photo products;*
- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide qualified Environmental Inspectors and Site Environmental Officers to conduct regular inspections of mitigation measure implementation;*
- *Provide Manitoba Hydro landowner liaisons to facilitate regular communication with private landowners;*
- *Summarize results of key monitoring activities in an annual monitoring report; and*
- *Share results of key monitoring activities with the MMTP Monitoring Committee, interested parties, First Nations and Metis.*

Responsibilities of Biosecurity Monitor include:

- *During construction phase daily activities, record observations of compaction and/or rutting within project footprint or access routes;*
- *Record observations with photo and waypoint and store in EPIMS.*

Specialist will:

- *Use the digital ortho-rectified imagery and/or georeferenced video/photo products provided by Manitoba Hydro for identification of potential soil productivity sampling sites and assessment of ROW effects;*
- *Acquire remotely-sensed imagery and compute NDVI analysis for the ROW and buffer area to be used as the undisturbed control area;*
- *Review Environmental Inspector and Monitor daily reports for identification of potential sampling sites;*
- *Design and conduct specific survey methods that sample soil productivity through crop performance to verify accuracy of EIS predictions and effectiveness of mitigation measures implemented;*
- *Report immediately to Manitoba Hydro any unanticipated project effects on soil productivity discovered through monitoring activities;*
- *Analyze, evaluate and report on monitoring findings including mitigation effectiveness on an annual basis (specific farm production information will not be shared); and*

- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Decision Trigger(s)/Threshold(s) for Action:

- *Crop performance values on ROW in areas identified as having a high risk for soil compaction are significantly below surrounding crop;*
 - *Action: Work with private landowner to develop mitigation strategies.*
- *Agricultural fields are left in an unacceptable condition with evidence of compaction and rutting;*
 - *Action: Rehabilitate the site to pre-construction conditions in areas of compaction and rutting.*
- *Tile drains are not working successfully after rehabilitation;*
 - *Action: Specialist assesses the situation and contractor repair the tile drains.*

Approach to Adaptive Management:

- *Passive – Report results to private landowners and provide opportunities for feedback and recommendations for improvement*

4.8 Access

4.8.1 Access management

The Project will require access routes to access the ROW for construction purposes. As outlined in the access management plan (NEB Ex. [A81182-38](#)), these access routes will be on private lands or existing access points on Crown land. Some existing routes may require widening and upgrades to facilitate construction vehicles. A potential effect of the Project is the human use of the ROW as a point of access to previously inaccessible areas for trapping, hunting and gathering.

Objective(s):

- *Monitor effectiveness of access controls on Project ROW's*

Applicable Project Component(s): *New ROW for the D604I Transmission Line*

Monitoring Activities:

Table 4-22 Access Management								
Key Monitoring Activity	Phase	Task Description	Parameters	Site Location	Duration	Frequency	Timing	Measurable Indicator(s)
<i>Survey of Access Controls</i>	<i>Construction/Post construction</i>	<i>Inspect access controls along ROW</i>	<i>Effectiveness of access controls</i>	<i>Access points intersecting Project ROW</i>	<i>During construction and 2 years post-construction</i>	<i>Annually</i>	<i>Once</i>	<i>Presence and effectiveness of access controls</i>

Manitoba Hydro is committed to:

- *Supply an Environmental Protection Information Management System (EPIMS) that manages all project monitoring data and allows Specialist access to daily inspection and monitoring reports from construction period;*
- *Provide annual reports on the results of the inspections;*
- *Where access controls are not effective or an access issue has been identified , Manitoba Hydro will work with either the private landowners or the eastern region IRMT to address the issue; and*
- *Summarize results of key monitoring activities in an annual monitoring report.;*
- *Through an adaptive management framework, make recommendations for ongoing improvements to the mitigation measures, monitoring plan, methods, analysis and implementation in response to knowledge gained through ongoing monitoring and associated analysis.*

Manitoba Sustainable Development may be asked to:

- *Provide guidance regarding mitigation strategies should unanticipated access effects on Crown Land occur as a result of the Project.*

Decision Trigger(s)/Threshold(s) for Action:

- *Access controls not in place or not effective*
 - *Action: Replace or repair access control and provide Landowner or SD Conservation Officer with GPS location and circumstances as incidents are detected.*
- *New access issue as a result of the Project identified by Landowner or SD*
 - *Action: Review and develop access mitigation measures with Landowner or SD Integrated Resource Management Team.*

5.0 Adaptive management

The Canadian Environmental Assessment Agency (CEAA) defines adaptive management as “the implementation of new or modified processes, procedures and or mitigation measures over the construction and operation phases of a project to address unanticipated environmental effects” (CEAA, 2015). Adaptive management is considered a planned and systematic process used to continuously improve environmental management practices by learning about their outcomes. The use of an adaptive management process allows for the flexibility to identify and implement new mitigation measures or to modify existing ones during the life of a project (CEAA, 2015). Although definitions of adaptive management vary depending on the source, there are fundamental concepts of adaptive management that are universal and fundamental (British Columbia Ministry for Forests and Range, 2015) which include the following:

- Learning and reducing key uncertainties
- Using what is learned to change policy and practice
- Focus is on improving management
- Adaptive management is formal, structured and systematic

Manitoba Hydro has accumulated information and lessons learned from previous monitoring programs. The successes of those programs have been reviewed and considered in the development of this plan. Previous weaknesses have been adapted and improved upon to further enhance this plan’s approach, methods and key environmental monitoring activities. Information learned from the MMTP Monitoring Committee will also contribute to adaptive management addressing unanticipated environmental effects.

The Environmental Protection Program, of which the Manitoba-Minnesota Transmission Project Environmental Monitoring Plan is part of, and has been designed to be adaptive and responsive throughout the Project lifecycle. The management of any low to moderate levels of uncertainty can be achieved for the proposed project by the implementation of a passive adaptive management process which will help to facilitate actions if any unforeseen effects occur and will result in the identification of new or modified mitigation (British Columbia Environmental Assessment Office, 2013). Active adaptive management measures will be employed to manage areas of high (and some moderate) levels of uncertainty and further develop mitigation measures and environmental protection activities.

Program documents, processes, procedures and mitigation measures will be continuously evaluated by inspection, monitoring and communication programs. Audits and reviews will be conducted to facilitate updates to the program through an adaptive management process (Manitoba Hydro, 2013). Within the Environmental Protection Program, adaptive management will take place in two primary areas: at the management level, involving changes with the program structure itself; and at the implementation level, which will involve individual mitigation measures as management and implementation teams evaluate the on-site effectiveness of mitigation strategies or the program as a whole. Scheduled update meetings between departments, annual reviews of the program and its effectiveness will take place to foster the adaptive management process.

Annual reviews will be conducted by Licensing and Environmental Assessment in consultation with Transmission Line and Civil Construction, the contractor, regulators and interested parties. The results of each annual season review will be summarized in a report that documents the issues addressed and provides recommended updates to applicable components of the Environmental Protection Program.

6.0 Reporting

Reports will be generated annually, and provided to Manitoba Sustainable Development and the National Energy Board. Notifications of new reports on the website will be communicated to relevant federal and provincial regulatory agencies.

In addition to annual reports summarizing activities and general findings, technical reports will be prepared at appropriate intervals during the construction and post construction phases of the Project. These reports will on a cumulative basis compile and analyze monitoring results during the relevant period, and based on those results, make recommendations concerning the need for any changes to the mitigation or monitoring approach. Manitoba Hydro will present and discuss monitoring results with the NEB, SD, and the MMTP Monitoring Committee. Manitoba Hydro will also present results to First Nations, the MMF and other Indigenous organizations on request as the project proceeds.

Any significant unanticipated project effects discovered through monitoring activities or where regulations dictate will be reported immediately to SD and/or the NEB, and the MMTP Monitoring Committee.

This page was left intentionally blank.

7.0 Monitoring methods

This section provides detailed information on the methods to be used to monitor the Valued Components and environmental indicators identified in Section 4.0.

7.1 Fish and fish habitat

7.1.1 Stream crossing assessments

Stream crossing sites will be evaluated for adherence to prescribed mitigation and effectiveness of mitigation.

Field studies will be undertaken at all stream crossings assessed as fish bearing during active construction and in the first spring following construction. Riparian buffers will be evaluated by measuring their width from the stream or floodplain and comparing to the width prescribed, as well as evaluating the amount of vegetation left in the buffer and the clearing method used. Stability of stream banks and floodplain will be evaluated visually and rutting, slumping, or other damage to the ground noted. The presence of slash or disturbed sediment within the buffer will be recorded, as well as any evidence of erosion. Trail crossings will be evaluated for appropriate grade and angle across the stream, and the presence of any organic debris remaining from a temporary snow bridge. If any erosion control measures were in place (blankets, silt fences) their effectiveness will be evaluated. Tower locations will be assessed to determine if they adhered to prescribed mitigation. Any further erosion control measures and reclamation needed to meet the prescribed mitigation will be recommended.

7.2 Vegetation and wetlands

Information collected and prepared for the Project that will assist with vegetation and wetland monitoring.

To select monitoring sites for the Project, the Environmental Protection Information Management System (EPIMS) map viewer will be used to view recent project footprint imagery (pre-clearing digital ortho-rectified imagery). Previous sampled sites and environmentally sensitive sites, identified from the Project EIS, will be considered for potential sampling locations. Suitable sites will also be selected based on vegetation type, accessibility, disturbance, landowner permission, and whether invasive and non-native

species may establish and proliferate. Sites selected on private lands will be used to determine property ownership and contact information.

7.2.1 Wetlands

Wetland vegetation will be sampled, and the accuracy of EIS predictions and effectiveness of mitigation measures implemented will be verified. Digital ortho-rectified imagery will be used for identification of wetlands and potential sampling sites for assessment of RoW effects. Pre-construction surveys will involve quantitative native vegetation surveys in selected wetlands along the transmission line RoW.

Sites selected for native vegetation surveys will have plots established for future vegetation monitoring. The native vegetation survey will consist of establishing sample plots on sites with relatively homogenous vegetation. Vegetation will be sampled for composition, abundance and structure. Sampling of selected sites will follow methods outlined by Redburn and Strong (2008) and involve the establishment of five 2.5 m by 2.5 m quadrats with a 1 m by 1 m nested quadrat spaced at 5 m increments along a 30 m transect for wetland shrubs 1 - 2.5 m tall and herbs and low shrubs ≤ 1 m tall, respectively. Transects will be located on sites considered representative of the stand being sampled. The first quadrat will be placed at the 5 m mark. The composition of wetland tree cover > 2.5 m tall will be estimated using a 20 m by 30 m plot centered on each transect. Transects will be permanently located along the transmission line RoW, longitudinally, and approximately in the centre of the RoW, but off the equipment path. Plant cover will be estimated to the nearest 1% for species $< 15\%$ cover and nearest 5% for those with higher cover. Other incidentally observed species will be recorded. GPS coordinates and photographs will be taken at each sampling site. Wetlands will be classified according to the Canadian Wetland Classification System (National Wetlands Working Group 1997).

Environmental monitoring of wetlands will occur on cleared portions of the RoW. Environmental monitoring will involve vegetation monitoring using the identical quantitative methods described above (native vegetation survey). Wetlands will be sampled for herbaceous and shrub cover along the RoW to assess the vegetation. Incidental species observations will be recorded. All sites will be photographed.

Permanently located sampling areas will be used to record the change in vegetation that can be systematically monitored through time. The collection of wetland vegetation information will occur at a similar time during the growing season to maximize the

comparability of data. After field sampling, the data will be digitized and mean values for vegetation cover will be calculated. Total species cover, species richness and diversity measures will be calculated for each plot. Statistical testing may be used to determine if differences occur between baseline samples and post-clearing.

7.2.2 Plant species of conservation concern

Surveys for species of conservation concern, and the accuracy of EIS predictions and effectiveness of mitigation measures implemented will be verified. Pre-construction surveys for species of conservation concern will be conducted in portions of the project footprint that were not previously surveyed and have the greatest potential for supporting these plants along the transmission line RoW. Digital ortho-rectified imagery will be used for the identification of potential survey sites and assessment of RoW effects.

Rare plant surveys initially will involve the review of species observed previously along the transmission line RoW, as well as the database compiled by the Manitoba Conservation Data Centre for species of conservation concern, which includes species that are rare, disjunct, or at risk throughout their range or in Manitoba. Species of conservation concern encompasses plants ranked very rare to uncommon by the Manitoba Conservation Data Centre, and those listed under the provincial *Endangered Species and Ecosystems Act*, the federal *Species at Risk Act*, or listed by the Committee on the Status of Endangered Wildlife in Canada. New Jersey Tea (*Ceanothus herbaceus*), the obligate plant species for the Mottled duskywing butterfly is included as a plant species of conservation concern. Flowering times and preferred habitat for species of conservation concern known to occur in the Project area will be reviewed.

In the field, a combination of meander and transect searches will be used. Parallel transects are favoured in more open and homogenous landscapes, while meander searches are conducted in areas of difficult terrain, unique habitats, and where unusual landscape features occur. Rare plant locations will be recorded using a GPS receiver. Rare plant individuals will be counted, phenology will be recorded and population extent will be estimated. Additional information collected will include associated plants observed. Photographs will be captured in the field.

Environmental monitoring for species of conservation concern will occur after clearing of the RoW. Monitoring for species of conservation concern will involve the review of species previously observed during pre-construction surveys. Monitoring will occur at

selected sites along the RoW to investigate the presence/absence of the plants which were observed prior to clearing and construction. Species of concern observed in the field will have the following information recorded: GPS coordinates verification, individuals counted, population extent estimated, phenology recorded, and associated plants recorded. Photographs will be captured in the field.

7.2.3 Invasive plant species

Sampling will occur for invasive plant species introduction, and the accuracy of EIS predictions and effectiveness of mitigation measures implemented will be verified. Initially, digital ortho-rectified imagery will be used for identification of potential sampling sites and assessment of RoW effects. Pre-construction surveys will involve quantitative vegetation surveys at selected sites along the transmission line RoW. Other locations will involve roadside assessments for invasive and non-native species, where detailed surveys are unable to be conducted.

Sites selected for vegetation surveys will have plots established for future vegetation monitoring. The vegetation survey will consist of establishing sample plots on sites near roads, rail lines, rivers or disturbances, which may provide pathways for these species. Vegetation will be sampled for composition, abundance and structure. Sampling of selected sites will involve the establishment of five 2.5 m by 2.5 m quadrats with a 1 m by 1 m nested quadrat spaced at 5 m increments along a 30 m transect for shrubs 1 - 2.5 m tall and herbs and low shrubs ≤ 1 m tall, respectively. The first quadrat will be placed at the 5 m mark. The composition of tree cover >2.5 m tall will be estimated using a 20 m by 30 m plot centered on each transect. Transects will be permanently located along the transmission line RoW, longitudinally, and approximately in the centre of the RoW, but off the equipment path. Plant cover will be estimated to the nearest 1% for species $<15\%$ cover and nearest 5% for those with higher cover. Other incidentally observed species will be recorded. Ground cover estimates (%) will be recorded and include exposed soil, litter, rock, water and wood. Site condition measurements will include slope and aspect. GPS coordinates and photographs will be taken at each sampling site.

Environmental monitoring will occur after clearing, and along the RoW. Environmental monitoring will involve vegetation monitoring using the identical quantitative methods described above (vegetation survey). Vegetation will be sampled for herbaceous and shrub cover along the RoW. Incidental species observations will be recorded. All sites will be photographed.

Permanently located sampling areas will be used to record the change in vegetation species that can be systematically monitored through time. The collection of vegetation information will occur at a similar time during the growing season to maximize the comparability of data. After field sampling, the data will be digitized and mean values for vegetation cover will be calculated. For each plot, species measures will be determined (e.g., total species cover, richness, diversity). Statistical testing may be used to determine if differences occur between baseline sampling and post-clearing.

In addition, areas identified through construction environmental inspection process as requiring rehabilitation due to erosion, sedimentation, or other disturbance will be monitored for invasive plant species and required treatments.

7.2.4 Traditional use plant species

Vegetation will be sampled for traditional use plant species important to First Nations and Metis based on information provided through the ongoing First Nation and Metis engagement process. The accuracy of EIS predictions and effectiveness of mitigation measures implemented will be verified. Digital ortho-rectified imagery will be used for identification of potential sampling sites for assessment of RoW effects. Pre-construction surveys will involve native vegetation surveys at selected sites along the transmission line RoW, at known traditional use sites.

Sites selected for surveys will have plots established for future vegetation monitoring. Vegetation will be sampled for composition, abundance and structure. Sampling of selected sites will involve the establishment of quadrats spaced at 5 m increments along a 30 m transect for shrubs and herbs. The composition of tree cover will be estimated using a plot centered on each transect. Transects will be permanently located along the transmission line RoW, longitudinally, and approximately in the centre of the RoW, but off the equipment path. Plant cover will be estimated to the nearest 1% for species <15% cover and nearest 5% for those with higher cover. Other incidentally observed species will be recorded. Ground cover estimates (%) will be recorded and include exposed soil, litter, rock, water and wood. Site condition measurements will include slope and aspect. GPS coordinates and photographs will be taken at each sampling site.

Environmental monitoring will occur after clearing, and along the RoW. Environmental monitoring will involve vegetation monitoring using the identical methods described

above. Vegetation will be sampled for herbaceous and shrub cover along the ROW. Incidental species observations will be recorded. All sites will be photographed.

Permanently located sampling areas will be used to record the change in vegetation that can be systematically monitored through time. The collection of vegetation information will occur at a similar time during the growing season to maximize the comparability of data. The data will be digitized and mean plant values will be calculated, after sampling. Species measures will be determined and assessed for each plot.

7.3 Wildlife and wildlife habitat

Monitoring wildlife and wildlife habitat will aim to track vital measures of populations (e.g., presence, distribution, relative abundance, and movement) that are associated with (i.e., linked) potential Project effects. In some cases, changes in habitat quality will be used to help determine the potential response. Determining the basis of causality in complex biological systems can be difficult. When analysing the results of hypothesis testing, considerations will be given for the most influential factors which drive wildlife populations (e.g., habitat, predators, disease, winter severity) and other lesser factors (e.g., accidents). As with most complex biological systems, some assumptions regarding the response will have to be made through but will be supported with peer-reviewed literature and professional opinion to provide the most accurate explanation possible in annual reporting.

7.3.1 Herptiles

7.3.1.1 Amphibians

To further characterize wetland condition prior to construction, wetland surveys will be conducted at wetlands supporting northern leopard frogs. Pre-construction wetland surveys will include water quality measurements and amphibian surveys in the spring, summer and fall, at wetlands that are within or are adjacent to the Project Development Area (PDA). Spring surveys (late-April through mid-May) will overlap the northern leopard frog breeding period; summer surveys (early to mid-July) will target eastern tiger salamander larval stage and leopard frog juvenile stage; fall surveys (late-August to late-September) will overlap their overwintering congregation period. Any additional sites within or adjacent to the PDA not previously examined during baseline environmental surveys will be identified through land cover mapping and ortho-photo interpretation and

will be included in the wetland surveys. Eastern tiger salamander surveys will focus on summer larval surveys but observation of salamanders will be made throughout the northern leopard frog surveys.

Water quality data to be collected will include: pH, specific conductance, total dissolved solids, total suspended solids, temperature, and turbidity. Measurements will be taken at three locations in the shallow water zone at the edge of each wetland at approximately 30-50 cm depth and 2-5 m from the shoreline. Measurements from the three locations will be averaged to estimate site composite values at each wetland. Other than total suspended solids, measurements will be taken *in situ* with a handheld water quality meter. Measurement of total suspended solids requires laboratory analysis and water samples will be collected at the *in situ* sites and sent to an accredited laboratory for analysis. Additional site characteristics will be recorded, including vegetation community (e.g., dominant plant species, presence of emergent and submergent vegetation) and weather conditions (e.g., temperature, wind direction and speed, cloud cover and precipitation).

Amphibian surveys during the spring survey period will include daytime call surveys during water quality monitoring, nocturnal call surveys, visual encounter surveys (VES), and incidental detections. Summer surveys will include larval salamander surveys using funnel-trap sampling (i.e., minnow traps) and VES for northern leopard frog. Fall surveys will include (VES) and incidental detections of both northern leopard frogs and salamanders.

Call surveys consist of a 5 minute listening period following a 2 minute waiting period to allow disturbance associated with observer access to subside. Relative abundance and call rank will be recorded, based on the widely accepted protocol by Mossman et al. (1998) and Saskatchewan Ministry of Environment (2014a, 2014b). In the case of nocturnal call surveys, surveys will be conducted between 0.5 hrs after sunset and 0100h and in weather conditions with winds <20km/hr, ambient temperature $\geq 5^{\circ}\text{C}$, water temperature $\geq 10^{\circ}\text{C}$, and/or rain no heavier than a drizzle (Kendell 2002; USGS 2012). Visual encounter surveys will consist of two biologists walking side by side 5 m apart along wetland margins or stream banks while documenting any amphibians observed within the waterbody 1 m from shore, in a 1 m strip of the shoreline, and within 3 m upland from the shoreline/water's edge. The VES will be conducted for a prescribed amount of time (20 minutes) and under seasonal air temperatures. Surveys will be suspended if precipitation exceeds a light rain or ambient air temperatures drop below 15°C . Incidental observational data will be collected opportunistically throughout the survey periods.

In wetland ponds that may be suitable for salamanders (i.e. no fish, not marshy), funnel-traps will be used to sample for eastern tiger salamander larvae. Funnel-traps will be set in the evening and checked the following morning with traps set in approximately 15-25 cm deep water (Bennett et al 2012). Snout-length and total length will be recorded for all larval tiger salamanders captured and a tissue sample (tail tip) will be collected and submitted to the Manitoba Conservation Data Centre (MBCDC) for DNA analysis. Tissue sample collection and storage will adhere to the MBCDC protocol. All amphibian larvae captured will be identified to species and released. The appropriate scientific permit will be sought from Manitoba Sustainable Development prior to the initiation of the field program. In addition, survey crews will be trained in detecting least bittern and any observations made during amphibian surveys will be recorded and reported.

Construction phase wetland monitoring will take place during the amphibian breeding and overwintering congregation periods immediately following construction activity. Water quality readings will be taken at similar times of day to pre-construction readings. Construction phase monitoring would only take place within wetlands where Project activity had occurred.

7.3.1.2 Common garter snakes

Pedestrian surveys will occur within 200 m of select portions of the New ROW tower locations prior to ROW clearing where potential suitable habitat or hibernacula is identified. The pedestrian survey will be conducted by two biologists, and will include a grid-like walk of the area while 10 m apart. Where suitable habitat or hibernacula are identified (i.e. rock piles, rock outcrops, or pits), the effectiveness of applied mitigation (i.e., setback distances) will be verified through follow-up monitoring. Monitoring will consist of a walk-through of the known suitable habitat or hibernacula area immediately following construction to determine compliance with mitigation measures.

7.3.2 Birds

7.3.2.1 Bird – wire collisions

Baseline data for bird-wire collisions were gathered in fall 2014 using methods described in Chapter 9 of the EIS (NEB Ex. [A81182-16](#)). Methods included carcass searches, scavenger removal trials and searcher efficiency trials. Sixteen sites were sampled in agriculture, grassland and forest habitats with low to high bird-wire collision risk.

Bird diverter monitoring will test the hypothesis that bird diverters are sufficient in reducing mortality of birds due to collisions with the transmission line to a level that is negligible in areas determined to have a high risk of collision. As such, the null and alternate hypotheses state:

- H_0 (null): The mortality of birds at high-risk areas with bird diverters will not be different than the mortality of birds at low-risk areas without bird diverters.
- H_1 (alternate): The mortality of birds at high-risk areas with bird diverters will be greater than the mortality of birds at low-risk areas without bird diverters.

To test this hypothesis, a Control-Impact study design will be implemented. The Before-After Control-Impact design study cannot be implemented for this study as mortality of birds is not expected prior to the installation of the transmission lines. For the purpose of this study, control sites will consist of ESS's considered to be 'low-risk' and impact sites will consist of ESS's considered to be 'high-risk', as identified in the EIS.

If transmission lines containing diverters yield negligible avian mortality, then the mortality of birds relative to the number of bird passes at high-risk transmission lines with diverters should be comparable or lower than those at low-risk transmission lines with no diverters. Using the ratio of mortality to number of bird passes instead of simply the numbers of avian mortality allows correction for differences in bird activity between 'high-risk' and 'low-risk' sites.

Statistical analysis will be conducted using Generalized Linear Models to compare estimated mortality rates at high-risk versus low-risk sites. Assumptions of parametric testing will be determined and data transformations applied where necessary and/or appropriate. Non- parametric testing will be applied where assumptions were violated and/or data could not be transformed. Analyses will be conducted separately for each season and then with data from all seasons pooled. If no significant difference is observed between high-risk versus low-risk sites, then mitigation measures (placement of diverters) will be considered effective in maintaining low avian mortalities due to collisions with wires. Additionally, mortality studies may allow for the determination of the biological, environmental and engineering factors important in influencing collisions as well as the circumstances (e.g., weather, time of day, season) under which birds are most likely to collide with the wires.

Flight Activity Surveys

Before every mortality survey, biologists will monitor flight activity of birds across the transmission line right-of-way (ROW) section being searched that day. Biologists will count the number of birds that fly across the ROW within each of the paired spans within a period of three hours (three one-hour intervals). Mortality searches will be conducted directly after these visual flight surveys. All birds will be recorded to allow for collision rate estimates (CRE). CRE will be calculated as the estimate of total collisions (based on carcass surveys and correction factors described below) divided by the estimated number of possible bird-wire interactions per day.

Carcass Searches

To estimate the mortality of birds along the transmission line per year at the Project site and test the adequacy of diverters, carcass searches will be conducted at select ESS's. Due to the many confounding variables involved in monitoring avian mortality at transmission lines, no standardized protocols have been developed for post-construction mortality searches for transmission lines. The Avian Power Line Interaction Committee (APLIC, 2012) and methodology proposed by De la Zerda and Rosselli (2002) and by Barrientos *et al.* (2011) provide valuable guidance and considerations for designing mortality studies and these will be included in this proposed monitoring plan. Other insights for the study design will reflect those protocols recommended for carcass searches at wind turbines (Canadian Wildlife Service 2007). The appropriate scientific permit will be sought from Environment Canada prior to the initiation of the field program.

Searches for dead or injured birds will be performed at high-risk sites identified in the EIS, at an equivalent number of low-risk sites, and at known sharp-tailed grouse leks that are located within 1,000 m of the Project footprint. Each of the mortality monitoring sites will consist of the area under one span of transmission conductors. A span is defined as the length of ROW between two transmission towers. The spans closest to the location where monitoring is desired will be surveyed. Surveys will be focused during peak activity seasons which will include spring migration and mid-breeding season for Sharp-tailed grouse (April and early May), late breeding season when adults will be feeding chicks (mid-June and July) and fall migration (late August to late September). During each of the three survey seasons, four rounds of carcass searches will be conducted at each ESS.

Carcass searches will be conducted by trained searchers. Every morning, searchers will conduct both mortality searches and bird passage monitoring. Teams will note environmental conditions at the start and end of each survey day including notable weather events during the previous seven days (high winds, storms, fog) based on Environment Canada historical data, where available. Surveyors will position themselves at the start of a linear transect running from one of the transmission towers to the other. During each visit, the searchers will walk parallel survey lines within 5 to 10 m of each other to assure that complete coverage of the ground occurs. This procedure will be repeated until the entire width of the ROW under each span is covered. While conducting searches, searchers will search for any dead birds within a 5 m field of view. Upon finding an avian carcass, the following data will be recorded as possible:

- GPS position of the carcass;
- Location of the carcass with respect to the transmission line;
- Species;
- Sex;
- Age;
- Date or approximate time of death;
- Physical injuries and general body condition;
- Probably cause of death; and
- Evidence of scavenging.

Sampling biases

Several factors affect the accuracy of mortality estimates recorded in the field. Four sampling biases are of particular importance in estimating the number of birds killed by a section of transmission line:

- Searcher efficiency;
- Scavenger removal;
- Habitat differences; and
- Crippling loss.

Searcher efficiency trials

Searchers conducting mortality searches within the ROW may not find all of the carcasses present. Carcasses may be overlooked depending on a number of factors including the density and height of vegetation in the ROW, the route walked by the

searcher, the state of the carcass, etc. As such, searcher efficiency trials aid in correcting this bias. During the course of the mortality search studies, a known number of carcasses will be placed by a tester at locations within the search area unknown to searchers being tested. The proportion of purposefully placed carcasses found by searchers will represent their searcher efficiency and will be used to correct for this bias when estimating avian mortality at the Project site. To account for differences in searcher efficiency between different sized birds, if feasible, birds of all major size categories will be represented in searcher efficiency trials.

Scavenger removal trials

Scavenger removal trials are used to estimate the rate at which carcasses are removed from the ROW by other wildlife. Scavenger removal trials will consist of placing carcasses at known locations within the ROW and checking these locations periodically to determine if and when they are removed. Trials will continue until all carcasses are removed or have completely decomposed. Scavenger removal trials may be conducted concurrently with mortality searches. To account for differences in scavenging rates between different sized birds, birds of all major size categories will be represented in the scavenger removal trials.

Habitat differences

Due to a variety of factors, some portions of a PDA may not be searchable. Most of the unsearchable habitats will be avoided to the extent possible during the initial selection of ESS's. For sites where this is not possible, the total area searched at those sites will be calculated and search area will be corrected in the calculated mortality estimates.

Crippling loss

Crippling loss is the percentage of birds killed or injured by striking a component of a transmission line, yet may fall or move beyond the Study Area. Crippling loss may be studied by monitoring the number and behaviour of birds flying past a section of transmission line or may be implied from other studies.

Estimating the number of birds that collide with structures but fall out of the search area, or injured birds that move out of the search area before succumbing to their injuries, is extremely difficult to quantify (Bevanger 1999, APLIC 2012) and rarely incorporated into estimates (Rioux et al. 2013). Estimating crippling loss bias requires a great deal of time

and effort to monitor flights near hazards, record collisions, locate injured or dead birds (CEC 2003, APLIC 2012), and importantly, results in small sample sizes (Paddington 1993, Savereno et al 1996, Crowder 2000). Some studies suggest that to provide more accurate estimates, it may be reasonable to apply crippling loss bias estimates from other studies (Beaulaurier 1981, Bevanger 1995, Janns and Ferrer 2000, CEC 2003, Sundar and Choudhury 2005). However, the application of estimates from other studies is inappropriate and very misleading due to the effects of bird size and weight on crippling loss bias (APLIC 2012, Rioux et al. 2013).

7.3.2.2 Sharp-tailed grouse lekking sites

Baseline data for sharp-tailed grouse were gathered in spring 2014 using field methods described in Chapter 9 of the EIS. Location data for sharp-tailed grouse leks were mapped within the RAA from field surveys and from data provided by Manitoba Sustainable Development. Sharp-tailed grouse have a reproductive system known as lekking, where males form large groups and vocalize and display at the same time in attempts to attract females. Leks are generally elevated sites associates with sparse or disturbed vegetation and are typically used for many years. Sharp-tailed grouse nesting usually occurs in shrub habitat located close to the lek.

The construction and installation of the transmission line has the potential to adversely affect the abundance of sharp-tailed grouse at lekking sites by way of habitat loss or disturbance during construction. It also has the potential to increase rates of predation if birds of prey (raptors) nest on nearby transmission line towers. Conversely, male lek displays may reduce nest-related predation by decoying predators away from nests and alerting incubating females when a predator is approaching. The sentinel/decoy model predicts a region of decreased predator density just inside the maximum range at which predators are attracted by displaying males. The expected ring of successful nests is evident in data from three species of North American prairie grouse (Phillips 1990). As such, sharp-tailed grouse lek monitoring will test two hypotheses:

Hypothesis 1:

- H_0 (null): The installation of the transmission line does not affect the abundance of male sharp-tailed grouse at lekking sites.
- H_1 (alternate): The installation of the transmission line does affect the abundance of male sharp-tailed grouse at lekking sites.

Hypothesis 2:

- H_0 (null): The installation of the transmission line does not increase sharp-tailed grouse alert behaviour or decrease time spent on the lek.
- H_1 (alternate 1): The installation of the transmission line does increase sharp-tailed grouse alert behaviours.
- H_2 (alternate 2): The installation of the transmission line does decrease time spent on the lek by male sharp-tailed grouse.

To test these hypotheses, a Before-After Control-Impact design study will be implemented. Monitoring for Sharp-tailed grouse will require conducting searches for leks in the vicinity of Sharp-tailed grouse habitat and grouse observations as presented in the EIS. Manitoba Hydro will collaborate with Manitoba Sustainable Development to determine the status and distribution of leks in the RAA. In addition, due to the large area of habitat for this species along the proposed transmission line route, an aerial survey for groups of Sharp-tailed grouse will be undertaken in conjunction with ungulate and predator surveys (Section 7.3.3) in winter to scope for potential lekking locations. Sharp-tailed grouse stay close to breeding sites all year-round, meaning baseline observations may indicate the nearby presence of a lekking site. The location and number of flushed grouse will be recorded on a GPS and the lek will be subsequently surveyed from the ground. Impact and reference sites will be selected in areas within and beyond the predicted zone of impact, respectively.

Once leks are identified, ground surveys will consist of scanning candidate lekking sites with binoculars and a spotting scope and listening for sounds of displaying grouse. Surveys will be conducted on foot or by driving along roads and stopping near candidate sites. When a lek is located, it will be monitored two times using the Sharp-tailed Grouse Survey Protocol (WDNR, 2013) and Sensitive Species Inventory Guidelines (Government of Alberta, 2010), using a flush count. Following the WDNR (2013) protocol, surveys will begin 45 minutes before sunrise and will end 3 hours after sunrise. All lekking activities will be recorded as well as the number of birds present. Weather conditions will be recorded and surveys will only be conducted on clear, calm mornings with winds less than 15 km/hr. Other environmental conditions such as anthropogenic noise, nearby infrastructure or the presence of other wildlife (particularly nesting or perching raptors) will also be recorded. All efforts will be made by surveyors to minimize disturbance to all birds present at the lekking sites. In addition, survey crews will also be trained in detecting

short-eared owls and any observations made during sharp-tailed grouse surveys will be recorded and reported.

Confounding factors that could affect the results include raptor nest density, abundance of ground predators and habitat quality. Data collected from the Birds of Prey Study (Section 7.3.2.3) to map raptor nests, and data from the remote infrared camera trap arrays situated along the ROW and adjacent suitable habitat, which monitor ungulates and ground predators (Section 7.3.3) will be used to evaluate changes in predator activity. Modelled habitat quality will be mapped within 2 km of a lek to control for the level of fragmentation (i.e., the density of linear features on the landscape) surrounding each lek and the availability of grassland, shrubland and forest required by sharp-tailed grouse for survival. Accidental mortality will be reported in Section 7.3.2.1, Bird-Wire Collisions. If available, these data will be used to corroborate the potential effects of depredation during operation of the new transmission line.

Statistical analysis will be conducted using Generalized Linear Models and/or non-parametric techniques to evaluate the effects of the Project on the abundance and behaviour of Sharp-tailed grouse on the lek. Time budget analysis will be used to calculate the proportions of males eliciting behaviours, with an focus on predator alert frequency and time spent on versus off the lek.

7.3.2.3 Birds of species of conservation Concern

Species of conservation concern, which includes SAR and provincially rare species, have the potential to be adversely affected by the construction of the transmission line. In particular, the Golden-winged Warbler (*Vermivora chrysoptera*) is considered “threatened” under Schedule 1 of the *Species at Risk Act*, and is the only species in the RAA to have defined critical habitat (Environment Canada 2014). Baseline data for golden-winged warbler and other SAR were gathered in spring 2014 using field methods described in Chapter 9 of the EIS. Location data for eight golden-winged warbler were mapped within the RAA during field surveys, another 48 records exist in the LAA, indicating a concentration of golden-winged warbler in the areas surrounding St-Genevieve, Ross and Richer.

Potential adverse effects to golden-winged warbler during construction may include displacement of birds and/or decreased nesting success due to habitat disturbance, and long-term loss of habitat during operations. Bird species of conservation concern monitoring will test the hypothesis that the development of the transmission line

adversely affects the habitat quality and density of golden-winged warbler. During construction and maintenance, vegetation management is expected to reduce adverse impacts and increase the long-term benefits to the local golden-winged warbler population and habitat.

Hypothesis 1:

- H_0 (null): The construction and installation of the transmission line does not affect the habitat quality or density of golden-winged warbler.
- H_1 (alternate): The construction and installation of the transmission line does affect the habitat quality or density of golden-winged warbler.

To test these hypotheses, a BACI study design will be implemented to evaluate Project-related effects on golden-winged warblers. Permanent monitoring plots will be developed within the transmission line ROW and areas that are predicted to not be affected by the Project (control areas). Golden-winged warbler monitoring sites will be established within the areas of the ROW that intersect five critical habitat squares delineated in the Recovery Strategy for the Golden-winged Warbler in Canada (Environment Canada 2014). This area is referred to as the golden-winged warbler ROW Habitat Management Sites (HMS).

The amount of golden-winged warbler habitat presented in the EIS will be verified using a combination of baseline and post-construction vegetation surveys (see Section 7.3.2.4 Golden-winged Warbler Habitat) and remotely-sensed data, including LiDAR (light detection and ranging) and high-resolution imagery. Survey points will then be selected in Habitat Management Sites (HMS), which are 10 ha areas in the ROW that are equivalent to the area between three transmission towers (two spans). Using a stratified random design based on habitat characteristics, HMSs will be selected for golden-winged warbler surveys. Within selected HMSs, two survey points, spaced a minimum of 400 m apart. Control survey points that are within the five critical habitat squares will be selected using the same procedure and will be as similar as possible to ROW survey points. Surveys for golden-winged warbler will occur early in the breeding season from May 27 to June 15, depending on local climatic conditions.

Qualified biologists will map the occurrences of golden-winged warbler. Hand-held recorders may be used for verification purposes. A call-playback method will be used to increase the probability of detecting golden-winged warblers. At each stop, the survey

protocol will consist of three minutes of passive listening, five minutes of call-playback, and two minutes of passive listening. The 5-minute recording will consist of 16 bouts of type one golden-winged warbler song each separated by 17 seconds of silence. This protocol was selected based on unpublished work conducted on golden-winged warblers in Manitoba by Bird Studies Canada in 2008 and 2009 (C. Artuso, Unpubl.Report). If a golden-winged warbler is heard or observed, observers will note if it occurs within or outside of the transmission line ROW. The appropriate scientific permit will be sought from Manitoba Sustainable Development prior to the initiation of the field program. In addition, survey crews will also be trained in detecting short-eared owls and least bittern. Any observations made during these surveys will be recorded and reported.

The first year of the study will provide baseline data of golden-winged warblers in the proposed ROW and control areas. During construction and operation, a statistical comparison of golden-winged warbler density between survey points within HMSs and in control areas can be conducted to determine the effects of these activities and the proposed vegetation management using Generalized Linear Models and/or non-parametric techniques.

7.3.2.4 Golden-winged warbler habitat

Golden-winged warbler habitat will be sampled, and the implementation of the golden-winged warbler management plan will be verified. A primary objective will be to validate the amount of potential golden-winged warbler habitat present within the proposed ROW. A combination of remotely-sensed data and high-resolution imagery will be used to determine potential habitat. Mapped information is anticipated to include tree and shrub species and heights, and open patches.

Habitat Management Sites (HMS) will be approximately 10ha (roughly equivalent to the ROW area between three transmission towers), which is derived from recommendation by Roth et al. (2012). Both habitat mapping and ground surveys will inform the selection of HMS. Habitat preferences for the golden-winged warbler are generally described as shrub cover interspersed with herbaceous openings, adjacent to mature forest.

Digital imagery and habitat mapping will assist in the ground clearing activities and low impact cutting in golden-winged warbler critical habitat. Within each HMS, clearing will occur in two separate zones, which is detailed in the Habitat Management Plan for this species. Zone 1 is approximately the equipment path (0-12m) on either side of the centreline and includes the tower foundations. All trees and shrubs will be removed in this

zone. Zone 2 is 12-50m on either side of the centreline of the ROW between tower footprints, and will involve all trees to be removed while retaining shrub and herb cover to the extent possible. This vegetation clearing prescription applies to forest stands, to retain existing golden-winged warbler habitat. New habitat may result from woody vegetation regeneration along the ROW, adjacent to mature forest.

Environmental monitoring of golden-winged warbler habitat (after construction) will to assess the change in vegetation. Environmental monitoring will involve quantitative native vegetation surveys, along the transmission line RoW. Sites selected for surveys will have plots established for future vegetation monitoring. Vegetation will be sampled for composition, abundance and structure. Sampling of selected sites will follow methods outlined by Redburn and Strong (2008) and involve the establishment of five 2.5 m by 2.5 m quadrats with a 1 m by 1 m nested quadrat spaced at 5 m increments along a 30 m transect for shrubs 1 – 2.5 m tall and herbs and low shrubs ≤ 1 m tall, respectively. Transects will be located on sites considered representative of the stand being sampled. The first quadrat will be placed at the 5 m mark. The composition of tree cover > 2.5 m tall will be estimated using a 20 m by 30 m plot centered on each transect. Transects will be permanently located along the transmission line RoW, longitudinally, and approximately in the centre of the RoW, but off the equipment path. Plant cover will be estimated to the nearest 1% for species $< 15\%$ cover and nearest 5% for those with higher cover. GPS coordinates and photographs will be taken at each sampling site.

Permanently located sampling areas will be used to record the change in vegetation and measure the success in retaining golden-winged warbler habitat, that can be systematically monitored through time. The collection of vegetation information will occur at a similar time during the growing season to maximize the comparability of data. After field sampling, the data will be digitized and mean values for vegetation cover will be calculated. Total species cover, species richness and diversity measures will be calculated for each plot. Statistical testing may be used to determine if differences occur between baseline samples and post-clearing.

7.3.2.5 Birds of prey

Baseline data for raptors were gathered in spring and fall 2014 using methods described in Chapter 9 of the EIS. Because raptor nests change over time, a follow-up aerial survey for raptor and other large stick nests will be conducted prior to construction to locate any raptor stick nests within the PDA, or within 500 m of the proposed footprint

Surveys will occur on calm, clear days with good viewing conditions and will be flown at an altitude of 150 feet and at a speed of 100 km/hr. One observer skilled in identifying raptor species and their nests will be positioned on both sides of the helicopter.

During construction, environmental inspectors will be given instructions on how to look for large raptor stick nests while clearing vegetation for the ROW and other project components, in order to prevent destroying these nests.

Post-construction, incidental surveys for raptor nests will be conducted by maintenance staff during asset inspection surveys.

7.3.3 Ungulates and predators

7.3.3.1 Elk

Baseline data for elk were gathered using a combination of methods described in Chapter 9 of the EIS: large mammal survey using camera trap arrays, aerial winter track surveys, and elk breeding survey using call broadcasts.

The camera trap program consisted of 56 cameras, 18 of which were located in a paired configuration along the final preferred route, 18 in a paired configuration along an alternate route, and 20 non-paired cameras along the existing M602F 500 kv transmission line (EIS Map 7-1). In the paired configurations, one camera was located on a proposed transmission line route and the other in comparable habitat located approximately 500-800 meters from the route (i.e., in control sites). Control cameras were located at distances greater than the zone of reported linear disturbance effects on elk (Storlie 2006; Morgantini [1996] in Jalkotzy 2005). The cameras recorded mammal data between April and October, 2014. In 2015 and 2016, they were redeployed along the final preferred route (FPR) and select locations along M602F from April to October.

Systematic aerial winter track surveys were conducted in five 20 x 20 km survey blocks in February 2014 (EIS Map 7-2), in four 20 x 20 km survey blocks in January 2015 (EIS Map 7-3), and in two 20 x 20 km survey blocks in March 2016 (EIS Map 7-4). Survey design was modified each year as route options were refined. In 2016, surveys focused on the southernmost survey blocks (EIS Map 7-4) having the greatest potential to support elk. The area between these survey blocks was also surveyed to increase coverage of the entire southern portion of the preferred route (EIS Map 7-4).

Elk breeding surveys were conducted along five road-based transects during the elk breeding period (September 2014) (EIS Map 7-5). Surveys were repeated throughout the month to improve the potential of detecting elk if elk were present in the area.

As described in the EIS, a change in habitat availability associated with ROW clearing is anticipated to be negligible for the Vita elk herd because routing of the New ROW avoids the core areas known to support the elk (*i.e.*, near Vita and Arbakka, MB). As such, elk monitoring will test the following null and alternate hypotheses:

Hypothesis 1:

- H_0 (null): The construction and operation of the transmission line does not affect the distribution of the Vita elk population.
- H_1 (alternate): The construction and operation of the transmission line does affect the distribution of the Vita elk population.

To test this hypothesis, a Before-After-Control-Impact (BACI) study will be implemented using methods applied during baseline mammal surveys. The distribution and occurrence of the Vita elk population will be mapped using data gathered from systematic aerial track surveys, incidental observations (by project staff, and reported by other sources), and remote infrared (IR) camera trap arrays (Kays *et al.* 2009) situated along the ROW and adjacent suitable habitat where the RAA and the Vita elk range overlap. In Manitoba, the Vita elk range is considered to be fall/winter range, therefore monitoring effort will largely be concentrated during the fall and winter period, during the construction and initial operation stages of the Project. Annual spring pellet group transects (Kie 1988) will be considered as a supplemental or alternative method (if needed based on the initial year of data collection using other methods) to monitor occurrence and distribution during construction and operation phases. Elk-crop damage reports from Manitoba Sustainable and Manitoba Agriculture will be compiled and reviewed for evidence that would suggest elk use of the LAA is changing.

A change in mortality-risk will be measured by monitoring incidents of elk-vehicle collisions (construction phase) related to project access and activities. Change in available access, and elk occurrence in relation to project-related access will be used to help measures change in hunter and predator accessibility to suitable elk habitat. Occurrence of predators (*i.e.* wolves utilizing project disturbance) will be compared to elk location data

to qualitatively assess overlap and potential predation-risk to elk from pre-disturbance state.

Large mammal camera trap study

Large mammals, particularly white-tailed deer and black bear, are the primary targets of the camera trap study, but incidental observations of other species and human activity will also be collected. In this study, IR camera trap arrays are used to monitor mammal activity along the FPR (*i.e.*, potentially affected sites) and adjacent control areas (>500 m from the FPR).

Survey efforts will focus on large, contiguous patches of intact forested habitats between Provincial Highway 12 and the Canada-U.S. border that are most likely to be affected by habitat fragmentation. The LAA in this extent includes softwood forest (36% total area), hardwood forest (18%), and mixedwood forest (4%) (MCWS 2001). Site selection aimed to sample each forested habitat equally in both potentially affected sites and control sites; however, the lack of mixedwood forest within the LAA limited its inclusion.

A total of 24 camera trap arrays will be used in the camera trap study, with 12 cameras located in potentially affected areas along the FPR and 12 cameras located in reference or control areas. To maintain the Before-After-Control-Impacted (BACI) survey design implemented during the baseline data collection and to adjust for alignment of the FPR, 11 sites (six potentially affected sites and five control sites) that were surveyed in either 2014, 2015, or 2016 will continue to be surveyed during pre-construction, construction and operation monitoring phases. Thirteen new sites (six potentially affected sites and seven control sites) will also be monitored throughout the pre-construction, construction and operation phases.

IR camera traps will be deployed from early May to late October (approx. 6 months) to capture late spring, summer, and fall wildlife activity. Twenty-four camera traps have the potential to contribute 4,320 camera-days of wildlife monitoring data between Provincial Highway 12 and the Canada-US border (along approximately 50 km of the FPR). This level of effort will cover approximately 67% of accessible crown lands traversed by the FPR, and will exceed standards for minimum camera-days required in wildlife studies as outlined in Rovero *et al.* (2013).

The six new potentially affected survey sites were randomly selected within a series of 1x1 km grid cells overlying the center of the FPR. These grid cells are considered

potentially affected due to their proximity to the FPR. In these areas, IR camera traps will be located along the FPR and within the dominant habitat type found within the selected grid cell. The seven new control sites are located ≥ 500 m from potentially affected sites to maintain independence and increase efficiency of IR camera trap deployment and maintenance. Randomly selected survey sites that could not be reasonably accessed by foot were excluded (e.g., require helicopter access or >1.5 km from the nearest trail) as were sites not located on crown lands.

An annual relative abundance index (RAI; number of photo events / camera-days) will be calculated for key species (e.g., white-tailed deer and black bear) at each of the 24 IR camera trap sites. Box and whisker plots of annual RAIs will be used to visualize differences between IR camera trap treatments (*i.e.*, potentially affected sites vs. control sites). Analysis of variance (ANOVA) can be used to test for statistical differences between treatments and time periods.

Aerial winter track survey

Aerial winter track surveys will be conducted in 2- 20 x 20 km survey blocks located along the FPR. In 2016, the area between these two blocks (a 10 km buffer of the FPR; EIS Map 7-4) was added to enhance coverage of the section of the FPR with the greatest potential for improved local hunter and predator access. This area will also be monitored during construction and operation.

Surveys are conducted along 400-m-wide, east-west transects spaced 1 km apart using a Bell 206 Jet Ranger helicopter and three observers: the front-left and rear-right observers act as primary observers on their respective sides while the data recorder in the rear-left acts as a secondary observer. Surveys are conducted at approximately 120 m above ground level at speeds between 90-110 km/hr during periods of good environmental conditions:

- wind <30 km/h;
- cloud ceiling >150 m;
- precipitation not exceeding a light, intermittent snowfall;
- absence of fog;
- during periods of adequate daylight (from one half hour after sunrise to one half hour before sunset); and
- with a snow base of ≥ 25 cm (MCWS 2015, unpublished).

To identify mammal tracks in the snow during aerial surveys, surveys are typically undertaken within two to three days after a snowfall event (5-10 cm; BC RIC 1998).

A handheld GPS will be used to collect a track log that recorded coordinates at one-second intervals. Upon observation of a mammal track or individual, the data recorder will record the species, number of tracks, and number of individuals, along with the associated time (hh:mm:ss) which will be used to extract a matching coordinate from the GPS track log. The georeferenced data will be summarized and mapped using ArcGIS® (ESRI 2012).

Logistic regression will be used to relate track and individual densities to the FPR and reference areas while accounting for variation in underlying habitat data.

7.3.3.2 White-tailed deer

Baseline data for white-tailed deer were gathered using a combination of methods described in Chapter 9 of the EIS: large mammal survey using camera trap arrays and aerial winter track surveys. Both of these survey programs, summarized under Section 7.3.3.1, also yielded data on white-tailed deer.

As described in the EIS, clearing of the new ROW during construction may cause temporary avoidance by white-tailed deer due to sensory disturbance. However, as vegetation re-establishes along the ROW during operation, deer may be attracted to the edge habitat that forms along parts of the ROW, particularly in areas previously forested. The use of the ROW by deer and the access it creates for predators (e.g., wolves and coyotes) and hunters may elevate mortality risk to deer during operation. As such, white-tailed deer monitoring will test the following null and alternate hypotheses:

Hypothesis 1:

- H_0 (null): The construction of the transmission line does not affect the distribution of white-tailed deer.
- H_1 (alternate): The construction of the transmission line does affect the distribution of white-tailed deer.

Hypothesis 2:

- H_0 (null): The operation of the transmission line does not affect the distribution of white-tailed deer.
- H_1 (alternate): The operation of the transmission line does affect the distribution

of white-tailed deer.

Hypothesis 3:

- H_0 (null): The operation of the transmission line does not change the mortality risk for white-tailed deer.
- H_1 (alternate): The operation of the transmission line does affect the mortality risk for white-tailed deer.

To test these hypotheses, a Before-After-Control-Impact (BACI) study will be implemented using methods applied during baseline mammal surveys. Distribution mapping of white-tailed deer will involve systematic winter aerial surveys of monitoring blocks along the project ROW to assess change in seasonal distribution relative to project infrastructure and predator (e.g., wolf and coyote) distribution. Monitoring will focus on suitable habitat on the eastern portion of the RAA. The survey blocks will be consistent with those used in 2015 and 2016 so that direct comparisons can be made between baseline state and project disturbance states (construction and initial operation phases) (pre- versus post-disturbance). More information on how baseline data was collected can be found in the Wildlife and Wildlife Habitat technical data report. Annual spring pellet group transects (Kie 1988) may be considered as a supplemental or alternative method (if needed based on the initial year of data collection using other methods) to monitor occurrence and distribution during the construction and initial operation phases.

Mortality-risk will primarily be assessed by monitoring incidents of deer-vehicle collisions (construction phase) related to project access and activities. Change in hunter and predator accessibility to suitable deer habitat will be assessed by comparing winter deer occurrence (pre- versus post-disturbance) relative to project-related access. Occurrence of predators (wolves/coyotes) utilizing project disturbance will be compared to deer location data to assess overlap and potential predation-risk to white-tailed deer.

A change in mortality-risk will be measured by monitoring incidents of deer-vehicle collisions (construction phase) related to project access and activities. Change in available access, and deer occurrence in relation to project-related access will be used to help measures change in hunter and predator accessibility to suitable deer habitat. Occurrence of predators (i.e. wolves utilizing project disturbance) will be compared to deer location data to qualitatively assess overlap and potential predation-risk to elk from pre-disturbance state.

Large mammal camera trap study

The large mammal study data analysis for white-tailed deer will be carried out in the same manner as described previously for elk (See Section 7.3.3.1).

Aerial winter track surveys

Aerial winter track surveys data analysis for white-tailed deer will be carried out in the same manner as described previously for elk (See Section 7.3.3.1).

7.3.3.3 Black bear

Baseline data for black bear were gathered during the Large Mammal Study using camera trap arrays as described for elk in Section 7.3.3.1.

As described in the EIS, movement patterns of mammalian predators including black bear, may change in response to the cleared ROW. In areas of contiguous forest, use of the ROW by predators may increase during Project operations due to the ease of mobility. The use of the ROW by hunters may increase the mortality risk to black bears using the transmission line ROW. As such, black bear monitoring will test the following null and alternate hypotheses:

Hypothesis 1:

- H_0 (null): The construction and operation of the transmission line does not affect the distribution of black bear.
- H_1 (alternate): The construction and operation of the transmission line does affect the distribution of black bear.

To test this hypothesis, a Before-After-Control-Impact (BACI) study will be implemented using methods applied during baseline mammal surveys. Distribution of black bear will be mapped relative to the project ROW using data collected by remote IR camera trap arrays (Kays *et al.* 2009). Use of cameras is a non-invasive and effective method to collect distribution data. During the construction phase Project workers will also record incidental sightings of black bear.

7.3.3.4 Wolves and coyotes

Baseline data for wolves and coyotes were gathered using a combination of methods described in Chapter 9 of the EIS: large mammal survey using camera trap arrays and

aerial winter track surveys. Both of these survey programs, summarized under Section 7.3.3.1, also yielded data on wolves and coyotes.

As described in the EIS, movement patterns of mammalian predators, including wolves and coyotes, may change in response to the cleared ROW. In areas of contiguous forest, use of the ROW by predators may increase during Project operations due to the ease of mobility. Use of the ROW by predators may increase the mortality risk to prey species such as white-tailed deer. As such, predator monitoring will test the following null and alternate hypotheses:

Hypothesis 1:

- H_0 (null): The construction and operation of the transmission line does not affect the distribution and occurrence of wolves and coyotes.
- H_1 (alternate): The construction and operation of the transmission line does affect the distribution and occurrence of wolves and coyotes.

To test this hypothesis, a Before-After-Control-Impact (BACI) study will be implemented using data gathered during mammal baseline and monitoring surveys. Distribution of wolves and coyotes will be mapped relative to the project ROW using data collected during aerial surveys and by remote IR camera trap arrays (Kays *et al.* 2009). Use of cameras is a non-invasive and effective method to collect occurrence and distribution data. During the construction phase Project workers will also record incidental sightings of wolves and coyotes.

Large mammal camera trap study

The large mammal study and data analysis for wolf and coyote will be carried out in the same manner as described previously for elk (See Section 7.3.3.1).

Aerial winter track surveys

Aerial winter track surveys and data analysis for wolf and coyote will be carried out in the same manner as described previously for elk (See Section 7.3.3.1).

7.4 Employment and economy

7.4.1 Project employment

The EIS estimated the workforce for all project components. Estimates vary by project component and year depending on the activity. The majority of employment opportunities will occur during the construction phase of the project with fewer opportunities during the operations phase of the project. Monitoring parameters for employment/workforce include employment data to be collected for all project components during the construction phase could include:

- Total person years of employment for each project component – Person years of employment are defined as the amount of work that one worker could complete during twelve months of full-time employment;
- Total number of hires – Refers to the number of people hired on the project site for any duration;
- Total number of employees – Refers to the number of individuals hired. The variance between hires and employees can be attributed to an individual being hired to the project more than once;
- Employment duration; and
- Type (job classification) of work available

Employment data will be collected on-site by contractors through an employee self-declaration form designed for the project. All completed forms will be provided by on-site contractors to Manitoba Hydro and stored in a central database. Analysis of data will occur on an annual basis and reported in the annual report.

7.4.2 Business opportunities

Monitoring of direct business effects will provide data on the success and effectiveness of efforts to enhance local business participation. The following parameters will be monitored in conjunction with the project:

- Direct project expenditures;

Purchasing data of supplies and services will be collected through Manitoba Hydro's existing accounting and tracking systems. Data will be collected on the total number and value of purchases made.

7.4.3 Labour income and tax revenue

Labour income is an important indicator of direct economic impact of a project. Income levels also affect the general standard of living of individuals and families by influencing the acquisition of basic human needs including housing, food and clothing. The following parameters will be monitored during the construction phase:

- Labour income – direct income earned by workers from employment on the project
- Taxes paid:
 - Provincial sales tax
 - Payroll tax
 - Corporate capital tax
 - Fuel tax

Labour income that will be calculated using aggregate information on wages paid to employees based on information provided by contractors and Manitoba Hydro. Taxes paid will reflect Manitoba Hydro's actual payments to government associated with the project - examples include sales tax, payroll tax, corporate capital tax and fuel tax.

7.5 Infrastructure and services

7.5.1 Transportation

The construction of each major component will have distinct effects on the existing road network. The road network consists of provincial highways and municipal roads in southeast Manitoba. Each Project component has unique traffic generation, vehicle mix, travel patterns and mode choices, which are variable throughout the life of the Project.

Parameters to be monitored during the construction phase will include:

- Traffic volumes – compare actual traffic volumes from estimates in the EIS at key locations in the Manitoba – Minnesota Transmission Project area;
- Traffic accidents and near misses on key roadways through Manitoba Hydro reporting processes.

Existing Manitoba Infrastructure and Transportation traffic counters or other methods will be used to acquire monitoring information relating to traffic.

Traffic accidents and near misses will be obtained through Manitoba Hydro reporting processes.

7.6 Outfitting and falconry

7.6.1 Outfitter resource use

The objective of the black bear bait site camera trap survey is to analyse bear occurrence and prevalence at bait site locations prior to, during and post construction of the Project.

Manitoba Hydro is planning to continue its work with a local black bear outfitter in the project area to further understand potential construction effects. Camera traps were established at bait sites within the Project Development Area and in control areas to understand baseline conditions of bear occurrence and prevalence. As some bait sites are in close proximity to the Final Preferred Route, it is possible that their use may be affected by the Project. Manitoba Hydro will be analyzing bear observations at bait sites as a function of distance to project and lbs of bait, before and during construction.

7.6.2 Peregrine falcon conservation center

The objective of the peregrine falcon flight recordings is to measure peregrine falcon movements around the conservation center and proposed project right of way prior to, during and post construction of the Project

Manitoba Hydro is planning to continue its work with a local peregrine falcon conservation centre in the project area to further understand potential development effects on their operations. In 2016, Manitoba Hydro provided a Marshall GPS System radio transmitter and a supporting Ipad device to Parkland Mews to help them understand and record movements and flight patterns of peregrine falcons bred at the conservation centre. This flight information is digitally recorded and will baseline information of peregrine falcon movements in the local region. Data collected will include total distance travelled from the conservation centre, location of preferred perch sites, number of times a bird traverses or parallels the project ROW, and any project related mortalities. As such, peregrine conservation center monitoring will test the following null and alternate hypotheses:

Hypothesis:

- H_0 (null): The operation of the transmission line does not affect the traversing or perching of peregrine falcons.
- H_1 (alternate): The operation of the transmission line does affect the traversing

or perching of peregrine falcons.

To test this hypothesis, a Control-Impact study design will be implemented. The Before-After Control-Impact design study cannot be implemented for this study as any effects are not expected prior to the installation of the transmission lines.

7.7 Agriculture

7.7.1 Agricultural Land

The methods to be utilized to conduct the soil productivity monitoring program are summarized below.

Image Acquisition

Imagery will be collected from remote satellite to support analysis. Depending on availability, we expect to procure data from the Sentinel-2 satellite which has sensors that provide an ideal radiometric and spatial resolution to capture crop conditions across a landscape in a cost-effective manner. The Sentinel-2 satellite collects multispectral data, including Blue (465-520 nm), Green (540-575 nm), Red (650-685 nm) and Near Infrared (NIR) (800-915 nm) wavelengths. It collects this data at 10 meter resolution and on a 10-day revisit period. The sensor is affected by atmospheric interference such as clouds, fog, rain or smoke and requires cloud free conditions to collect surface spectral reflectance information. Satellite image acquisition for the MMTP RoW may require multiple orbital paths due to the sheer extent of the area of interest. Due to cloud cover, a long repeat coverage period and a high level of orbital overlap, multiple orbital tracks may be required over varying dates to compile a single imagery mosaic for all the RoW sections.

Image Processing

All satellite imagery will be atmospherically corrected using appropriate software. Individual images will be clipped and mosaicked together creating continuous coverages of agricultural land use areas of MMTP.

Normalized Difference Vegetation Index

Imagery will be processed to quantify agricultural crop health by implementing the NDVI formula. NDVI is a measure of vegetative vigor or plant health using the Red and NIR channels of the electromagnetic spectrum. NIR energy is highly reflected by healthy

vegetation while Red wavelengths are highly absorbed by vibrant vegetation (Figure 1). This relationship is not as strong in stressed vegetation and is non-existent in dead vegetation. This unique vegetative property, provides detail on vegetation health and is exemplified in the NDVI formula; $(NIR - RED) / (NIR + RED) = NDVI$.

NDVI values range from 1 (healthy vegetation) to -1 (non-vegetation). Results of the NDVI formula can vary from one landscape to another but typically areas of water, sand, or infrastructure show very low NDVI values (for example, -0.5 or less). Bare soil usually scores near 0.0 on the NDVI scale range. Sparse vegetation such as shrubs and grasslands or senescing crops may result in moderate NDVI values (approximately 0.1 to 0.4). High NDVI values (approximately 0.5 to 0.9) correspond to dense vegetation such as that found in temperate and tropical forests or crops at their peak growth stage.




Figure 1. Spectral Reflectance Amount Variations for Blue, Green, Red and NIR Energy of Dead, Stressed and Healthy Crops Leaves

Data Analysis

Study Area Definition

In order to analyze data and evaluate for potential effects to crop productivity on the RoW from construction activities, “On RoW” and “Off RoW” study areas will be established. Two On RoW areas will be identified 1) a 80-m Corridor centered on the MMTP route centerline, and 2) a 20-m Corridor centered on the MMTP route centreline. The 80-m-wide RoW will then buffered by 80 m on both sides to create the Off RoW study areas (Figure 2). The creation of these areas allows for the comparison of NDVI

values in areas likely to be disturbed by construction (i.e., On RoW) and adjacent, comparable areas not disturbed by construction (i.e., Off RoW).




Figure 2. Conceptual Drawing of On RoW and Off RoW Study Area Corridors

Agricultural Field Management Units

The corridor study areas will be “clipped” by quarter section boundaries and then further delineated into Field Management Units (FMUs), or areas within a given quarter-section that are under agricultural crop production and with a management unit for the purposes of crop production. The location and orientation of the RoW in some cases is such that Off RoW areas on either side of the RoW may be in a different FMU with a different crop being grown in a given monitoring year. Through the delineation of FMUs, non-agricultural land uses (e.g., infrastructure such as road, rail and other transmission lines, tree/forest cover, wetlands, abandoned land, etc.) will be removed from the evaluation, and the resulting On RoW and Off RoW polygon pairs allowing for a better “apples-to-apples” comparison:

Statistical Analysis

Some basic statistical analyses will be conducted on NDVI values for On RoW areas, comparable Off RoW areas and differences between On RoW and Off RoW. The objective of these analyses will be to better understand the differences and to evaluate the potential of establishing a “threshold” value that can be used to determine with statistical confidence when a negative difference value is indicative of a practically-meaningful reduction in NDVI value On RoW relative to Off RoW. Statistical analyses will

include frequency histograms and quartile analysis to understand the character and distribution of mean On RoW and Off RoW values. For difference values, values will be plotted against the expected normal distribution, quartiles determined, and percentiles and residuals (difference between actual difference values and expected values [i.e., no difference between On RoW and Off RoW]) evaluated to visually assess distribution and identify “outliers”.

Visual Assessment

A manual visual review of the select portions of the RoW will be conducted for NDVI data in order to identify visual evidence of construction effects along the agricultural RoW. This will be completed due to an absence of reliable spatial data on construction activities that could be used to direct targeted data reviews and to confirm the sensitivity of the statistical approach in determining “real” differences relative to what the NDVI data is showing visually. The visual review will be used to identify NDVI value patterns indicative of construction disturbances around tower footprints, and linear disturbances along centreline for select FMUs identified as “negative outliers” and “positive outliers”, as well as a selection of other FMUs.

7.8 Access

7.8.1 Access Management

Access locations will be inspected for the effectiveness of access controls. This inspection work will be conducted by Manitoba Hydro workers with vehicles and on foot where required. Photos and the condition of the access point recorded at each location outlined in the construction access management plan.

This page was left intentionally blank.

8.0 References

Section 4.0

Canadian Environmental Assessment Act, 2012, S.C. 2012, c. 19, s. 52

Canadian Environmental Assessment Agency. 2012. Operational Policy Statement. Follow-up Programs under the Canada Environmental Assessment Act.

National Energy Board. 2015. NEB's Regulatory Framework. Available online at <http://www.neb-one.gc.ca/sftnvrnmnt/prtctng/index-eng.html>

Aboriginal Traditional Knowledge

Black River First Nation, Long Plain First Nation and Swan Lake First Nation. 2015. Preliminary Aboriginal Traditional Knowledge Study Community Report submitted by Black River First Nation, Long Plain First Nation and Swan Lake First Nation. 72 pp.

Dakota Plains Wahpeton Nation Traditional Knowledge Study. 2016. Manitoba-Minnesota Transmission Project. 30 pp.

Manitoba Metis Federation. 2017. The Manitoba Metis Federation Metis Land Use and Occupancy Study - Assessment of Potential Effects Prior to Mitigation. Manitoba-Minnesota Transmission Project. 413 pp.

Peguis First Nation. 2015. Report to Peguis First Nation and Manitoba Hydro - Peguis First Nation Draft Land Use and Occupancy Interview Project for the Manitoba-Minnesota Transmission Project. 32 pp.

Roseau River Anishinabe First Nation. 2015a. Oral History Interview – Bishew (Lynx). Recorded and Transcribed by June Thomas, Community Project Coordinator. May 13, 2015. 3 pp.

Roseau River Anishinabe First Nation. 2015b. Oral History Interview – Eagle Songs. Recorded and Transcribed by June Thomas, Community Project Coordinator. May 19, 2015. 3 pp.

Roseau River Anishinabe First Nation. 2015c. Roseau River Anishinabe First Nation Aboriginal Traditional Knowledge Report. 8 pp.

Sagkeeng O-Pimatiziiwin 2. 2015. Traditional Knowledge Study. Manitoba Minnesota Transmission Project. 32 pp.

Vegetation and Wetlands

Black River First Nation, Long Plain First Nation and Swan Lake First Nation. May 2015. Aboriginal Traditional Knowledge Study Community Report. Prepared for the Manitoba Minnesota Transmission Line Project.

Government of Canada. 2015. Canadian Wildlife Species at Risk. Committee on the Status of Endangered Wildlife in Canada (COSEWIC), Canadian Wildlife Service, Environment Canada, Gatineau, QC. Available at: http://www.cosewic.gc.ca/eng/sct5/index_e.cfm.

Government of Canada. 2015. *Species at Risk Act* (SARA). Available at: <http://laws-lois.justice.gc.ca/eng/acts/S-15.3/>.

Government of Canada. 1991. The Federal Policy on Wetland Conservation. Director General, Canadian Wildlife Service, Ottawa, Ontario. Available at: <http://publications.gc.ca/collections/Collection/CW66-116-1991E.pdf>.

Government of Manitoba. 2015. *Endangered Species and Ecosystems Act* (MESEA). Available at: <http://web2.gov.mb.ca/laws/statutes/ccsm/e111e.php>.

Government of Manitoba. 2015. MBCDC Species of Conservation Concern: Conservation Data Centre Ranks (Global and Provincial). Available at: <http://www.gov.mb.ca/conservation/cdc/consranks.html>. Accessed May 2015.

Hanson, A., L. Swanson, D. Ewing, G. Grabas, S. Meyer, L. Ross, M. Watmough, and J. Kirkby. 2008. Wetland Ecological Functions: Assessment: An Overview of Approaches. Canadian Wildlife Service: Technical Report Series Number 497. Atlantic Region. 56 pp.

Halsey, L.A., D.H. Vitt and S.C. Zoltai. 1997. Climate and physiographic controls on wetland type and distribution in Manitoba, Canada. *Wetlands*, 17(2): 243-262.

National Wetlands Working Group. 1997. Canadian Wetland Classification System. *Eds* B.G. Warner and C.D.A. Rubec. Wetlands Research Center, University of Waterloo, Ontario Canada.

Redburn, M.J. and W.L Strong. 2008. Successional development of silviculturally treated and untreated high-latitude *Populus tremuloides* clearcuts in northern Alberta, Canada. *Forest Ecology and Management*, 255: 2937-2949.

Roth, A.M., Rohrbaugh, R.W., Aldinger, K., Bakermans, M.H., Barker Swarthout, S., Buehler, D.A., Confer, J.L., Crawford, D., Friis, C., Fowlds, R.M., Larkin, J.L., Loegering, L.J., Lowe, J.D., Piokowski, M., Rosenberg, K.V., Smalling, C., Terhune, T.M., Vallender, R., Will, T., and Wood, P.B. 2012. Golden-winged warbler breeding season conservation plan. In Roth, A.M. Rohrbaugh, R.W., Will, T., Beuhler, D.A. editors. Golden-winged warbler status review and Conservation Plan. Available from.

Wildlife and Wildlife Habitat - Amphibians and Reptiles

Bennett, S.H., J.L. Waldron and S.M. Welch. 2012. Light bait improves capture success of aquatic funnel-trap sampling for larval amphibians. *Southeastern Naturalist*, 11(1):49-58.

Environment Canada. 2009. Petroleum Industry Activity Guidelines for Wildlife Species at Risk in the Prairie and Northern Region. Canadian Wildlife Service, Environment Canada, Prairie and Northern Region, Edmonton Alberta. 64p.

Kendell, K. 1998. Red-sided garter snake (*Thamnophis sirtalis parietalis*) literature review. Submitted to Alberta Environmental Protection, Natural Resources Service, Fisheries and Wildlife Management Division. 38 pp.

Kendell, K. 2002. Survey Protocol for the Northern Leopard Frog. Alberta Species at Risk Report No. 43. Available at: <http://esrd.alberta.ca/fish-wildlife/species-at-risk/species-at-risk-publications-web-resources/amphibians/documents/SAR43-SurveyProtocol-NorthernLeopardFrog-Feb2002.pdf>.

Mossman, M.J., L.M. Hartman, R. H. Hay, J. R. Sauer and B. J. Dhuey. 1998. Monitoring long-term trends in Wisconsin frog and toad populations. Pp. 169-198 /in M. J. Lannoo (Ed.). Status and Conservation of Midwestern Amphibians. University of Iowa Press, Iowa City, Iowa.

Saskatchewan Ministry of Environment. 2014a. Amphibian auditory survey protocol. Fish and Wildlife Branch Technical Report No. 2014-1.0. 3211 Albert Street, Regina, Saskatchewan. 11pp.

Saskatchewan Ministry of Environment. 2014b. Amphibian visual survey protocol, Fish and Wildlife Branch Technical Report No. 2014-2.0. 3211 Albert Street, Regina, Saskatchewan. 9pp.

United States Geological Service (USGS). 2012. North American amphibian monitoring program NAAMP. United States Geological Service. Available online at https://www.pwrc.usgs.gov/naamp/naamp_protocol.pdf. Accessed January 8, 2015.

Wildlife and Wildlife Habitat - Birds

Artuso, C. 2009. Golden-winged warbler in Manitoba. Unpublished report (13 October 2009) by Bird Studies Canada. 18pp

Avian Power Line Interaction Committee (APLIC). 2012. Reducing Avian Collisions with Power Lines: The State of the Art in 2012. Edison Electric Institute and APLIC. Washington, D.C.

Balderson, K., D. Eslinger and J. Nicholson. 2013. Greater sage-grouse (*Centrocercus urophasianus*) monitoring in southeast Alberta: 1968-2012. Alberta Species at Risk Report No. 147, Alberta Environment and Sustainable Resource Development. 28pp.

Barrientos, R., J.C. Alonso, C. Ponce and C. Palacín. 2011. Meta-analysis of the Effectiveness of Marked Wire in Reducing Avian Collisions with Power Lines. *Conservation Biology*, 25: 893–903.

Canadian Wildlife Service. 2007. Recommended Protocols for Monitoring Impacts of Wind Turbines on Birds. Prepared by Canadian Wildlife Service/Environment Canada. Available at: <http://www.ec.gc.ca/Publications/C8CE090E-9F69-4080-8D47-0622E115A4FF/CWSWindTurbineAndBirdsMonitoringGuide2007.pdf>

De la Zerda, S. and L. Rosselli. 2002. Mitigating Collisions of Birds against Transmission Lines in Wetland Areas in Colombia by Marking the Ground Wire with Bird Flight Diverters (BFD), *In* Proceedings of the Seventh International Symposium on Environmental Concerns in Rights-of-Way Management (Eds.: J.W. Goodrich-Mahoney, D. Mutrie and C. Guild). Elsevier Science Ltd. Pages 395-402.

Environment Canada. 2014. Recovery Strategy for the Golden-winged Warbler (*Vermivora chrysoptera*) in Canada [Proposed]. Species at Risk Act Recovery Strategy Series. Environment Canada, Ottawa. vi + 57 pp.

Gibson, D., E.J. Blomberg, G.L. Patricelli, A.H. Krakauer, M.T. Atamian and J. S. Sedinger. 2013. Effects of radio collars on survival and lekking behavior of male Greater Sage-

Grouse. *The Condor* 115(4):769–776
Government of Alberta. 2013. Sensitive Species Inventory Guidelines. Accessed January 2017 from <http://esrd.alberta.ca/fish-wildlife/wildlife-management/documents/>.

Morkill, A.E. and S.H. Anderson. 1991. Effectiveness of Marking Powerlines to Reduce Sandhill Crane Collisions. *Wildlife Society Bulletin*, 19:442–449.

Phillips, J.B. 1990. Lek behaviour in birds: do displaying males reduce nest predation? *Animal Behaviour* (39): 555–565.

Wisconsin Department of Natural Resources (WDNR). 2013. Sharp-tailed Grouse Survey Protocol.

Wildlife and Wildlife Habitat - Mammals

Anderson, D.R., and K.P. Burnham. "Avoiding pitfalls when using information-theoretic methods." *The Journal of Wildlife Management* (2002): 912–918.

Jalkotzy, M.G. Selected Ecological Resources of Alberta's Castle Carbondale: A Synopsis of Current Knowledge. Arc Wildlife Services, 2005.

Kays, R., P.A. Jansen, C. Carbone & M. Rowcliffe. 2009. Camera traps as sensor networks for monitoring animal communities. *International J. of Research and Reviews in Wireless Sensor Networks (IJRRWSN)* 1(2): 19–29.

Kie, J.G. 1988. Performance in wild ungulates: measuring population density and condition of individuals. USDA. Forest Service. General Tech. Rep. PSW-106. 21 pp.

Kie, J.G., R.T. Bowyer, M.C. Nicholson, B.B. Boroski & E.R. Loft. 2002. Landscape heterogeneity at differing scales: effects on spatial distribution of mule deer. *Ecology* 83:530–544.

Kie, J.G., R.T. Bowyer & K.M. Stewart. 2003. Ungulates in western forests: habitat requirements, population dynamics, and ecosystem processes. Pp 296–340 in *Mammal Community Dynamics: Management and Conservation in the Coniferous Forests of Western North America*. C.J. Zabel & R.G. Anthony (eds). Cambridge University. New York.

Leavesley, Kelly. 2015. Regional Wildlife Manager, Manitoba Conservation and Water Stewardship, Lac Du Bonnet, MB. Correspondence with Mike Sweet, Stantec Consulting Ltd., Winnipeg, MB, March 30, 2015.

Linnell, J. D., Swenson, J.E, Andersen, R., and B. Barnes. 2000. How vulnerable are denning bears to disturbance? *Wildl. Soc. Bull.* 28: 400–413.

Minnesota Department of Natural Resources. 2009. Strategic management plan for elk. Minnesota Dept. Nat. Resour. 35 pp. On-line at:
http://files.dnr.state.mn.us/recreation/hunting/elk/elk_mgt_plan.pdf.

Pelton, M. R., A. B. Coley, T. H. Eason, D. L. Doan Martinez, J. A. Pederson, F. T. van Manen, & K. M. Weaver. 1999. American black bear conservation action plan. In: C. Servheen, S. Herrero, and B. Peyton (eds). Bears. Status survey and conservation action plan. pp: 144-146. IUCN/SSC Bear and Polar Bear Specialist Groups. IUCN, Gland, Switzerland and Cambridge, UK.

Pelton, M.R. 2000. Black Bear. In: Demarais, S. and P.R. Krausman (eds). Ecology and Management of Large Mammals in North America. Prentice-Hall Inc., Upper Saddle River, New Jersey. pp 389-408.

Storlie, J.T. Movements and habitat use of female Roosevelt elk in relation to human disturbance on the Hoko and Dickey Game Management Units, Washington. Diss. Humboldt State University, 2006.

Rebizant, Ken. 2015. Big Game Manager, Manitoba Conservation and Water Stewardship, Winnipeg, MB. Interview with Mike Sweet, Stantec Consulting Ltd., Winnipeg, MB, March 9, 2015.

Reimers, E., K. Flydal & R. Stenseth. 2000. High voltage transmission lines and their effect on reindeer: a research program in progress. *Polar Research* 19(1): 75-82.

Rogers, L.L. & A.W. Allen. 1987. Habitat suitability index models: black bear, Upper Great Lakes Region. US Dept. of Interior. Fish and Wildlife Serv. Washington. 54 pp.

Section 5.0

Canadian Environmental Assessment Agency. 2015. Practitioners Glossary for the Environmental Assessment of Designated Projects under the Canadian Environmental Assessment Act, 2012. Available online at <https://www.ceaa-acee.gc.ca>.

British Columbia Ministry of Forests and Range. 2015. Defining Adaptive Management. Accessed online at <https://www.for.gov.bc.ca> in June 2015.

British Columbia Environmental Assessment Office. 2013. Guideline for the Selection Valued Components and Assessment of Potential Effects. Available online at http://www.eao.gov.bc.ca/pdf/EAO_Valued_Components_Guideline_2013_09_09.pdf.

Manitoba Hydro. 2013. Bipole III Environmental Protection Plan. Available online at https://www.hydro.mb.ca/projects/bipoleIII/pdfs/environmental_protection/bipoleIII_environmental_protection_plan.pdf

APPENDIX A

SUMMARY OF CONSULTATION

This page was left intentionally blank.

Appendix A: Summary of consultation

Introduction

Below is a summary and evidence of Manitoba Hydro's consultation with potentially affected persons, organizations, Indigenous communities, and federal and provincial authorities regarding the Environmental Management Plan (the Plan), including any concerns that were raised, steps that Manitoba Hydro has taken or will take to address those concerns.

Consultation

Draft environmental protection and management plans, including this Plan were uploaded to the Project website and a web page was created in October 2018, including a fillable comment form to provide feedback.

As Manitoba Hydro completed draft plans, Indigenous communities and organizations, landowners, interested parties and the public were notified. Over the course of project planning, Manitoba Hydro communicated with Indigenous communities through the First Nation and Metis Engagement Process, then later formed a Monitoring Committee in response to concerns shared. Both groups invite participation from the same 25 different Indigenous communities and organizations:

- Black River First Nation
- Brokenhead Ojibway Nation
- Buffalo Point First Nation
- Dakota Plains Wahpeton
- Dakota Tipi First Nation
- Long Plain First Nation
- Peguis First Nation
- Roseau River Anishinabe First Nation
- Sagkeeng First Nation
- Sandy Bay Ojibway First Nation
- Swan Lake First Nation
- Iskatewizaagegan 39 Independent First Nation
- Shoal Lake 40 First Nation
- Sioux Valley Dakota Nation
- Waywayseecappo First Nation
- Canupawakpa Dakota Nation
- Birdtail Sioux First Nation
- Animakee Wa Zhing #37
- Anishnaabeg of Naongashiing
- Northwest Angle #33
- Manitoba Metis Federation
- Aboriginal Chamber of Commerce
- Assembly of Manitoba Chiefs
- Dakota Ojibway Tribal Council
- Southern Chiefs Organization

Input was sought between May of 2018 until present. Manitoba Hydro sought feedback on most plans in October of 2018. This was done through the Project website, MMTP Monitoring Committee website, e-campaign, emails, and letters to landowners.

The construction environmental protection plan and associated management plans, including this Plan, have been discussed at two MMTP Monitoring Committee meetings on May 17, 2018 and October 10, 2018. As noted above, the Project website was shared with communities via email and the Plan was also posted on the MMTP Monitoring Committee website.

Concerns raised and steps taken to address concerns

Manitoba Hydro received feedback on this Plan from a MMTP Monitoring Committee Representative Dakota Tipi First Nation (Table 1), Peguis First Nation (Table 2), a MMTP Monitoring Committee Representative from Peguis First Nation (Table 3) and the Southern Chiefs' Organization (Table 4). Manitoba Hydro reviewed the feedback, updated the Plan where appropriate including the list of revisions table and provided commenters with a table including their comments and Manitoba Hydro's responses. As a result of this no further feedback has been received from these communities/organizations with regard to this Plan.

Table 1 Comments from a MMTP Monitoring Committee Representative from Dakota Tipi First Nation

Section	Comments from Dakota Tipi First Nation	Manitoba Hydro response, steps taken and rationale
Overall	I reviewed the cultural and heritage resources protection plan, I'm very satisfied with hydro respect and transparent aspect to the plan, as well with the other 10 plans, Dakota Tipi first nation and myself look forward to a respectful positive outcome for all living spirits that will be involved in the construction of the MMTP project	Manitoba Hydro also looks forward to continuing to work with Dakota Tipi First Nation and thanks the Committee Representative for their review of the plans

Table 2 Comments from Peguis First Nation

Section	Comments sent via Peguis First Nation	Manitoba Hydro response, steps taken and rationale
Section 2.3 scope of work	<p>This section states that “A cultural and heritage resources protection plan (CHRPP) will also be developed that outlines Manitoba Hydro’s commitment to safeguard cultural and heritage resources an provide information on how to appropriately handle human remains or cultural and heritage resources discovered or disturbed during construction of the Project.”</p> <p>Only section 4.2.1 notes that archaeological sites are considered a VC.</p> <p>Does culture and heritage fall under the EIS or does the CHRPP exist outside of the EIS? This is not clear in the body of this document.</p>	The CHRPP exists outside of the EIS as a component of the Environmental Protection Program

Section	Comments sent via Peguis First Nation	Manitoba Hydro response, steps taken and rationale
<p>Section 2.6.1 traditional knowledge</p>	<p>This section states that “More detailed information regarding Aboriginal Traditional Knowledge Studies completed can be found in Chapter 4.0 of the project EIS.”</p> <p>In 4.5.1 FNMEP Influence on the Project the EIS states that:</p> <p>“...Common concerns and perspectives were shared among those engaged, including: ... concern about practices if construction crews encounter an unidentified cultural, heritage or burial site...”</p> <p>No further mention appears to be made of these concerns. A peruse of chapter 4 shows that almost every Nation that has been involved in the EIS mentions the importance of cultural and heritage sites, but the only response in that document is along the lines of ‘MB Hydro considered these concerns.’</p> <p>What does “considered these concerns” mean?</p>	<p>General routing preferences heard through the FNMEP included avoiding Crown land where possible to protect for TLE selection opportunities, protecting intact natural areas and wildlife, protecting important plant harvest areas, and culturally or historically important sites. A key goal of the FNMEP is to integrate perspectives raised through engagement into the routing and assessment process and the environmental protection program. Transmission line routing is a preferred form of mitigation for potential effects on people and the</p>

Section	Comments sent via Peguis First Nation	Manitoba Hydro response, steps taken and rationale
		<p>environment. By routing the transmission line away from key areas of concern, potential effects to these valued areas can be avoided.</p>
	<p>Is archaeological investigation of these areas part of MB Hydro's plans, and if not, why not?</p>	<p>Specific sites from Indigenous communities that intersected the Project ROW were included as cultural and heritage sensitive sites and were investigated by the Project Archaeologist</p>
	<p>In Chapter 12 in 12.2.1 (Hydro September 2015) it states:</p> <p>“The LAA for each of the proposed station expansions is the PDA. Development at all three station locations will be confined to areas that have been previously disturbed by past land uses (Map Series 12-100).”</p> <p>Disturbance of an archaeological site by past land uses does not always</p>	<p>All three sites have been cleared archaeologically.</p>

Section	Comments sent via Peguis First Nation	Manitoba Hydro response, steps taken and rationale
	eliminate that site, nor the artifacts remaining in disturbed context. If this quote is speaking about site disturbance by agricultural plowing, many sites exist below the normal plow zone. As well, sites that have been disturbed still have archaeological significance. Materials recovered from disturbed archaeological sites are still valuable both informationally and culturally. Does the statement quoted above indicate that MB Hydro means to disregard further damage to archaeological sites?	
	Will there be any mitigation of these sites or will monitoring be the only response?	There were no cultural or heritage resource sites to mitigate or monitor at the stations. The CHRPP is the mechanism for previously undiscovered resources to be handled.
	If monitoring only, will the project archaeologist be on site for construction activities or will the archaeologist be informed by field staff if and when archaeological materials are encountered?	See above
	What are the guarantees that field staff have the training necessary to recognize archaeologically significant materials?	Please refer to the CHRPP
	Why does MB Hydro lean so heavily towards monitoring of known sites under threat prior to construction activities and not mitigation?	It depends on the potential for intact deposits and the scope of

Section	Comments sent via Peguis First Nation	Manitoba Hydro response, steps taken and rationale
		<p>the impact. The ultimate decision is made by the HRB.</p> <p>This plan is also designed for construction – therefore all the Assessment would have been completed. Monitoring works in conjunction with construction.</p>
	<p>Is MB Hydro willing to mitigate sites prior to construction? If not, why not?</p>	<p>The question is conflating mitigation and excavation. If we avoid a site, avoidance is mitigation. If we decide to monitor a site, monitoring is mitigation. Excavation is a last resort as it should be.</p> <p>Many sites are small or isolated finds and usually are salvaged at the time of</p>

Section	Comments sent via Peguis First Nation	Manitoba Hydro response, steps taken and rationale
		discovery by collecting all heritage resources and conducting sub-surface testing.
Section 4.2.1 valued component selection	<p>“VCs are environmental elements that have the potential to interact with the Project and that met one or more of the following criteria: ... are of scientific, historical, archaeological importance ...”</p> <p>Table 4-1 does not list historical or archaeological VCs. Why?</p>	Cultural and heritage monitoring is not part of this plan; it is part of the CHRPP.
	As well, historical, or archaeological VCs are listed as part of the monitoring activities planned by MB Hydro. Does MB Hydro have plans currently in place for mitigation of newly discovered sites, or will monitoring be the only option in situations where existing sites are impacted or where newly encountered sites are concerned?	Please refer to the CHRPP
	In Chapter 7 of the EIS (Table 7.9) states that Heritage Resources and Archaeological and historical sites, etc are listed as being under the purview of the NEB (for heritage resources) and MCWS (for archaeological and historical sites, etc). Does this mean areas within federally regulated land as well as areas that fall under provincial laws, or only federal lands? Is the Historic Resources Branch of the Province of Manitoba not responsible for these sites?	There is no Federal legislation for heritage resources. It is the governed by each individual Province and Territory.

Section	Comments sent via Peguis First Nation	Manitoba Hydro response, steps taken and rationale
	The concern that I have about archaeological sites along the MMTP route is that most of the literature appears to concern itself only with sites already known	

Table 3 Comments from a MMTP Monitoring Committee Representative from Peguis First Nation

Section	MMTP Monitoring Committee representative comments from Peguis First Nation	Manitoba Hydro response, steps taken and rationale
Page 1 - 1.1 Project Overview:	<p>Statement “The proposed project is required for the following reasons; 1. Export power to the united states based on current sales agreements, 2. Improve reliability and import capacity in emergency and drought situation, 3. Increase access markets in the united states”.</p> <p>Question/Concerns: United states benefits along with MBH and to assist with projects Manitoba costumers have rate increases to accommodate the building of the line. Where did the money come from and where does the shortfall come from for MBH to do this financially?</p>	<p>The MMTP Environmental Impact Statement describes the need for the project and financial rationale in the Project Description (Chapter 2 Section 2.2). This section references a review conducted by the Public Utility Board.</p> <p>Additionally, a description of how sales to export markets helps keep energy prices low for Manitobans is provided in Chapter 23.</p> <p>“One of the key drivers of this Project is to assist in maintaining low Manitoba electricity rates. A long-time and successful strategy of Manitoba Hydro to provide hydroelectricity</p>

Section	MMTP Monitoring Committee representative comments from Peguis First Nation	Manitoba Hydro response, steps taken and rationale
		<p>in an affordable manner has been to build generating capacity in advance of domestic need and to export the surplus power to fund a significant portion of the infrastructure costs. This strategy has allowed Manitoba Hydro to offer among the lowest rates in North America on a consistent basis, providing the province with a major incentive for industrial development, thus encouraging economic development with minimal environmental footprint. The MMTP is integral to the continuation of that successful developmental strategy.” (Page 23-6)</p>
<p>Page 7 – 2.6.2 Ongoing First Nations and Metis Engagement Process:</p>	<p>Statement “The ongoing FNMEP would include inviting first nations, MMF, Indigenous organizations representatives to attend regular field trips”, and “To enhance traditional knowledge transfer amongst generations, educate youth about Manitoba Hydro’s EPP and explain environmental career opportunities for youth, separate field trips involving youth and elders”</p> <p>Question/Concern: When do the field trips take</p>	<p>The MMTP Monitoring Committee will be involved in coordinating when field trips with Elders and youth will take place. Committee members are encouraged to suggest when field trips should take place.</p>

Section	MMTP Monitoring Committee representative comments from Peguis First Nation	Manitoba Hydro response, steps taken and rationale
	place for the youth?	
Page 22 (is in wrong order of the binding case)	<p>Plant Species of conservation Concern: Table 4.4 task description – rare plants surveys – desktop, key person interview and field surveys.</p> <p>Question/Concerns: Who does the surveys and the interviews for the plants?</p>	<p>In addition to the Manitoba Hydro contracted botanists hired to conduct surveys and key person interviews for plants (Stantec and Szwaluk Environmental Consulting Ltd), the MMTP Monitoring Committee has contracted a botanical study to Elder Dave Daniels. A report of his team's results was provided at a Committee meeting and presented by his team.</p> <p>Should further sites be identified as containing rare or culturally important species, additional Environmentally Sensitive Sites can be developed.</p>
Page 64 – 7.1.1 Stream Crossing Assessments:	<p>Statement “The presence of slash or disturbed sediment within the buffer will be recorded”.</p> <p>Question/Concern: How will the negative findings be fixed? Who do are the findings reported and to whom?</p>	<p>The identification of non-compliance with the environmental protection plan by the environmental inspectors or monitor will recorded and reported to the contractor and Manitoba Hydro environmental protection and implementation team for remediation.</p>

Table 2 Comments from Southern Chiefs' Organization

Page #	Section	Comments from Southern Chiefs' Organization	Manitoba Hydro response, steps taken and rationale
3	1.2 Environmental Protection Program	This plan can benefit from having Indigenous people's involvement within almost every step of the plan, so that many can be informed of the dire importance of protecting, preserving, and respecting our land and resources.	Section 2.6 has been updated to show how the Project will work with the MMTP Monitoring Committee to incorporate Indigenous involvement in monitoring and inspecting. Information on the MMTP monitoring committee can be found at https://www.mmtpmonitoring.com/
4	2.0 Environmental Monitoring	Monitoring should be mandatory, not just "considered".	Monitoring activities are planned for each step of the Project.
4	2.0 Environmental Monitoring	How often, when, where will we find the evaluations and reports?	Monitoring reports will be filed with regulators annually. Reporting and communication with First Nations and Metis has been updated in Sections 2.6 and 6.0. Information on how the MMTP monitoring committee will be involved in evaluation and reporting can be found at https://www.mmtpmonitoring.com/
4	2.0 Environmental	Doesn't this contradict the previous paragraph? Now here it says the	Environmental Protection Information Management Systems (EPIMS) is an internal database that Manitoba

Page #	Section	Comments from Southern Chiefs' Organization	Manitoba Hydro response, steps taken and rationale
	Monitoring	information will be transferred amongst the Project team.	Hydro utilizes to organize and coordinate Project environmental information between various internal departments. This database helps ensure that all staff can access environmental data in in a coordinated fashion. It also helps ensure that Manitoba Hydro can quickly and reliably report on environmental issues to regulators and Indigenous groups.
5	2.4 Management and Coordination	The team could benefit from having an Indigenous person with TK and knowledge on what to watch out for, on the team for monitoring and inspecting.	Section 2.6 has been updated to show how the Project will work with the MMTP Monitoring Committee to incorporate Indigenous involvement in monitoring and inspecting. Information on the MMTP monitoring committee can be found at https://www.mmtppmonitoring.com/
6	2.5 Public Comments and Engagement	It would help to specify how often, so the public will have a time frame as to how long it will take for inquiries to be addressed.	A Project communication plan will be developed to describe communication schedule.
6	2.6.2 Ongoing First Nations and Metis Engagement	Were the approaches successful? Where can we find information on the progress of these project follow-ups and monitoring programs?	Section 2.6 has been updated and includes more detailed information about the MMTP Monitoring Committee. Information on the MMTP monitoring committee can be found at https://www.mmtppmonitoring.com/

Page #	Section	Comments from Southern Chiefs' Organization	Manitoba Hydro response, steps taken and rationale
7	2.6.2 Ongoing First Nations and Metis Engagement	How will these communities and groups become aware of this opportunity to participate in these field trips?	Section 2.6 has been updated and includes more detailed information about the MMTP Monitoring Committee. Information on the MMTP monitoring committee can be found at https://www.mmtppmonitoring.com/
7	2.6.2 Ongoing First Nations and Metis Engagement	Make sure to acquire permission and follow protocols in order to take photographs and video beforehand as some Indigenous knowledge and experiences are deemed sacred.	This is noted and will be shared with Project staff.
15	Figure 4-1 Proposed Monitoring Activities Schedule	Monitoring activities could benefit from an Indigenous persons involvement, this would give First Nations and Metis piece of mind knowing that they don't have to worry about the mishandling of land, water, and wild life.	Section 2.6 has been updated to show how the Project will work with the MMTP Monitoring Committee to incorporate Indigenous involvement in monitoring and inspecting. Information on the MMTP monitoring committee can be found at https://www.mmtppmonitoring.com/
17	4.3.1. Water Course Crossings	The risk effect is quite extreme in this case, is there no other means of mitigation that could result in the water course crossings not being effected at all? We need to preserve	The construction environmental protection plan outlines detailed mitigation measures for riparian areas including river crossings. These include restrictions such as limited vehicle use and requirements to hand clear vegetation near

Page #	Section	Comments from Southern Chiefs' Organization	Manitoba Hydro response, steps taken and rationale
		and protect habitats, not destroy them.	water bodies.
18	4.3.1. Water Course Crossings	What is the time frame in which these results would be accessible? Also where will they be posted? How will these groups mentioned be notified or made aware of the purpose of the reports and the availability?	Monitoring reports will be filed with regulators annually. Reporting and communication with First Nations and Metis is further outlined in the updated Section 2.6 and 6.0. Information on the MMTP monitoring committee can be found at https://www.mmtppmonitoring.com/ . Monitors hired for monitoring positions with the MMTP monitoring committee will report at a frequency set by Committee members.
20	4.4.1 Wetlands	To avoid any harmful effects that may show up later this should be done annually (at the least), so that any effects occurred may be mitigated as soon as possible.	Evidence from other recent Manitoba Hydro transmission projects has shown that effects are usually identified soon after initial project clearing. Monitoring occurs annually through construction phase and mitigation measures implemented as soon as possible. After construction is complete monitoring is continued every two years to identify any other effects.
26	4.4.3. Invasive	Would a new discovery of an invasive	Manitoba Hydro maintains rights-of-ways in a manner that

Page #	Section	Comments from Southern Chiefs' Organization	Manitoba Hydro response, steps taken and rationale
	plant species	species along ROW trigger an immediate meeting to address any mitigation efforts that should be made?	supports the growth of low-growing species. Manitoba Hydro will implement a weed management strategy that will focus on preventing and managing the spread and introduction of noxious weeds onto and along the project right of ways. This adaptive management process involves the use of various methods in a cost-effective and responsible manner to reduce the use of herbicides, and facilitate management of weed species as per the Noxious Weeds Regulation. Please see the Biosecurity Management Plan for more information on this topic.
27	4.4.4. Traditional Use Plant Species	It should be discussed with and agreed upon by MB Hydro and the First Nations and the MMF of the frequency in which the ground surveys should take place to preserve traditional use plants.	The MMTP Monitoring Committee will be involved in advising on traditional use plant species monitoring. The MMTP Monitoring Committee is also responsible for hiring its own monitors who will report at a frequency determined by the Committee.
28	4.4.4. Traditional Use Plant Species	The reporting being done on an annual basis seems like a long wait. Is there any possibility to shorten this wait, especially if harmful effects have occurred?	The MMTP Monitoring Committee will be involved in advising on traditional use plant species monitoring.















Page #	Section	Comments from Southern Chiefs' Organization	Manitoba Hydro response, steps taken and rationale
43	4.5.6. Golden winged warbler habitat	Frequency should be more frequent for endangered species.	The Golden-winged Warbler (<i>Vermivora chrysoptera</i>) is listed as Threatened on Schedule 1 of the Species at Risk Act, not endangered. Section 4.5.6. has been updated to extend monitoring for golden-winged warblers to 10 years post-construction.
58	4.6.3.1 Outfitter Resource Use	All on site workers should be made aware how to avoid attracting bears such as proper garbage and food disposal to avoid the endangerment of workers and bears.	The construction environmental protection plan outlines detailed mitigation measures for waste management, housekeeping and preventing the feeding of wildlife, including bears.
63	6.0 Reporting	As per my previous comments, the reporting could benefit the project and surrounding communities by being completed more frequently than the suggested time frame of "annually". That way the community will stay informed and any objections or issues can be mitigated in a quick manner. As opposed to issues being addressed when the "damage" has already been done	The MMTP Monitoring Committee is also responsible for hiring its own monitors who will report at a frequency determined by the Committee Reporting and communication with First Nations and Metis is further outlined in the updated Section 2.6 and 6.0. Information on the MMTP monitoring committee can be found at https://www.mmtppmonitoring.com/

Page #	Section	Comments from Southern Chiefs' Organization	Manitoba Hydro response, steps taken and rationale
64	7.1.1 Stream Crossing Assessments	Emphasis on the urgency of mitigation should be top priority as once a habitat is disturbed or destroyed it cannot be repaired.	The construction environmental protection plan outlines detailed mitigation measures and inspections for stream crossings.
7.3.2.1	7.3.2.1 Bird-Wire Collisions	What about the birds that are injured by collision with the lines but die from injury further away from the boundaries set for the trained searchers of bird carcasses. Is the set boundary enough?	Estimating crippling loss is extremely difficult, therefore Manitoba Hydro employs scientifically developed bird-wire collision monitoring studies that generates results which can be compared to other studies across North America.

Draft environmental protection and management plans, were uploaded to the Project website and a web page was created in October 2018. A recent screen shot of the Manitoba Hydro Project Website is below (Figure A).

Environmental protection and management – draft plans

The draft plans are used as guides for contractors and field personnel during the construction of MMTP. They ensure environmental legislation requirements are met and the environment is protected.

-  [Clearing Management Plan \(Draft\)](#) (PDF, 882 KB)
-  [NEW Blasting Management Plan \(Draft\)](#) (PDF, 382 KB)
-  [Erosion and Sediment Control Plan \(Draft\)](#) (PDF, 8.8 MB)
-  [Golden Winged-Warbler Habitat Management Plan \(Draft\)](#) (PDF, 741 KB)
-  [Cultural and Heritage Resources Protection Plan \(Draft\)](#) (PDF, 5.8 MB)
-  [Navigation and Navigation Safety Plan \(Draft\)](#) (PDF, 5.5 MB)
-  [Waste and Recycling Management Plan \(Draft\)](#) (PDF, 3.2 MB)
-  [NEW Construction Emergency Response Plan \(Draft\)](#) (PDF, 1.2 MB)
 - [NEW Dorsey Converter Station Emergency Response Plan \(Draft\)](#) (PDF, 1.7 MB)
 - [NEW Glenboro Station Emergency Response Plan \(Draft\)](#) (PDF, 1.3 MB)
 - [NEW Riel Converter Station Emergency Response Plan \(Draft\)](#) (PDF, 3 MB)
-  [Rehabilitation and Invasive Species Management Plan \(Draft\)](#) (PDF, 7.3 MB)
-  [Biosecurity Management Plan \(Draft\)](#) (PDF, 2.2 MB)
-  [Construction Access Management Plan \(Draft\)](#) (PDF, 86.4 MB)
-  [Construction Environmental Protection Plan \(Draft\)](#) (PDF, 55.8 MB)
-  [Environmental Monitoring Plan \(Draft\)](#) (PDF, 2 MB)
-  [Integrated Vegetation Management Plan \(Draft\)](#) (PDF, 815 KB)

If you would like to provide us with your feedback on these draft plans, [complete and submit this form](#).

If you cannot view these documents or you need accessible formats, [contact us](#).

We will be adding new and updated plans as we incorporate feedback. Sign up to get notified of these changes:

Email

Figure A screen shot of Manitoba Hydro project page website

A fillable comment form to provide feedback was created in October 2018. A screen shot of the fillable comment sheet can be found below (Figure B).

Environmental protection and management – draft plans feedback

First name

Last name

Address

Phone

Email

Do you represent an Indigenous community or organization?

☐ Yes

☐ No

Draft plan(s) you reviewed (select all that apply):

☐ Access Management

- ☐ Biosecurity Management
- ☐ Clearing Management
- ☐ Construction Environmental Protection
- ☐ Cultural and Heritage Resources Protection
- ☐ Environmental Monitoring
- ☐ Erosion and Sediment Control
- ☐ Golden Winged-Warbler Habitat Management

For each plan you selected above, share your comments, concerns, and suggestions for how your concerns might be addressed.

Submit

Figure B Fillable comment form to provide feedback

Draft environmental protection and management plans were uploaded to the MMTP Monitoring Committee website in October 2018. A screen shot of the MMTP Monitoring Committee website is below (Figure C).




Figure C MMTP Monitoring Committee website screenshot

Below is a screen shot of the e-campaign that was sent to 825 recipients (Figure D.

The screenshot shows an email header with the Manitoba Hydro logo and the title "Manitoba-Minnesota Transmission Project update". The main body of the email is titled "Environmental protection and management – draft plans" and contains three paragraphs of text. The first paragraph states that feedback is being sought on draft plans, with a link to review them. The second paragraph invites recipients to share feedback by completing a form before November 30, 2018. The third paragraph mentions that new plans will be added to the website as feedback is incorporated, with a link to sign up for notifications. Below this is a "Contact us" section with a bulleted list of contact options: email, phone, and project website. At the bottom, there is a footer section with contact information, social media icons for Twitter, Facebook, LinkedIn, and YouTube, and a copyright notice.

Manitoba Hydro **Manitoba-Minnesota Transmission Project update**

Environmental protection and management – draft plans

We are looking for feedback on draft environmental protection and management plans for the Manitoba-Minnesota Transmission Project (MMTP). The [plans are available for your review](#).

We invite you to share your feedback on these draft plans. To do so, [complete and submit this form](#) before November 30, 2018.

We will be adding new and updated plans to the website as we incorporate feedback. [Sign up](#) to get notified of these changes.

Contact us

- Email the [Manitoba-Minnesota Transmission Project](#).
- Phone 204-360-7888 or toll-free 1-877-343-1631.
- Visit our [project website](#).

To ensure our email always reaches your inbox, add info@mbhydromail.ca to your address book. This email was intended for mallain@quadrantgeomatics.com.
[Unsubscribe](#) from this email.

Contact us at customerservice@hydro.mb.ca or call toll-free at 1-888-624-9376.

Manitoba Hydro, 360 Portage Ave., Winnipeg, MB R3C 0G8
204-480-5900 | www.hydro.mb.ca

© Manitoba Hydro. All rights reserved. Rev 170207.
Available in accessible formats upon request.





   

Figure D e-campaign screenshot

Below is the content from the letter sent to landowners (Figure E).



2018 10 24

«Landowner»
«Owner_address»
«City», MB «POSTAL_CODE»

Manitoba-Minnesota Transmission Project: Draft environmental protection and management plans

«Landowner»,

As part of planning for the Manitoba-Minnesota Transmission Project (MMTP), Manitoba Hydro is seeking feedback on draft environmental protection and management plans. The following is a link to the document library that contains these plans: https://www.hydro.mb.ca/projects/mb_mn_transmission/document_library.shtml.

The information you have shared regarding your land through discussions with me, Manitoba Hydro property agents, or with our Environment Officer Evan Johansson, have and will inform the details of these plans.

We would like to hear your feedback regarding these plans in a manner that works best for you. The website has a link to a comment form for the plans. Please feel free to call me at «Liaison_phone_number» to share your feedback directly or to set up a site meeting with Evan Johansson please call 204-360-3731, if you have not had the opportunity to do so. We are accepting feedback until November 30, 2018.

We will be adding new and updated plans to the website as we incorporate feedback. I encourage you to visit the Project website (www.hydro.mb.ca/mmtp) for more information or to sign up for project updates.

Please note that Manitoba Hydro will not be moving forward with construction until it has received regulatory approvals.

Yours truly,

«Liaison»

360 Portage Avenue (3) • Winnipeg Manitoba Canada • R3C 0G8
Telephone / N° de téléphone : 1-877-343-1631
MMTP@hydro.mb.ca

Figure E Content from the letter sent to landowners

Below is a screen shot of an email sent to the MMTP Monitoring Committee (Figure F).

From: Coughlin, Sarah

Sent: Friday, October 19, 2018 5:31 PM

Subject: RE: MMTP Monitoring Committee Meeting October 10, 2018

Please find attached draft minutes for the October 10, 2018 MMTP Monitoring Meeting. Please submit any changes/comments by October 31, 2018 and mark your calendars for **November 14, 2018** - the next MMTP Monitoring Meeting at Dakota Tipi First Nation offices near Portage la Prairie, Manitoba. A more detailed agenda will follow shortly, but Darryl Taylor would like to share that a drum group and feast is being planned and he would like you all to come. We'd like to talk about working together and how to move forward with the Committee. Any last changes to the Terms of Reference will be discussed at this meeting and we hope, if Committee members are comfortable, we can have the group agree to work together shortly thereafter (draft ToR and signature page is attached).

At the October 10, 2018 meeting the group was asked to provide comment on a series of draft environmental management and protection plans. Manitoba Hydro is seeking comments on these draft plans from MMTP Monitoring Committee members. Attached you'll find a short description of each to help determine if the plan is of interest to you. Each of these draft plans guides contractors and field personnel while constructing the Manitoba-Minnesota Transmission Project in a manner that meets environmental legislation requirements and protects the environment. We'd like to hear comments or concerns in a manner that works best for you. Please feel free to call me at (204)360-3016 to share your comments directly or to set up a meeting with us. You can also visit our project website at [where](https://www.hydro.mb.ca/projects/mb_mn_transmission/document_library.shtml) a comment form has been provided for the plans. We are accepting comments until November 30, 2018. The draft plans are linked here:

https://www.hydro.mb.ca/projects/mb_mn_transmission/document_library.shtml

Thank you and I look forward to seeing you on November 14!

Sarah Coughlin

Senior Environmental Specialist

Licensing & Environmental Assessment

Transmission, Manitoba Hydro

360 Portage Ave, Winnipeg, MB

w (204) 360-3016

c (204) 918-9848

scoughlin@hydro.mb.ca

Figure F Screen shot of an email sent to the MMTP Monitoring Committee

Below is a follow-up email sent to the MMTP Monitoring Committee (Figure G).

From: Coughlin, Sarah

Sent: Thursday, November 01, 2018 11:30 AM

Cc: MMTP

Subject: Manitoba Minnesota Transmission Project Draft Environmental Protection Plan Review

Good morning. As part of our ongoing engagement on the Manitoba Minnesota Transmission Project we would like to notify you that we have posted Draft Environmental Protection and Management Plans on the Project website (https://www.hydro.mb.ca/projects/mb_mn_transmission/document_library.shtml) and are looking to gather feedback on these plans by November 30th.

Please note that notification that these plans have been posted is also being shared with landowners, participants of the MMTP Monitoring Committee, and those that have signed up for e-blast notifications so you may have already received this notice through another communication avenue.

Each of these draft plans, guides contractors and field personnel while constructing the Manitoba-Minnesota Transmission Project in a manner that meets environmental legislation requirements and protects the environment. It is noted below where the plan is new or updated since provided initially through the regulatory process:

- draft Environmental Monitoring Plan (updated)
- draft Construction Environmental Protection Plan (updated)
- draft Cultural and Heritage Resources Protection Plan (updated)
- draft Biosecurity Management Plan (new draft plan)
- draft Clearing Management Plan (new draft plan)
- draft Right-of-Way Habitat Management Plan for Managing Critical Golden-winged Warbler Habitat during Construction and Operation(no change)
- draft Erosion and Sediment Control Plan (new draft plan)
- draft Navigational Safety Plan Summary (new draft plan)
- draft Rehabilitation and Invasive Species Management Plan (updated)
- draft Waste and Recycling Management Plan (new draft plan)
- draft Access Management Plan (updated)

Feel free to contact me ((204)360-3016) should you have feedback you would like to provide, or you are welcome to make use of the comment forms that are available on the website as well.

We look forward to hearing your feedback or responding to questions about this notification.

Sarah Coughlin

Senior Environmental Specialist

Licensing & Environmental Assessment

Transmission, Manitoba Hydro

360 Portage Ave, Winnipeg, MB

w (204) 360-3016

c (204) 918-9848

scoughlin@hydro.mb.ca

Figure G Follow-up email sent to the MMTP Monitoring Committee

Below is a screen shot of an email sent to interested parties (Figure H) and a list of the interested parties (Table 5)

As part of our ongoing engagement on the Manitoba Minnesota Transmission Project we would like to notify you that we have posted Draft Environmental Protection and Management Plans on the Project website (https://www.hydro.mb.ca/projects/mb_mn_transmission/document_library.shtml) and are looking to gather feedback on these plans by November 30th. You are receiving this email as you were a participant in the Clean Environment Commission Hearings and the National Energy Board hearing process for the Project.

(please note that notification that these plans have been posted is also being shared with landowners, participants of the MMTP Monitoring Committee, and those that have signed up for e-blast notifications so you may have already received this notice through another communication avenue)

Most of these draft plans were shared prior to, or during, the hearing processes. It is noted below where the plan is new since the hearing process, or updated since that time. Each of these draft plans, guides contractors and field personnel while constructing the Manitoba-Minnesota Transmission Project in a manner that meets environmental legislation requirements and protects the environment.

- draft Environmental Monitoring Plan (updated)
- draft Construction Environmental Protection Plan (updated)
- draft Cultural and Heritage Resources Protection Plan (updated)
- draft Biosecurity Management Plan (new draft plan)
- draft Clearing Management Plan (new draft plan)
- draft Right-of-Way Habitat Management Plan for Managing Critical Golden-winged Warbler Habitat during Construction and Operation(no change)
- draft Erosion and Sediment Control Plan (new draft plan)
- draft Navigational Safety Plan Summary (new draft plan)
- draft Rehabilitation and Invasive Species Management Plan (updated)
- draft Waste and Recycling Management Plan (new draft plan)
- draft Access Management Plan (updated)

Feel free to contact me (204-360-7677) or Sarah Coughlin (204-360-3016) should you have feedback you would like to provide, or you are welcome to make use of the comment forms that are available on the website as well.

We look forward to hearing your feedback.

Kind regards,

Maggie Bratland

Figure H Sample email sent to interested parties

Table 5 Manitoba Hydro's list of interested parties for the Project includes the following organizations

Interested parties list
Beausejour Community Planning Services
Beef Producers of Manitoba
Bird Atlas
Canadian Parks and Wilderness Society (CPAWS)
City of Steinbach
City of Winnipeg
Consumers Association of Canada
Cooks Creek Conservation District
Dairy Farmers of Manitoba
DOA Outfitters
Ducks Unlimited
Forest Industry Association of Manitoba
Green Action Centre
HyLife, Land Manager

Interested parties list
Integrated Resource Management Team (Eastern Region)
Keystone Agricultural Producers
La Salle Redboine Conservation District
Local Urban District of Richer, Committee Member-Chairperson
Macdonald-Ritchot Planning District
Manitoba Indigenous and Northern Relations
Manitoba Aerial Applicators
Manitoba Agriculture (Land Use)
Manitoba Agriculture (Agri-Resource Branch)
Manitoba Association of Cottage Owners
Manitoba Bass Anglers (MBA)
Manitoba Canoe & Kayak Centre - Winnipeg
Manitoba Chamber of Commerce
Manitoba Chicken Producers
Manitoba Climate Change and Air Quality
Manitoba Crown Lands
Manitoba Fly Fishing Association (MFFA)
Manitoba Forestry Association
Manitoba Groundwater Management
Manitoba Habitat Heritage Corporation
Manitoba Historic Resources Branch
Manitoba Infrastructure
Manitoba Infrastructure Highway Engineering
Manitoba Infrastructure Highway Regional Operations
Office of Fire Commissioner
Manitoba Lodges and Outfitters Association
Manitoba Paddling Association
Manitoba Parks and Regional Services - Parks and Protected Spaces
Manitoba Petroleum Branch
Manitoba Pork Council (Industry Services Co-ordinator)
Manitoba Protected Areas Initiative
Manitoba Public Health
Manitoba Resource Development Division Growth, Enterprise and Trade
Manitoba Sustainable Development
Manitoba Sustainable Development (Aboriginal Relations)
Manitoba Sustainable Development (Office of Drinking Water)
Manitoba Sustainable Development (Water Control Works and Drainage Licensing)
Manitoba Sustainable Development (Water Quality Management)
Manitoba Trails Association
Manitoba Trappers Association
Manitoba Sustainable Development (Fish and Wildlife)
Manitoba Water Use Licensing
Manitoba Woodlot Association

Interested parties list
Maple Leaf Agri-Farms
Nature Conservancy of Canada
Organic Producers Association of Manitoba Co-Operatives Inc.
Paddle Manitoba
Portage la Prairie Community Planning Services
REDBOINE BOATING CLUB
Rural Municipality of Glenboro South - Cypress
Rural Municipality of Headingley
Rural Municipality of La Broquerie
Rural Municipality of McDonald
Rural Municipality of Piney
Rural Municipality of Ritchot
Rural Municipality of Rosser
Rural Municipality of Springfield
Rural Municipality of Ste. Anne
Rural Municipality of Stuartburn
Rural Municipality of Tache
Ruth Marr Consulting
Save the Seine
Seine-Rat River Conservation District
Sharp-Tails Plus Foundation
Sno-Man Inc
South East Snoriders
Southwood Golf & Country Club
St. Norbert Ward - Winnipeg
St. Vital Ward - Winnipeg
Steinbach Community Planning Services
Steinbach Game & Fish Gun Range Inc
Town of St. Pierre Jolys
Town of Ste. Anne
Trails Manitoba
TransCanada Pipelines Limited
Travel Manitoba
Village of Glenboro
Wa Ni Ska Tan
Walleye Anglers Association of Manitoba (WAAM)
Wilderness Society
Winnipeg Rowing Club

Available in accessible formats upon request